

# Experimental volumetric hydrogen uptake determination at cryogenic temperature of commercially available Metal-Organic Framework materials

Jose A. Villajos <sup>1\*</sup>

<sup>1</sup> Federal Institute for Materials Research and Testing (BAM), Department Process Analytical Technology; Richard-Willstätter-Straße 11, 12489, Berlin, Germany

\* Correspondence: jose-antonio.villajos@bam.de; Tel.: 0049 30 8104 5825

## Supporting information

### Characterization of MOFs




Figure S1. PXRD of MOFs compared with the calculated PXRD pattern from their deposited crystallographic information in the CSD (Cambridge Structures Database).





Figure S2. Microscopy images of MOFs after hydrogen adsorption experiments.

### Hydrogen adsorption measurements



**Figure S3.** hydrogen adsorption-desorption isotherms at 77 K of material NORIT RAW 0.8 nm collected by BAM and compared to other measurements by other laboratories [40].




Figure S4. Corrected excess isotherms at 77 K for material HKUST-1 using the lowest, highest, and average correction factors.




Figure S5. hydrogen adsorption-desorption isotherms at 77 K of material HKUST-1. Run 1, 2, and 3 use 479 mg (878 m<sup>2</sup>). Run 4, 5, and 6 use 0.918 mg (1388 m<sup>2</sup>).




Figure S6. hydrogen adsorption-desorption isotherms at 77 K of material UIO-67. 502 mg (1071 m<sup>2</sup>).




Figure S7. hydrogen adsorption-desorption isotherms at 77 K of material PCN-250(Fe). 381 mg (691 m<sup>2</sup>).




Figure S8. hydrogen adsorption-desorption isotherms at 77 K of material MOF-5. 354 mg (699 m<sup>2</sup>).




Figure S9. hydrogen adsorption-desorption isotherms at 77 K of material ZIF-8. 460 mg (797 m<sup>2</sup>).




Figure S10. hydrogen adsorption-desorption isotherms at 77 K of material ZIF-8\_packed. 430 mg (746 m<sup>2</sup>).




Figure S11. hydrogen adsorption-desorption isotherms at 77 K of material Zr-Fumarate. 658 mg (472 m<sup>2</sup>).




Figure S12. hydrogen adsorption-desorption isotherms at 77 K of material UIO-66. 480 mg (577 m<sup>2</sup>).




Figure S13. hydrogen adsorption-desorption isotherms at 77 K of material MIL-100(Fe). 400 mg (806 m<sup>2</sup>).





Figure S14. hydrogen adsorption-desorption isotherms at 77 K of material CAU-10. 496 mg (312 m<sup>2</sup>).



**Figure S15.** hydrogen adsorption-desorption isotherms at 77 K of different amounts of material MOF-177. Sample “Average” averages the measurements for 175 mg ( $779 \text{ m}^2$ ) and 395 mg of material ( $1756 \text{ m}^2$ ).




Figure S16. Gravimetric total hydrogen adsorption-desorption isotherms for MOFs at 77 K.



**Figure S17.** Measurement of the sample's volume into the HPVA analysis cell.




Figure S18. Maximum volumetric total hydrogen adsorption-desorption uptake of analyzed MOFs at 77 K considering the measured density of the crystals.