



## Correction to: Quantitative considerations about the size dependency for cellular entry and excretion of colloidal nanoparticles for different cell types

Yanan Kang<sup>1</sup> · Leroy Nack<sup>1</sup> · Yang Liu<sup>1</sup> · Bing Qi<sup>1</sup> · Yalan Huang<sup>1</sup> · Ziyao Liu<sup>1,2</sup> · Indranath Chakraborty<sup>1</sup> · Florian Schulz<sup>1</sup> · Abdullah Ahmed<sup>1</sup> · Mirco Clavo Poveda<sup>3</sup> · Fereshta Hafizi<sup>3</sup> · Sathi Roy<sup>3</sup> · Marina Mutas<sup>3,4</sup> · Malte Holzapfel<sup>3</sup> · Carlos Sanchez Cano<sup>5</sup> · K. David Wegner<sup>6</sup> · Neus Feliu<sup>3</sup> · Wolfgang J. Parak<sup>1</sup> 

Published online: 21 July 2022  
© © The Author(s) 2022

**Correction to: ChemTexts (2022) 8:9**  
<https://doi.org/10.1007/s40828-021-00159-6>

The corrected Fig. 2 is displayed below. WJP apologizes for this error.

We regret to inform that the labels "NPs which remain in endosomes/lysosomes" and "exocytosed NPs" had been erroneously swapped in the sketch on the right side in Figure 2.


---

The original article can be found online at <https://doi.org/10.1007/s40828-021-00159-6>.

---

✉ Wolfgang J. Parak  
wolfgang.parak@uni-hamburg.de

- <sup>1</sup> Center for Hybrid Nanostructures (CHyN) and Fachbereich Physik and Chemie, Universität Hamburg, Hamburg, Germany
- <sup>2</sup> Present Address: Present Address: Key Laboratory of Biological Nanotechnology of National Health Commission, Xiangya Hospital, Central South University, Changsha, Hunan, China
- <sup>3</sup> Fraunhofer Center for Applied Nanotechnology (CAN), Hamburg, Germany
- <sup>4</sup> Mildred Scheel Cancer Career Centre Hamburg, Universitätsklinikum Hamburg-Eppendorf, Hamburg, Germany
- <sup>5</sup> CIC Biomagune, San Sebastian, Spain
- <sup>6</sup> Division Biophotonics, Federal Institute of Materials Research and Testing (BAM), Berlin, Germany



**Fig. 2** Percentage of exocytosed differently sized gold NPs in human primary mesenchymal stem cells (MSCs; **A**) and horse MSCs (**B**) at different time points. Image taken with permission from

Sun et al. [24]. The NPs used here had Au cores with diameters from 5 to 100 nm and were all coated with the same polymer, viz. poly(isobutylene-*alt*-maleic anhydride)-graft-dodecyl (PMA)

**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in

the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

**Publisher's Note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.