

Doctoral thesis by Ms. Isabel Cristina Pulgarin Monsalve

**Fundamentals of process design and control of Anaerobic Sequencing Batch Gas-Lift Reactor regarding the mixing process
Brandenburgische Technische Universität Cottbus-Senftenberg, 2021**

Annex 4.1:

Flow characterization

Flow air (m ³ /h)	Flow air (l/mi)	V _{Dt} [cm/s] Experimental test	VDt [cm/s] Tehorical Value	VDt [cm/s] Ithink simulation
1,92	32	69,42	69,07	68,97

Area tube [m²]

0,007853982

Flow air (m ³ /h)	Flow air (m ³ /s)	average Flow water (m ³ /h)	Standard deviation	Min	Delta Min	Max	Delta Max	Water Velocity [m/s]
0,12	432	5,77	0,32	5,23	0,54	6,40	0,63	0,204
0,18	648	6,47	0,32	5,99	0,48	7,74	1,27	0,229
0,21	756	7,39	0,74	6,49	0,90	8,94	1,55	0,262
0,24	864	8,14	0,58	6,87	1,27	9,28	1,14	0,288
0,27	972	8,75	0,36	7,90	0,85	9,21	0,46	0,309
0,3	1080	9,09	0,87	7,56	1,53	10,47	1,38	0,322
0,33	1188	9,53	0,68	8,06	1,47	10,57	1,04	0,337
0,36	1296	10,72	0,43	9,16	1,56	11,57	0,85	0,379
0,39	1404	9,23	0,28	8,78	0,45	9,58	0,35	0,327
0,42	1512	10,79	0,78	8,93	1,86	11,96	1,17	0,381
0,45	1620	11,51	0,69	9,58	1,93	12,04	0,53	0,407
0,48	1728	11,49	0,56	9,86	1,63	12,76	1,27	0,407
0,54	1944	12,07	0,44	10,51	1,56	12,80	0,73	0,427
0,57	2052	12,26	0,44	11,12	1,14	12,90	0,64	0,434
0,6	2160	12,41	0,72	10,58	1,83	13,57	1,16	0,439
0,66	2376	12,92	0,42	11,94	0,98	14,08	1,16	0,457
0,69	2484	13,49	0,39	12,53	0,96	13,91	0,42	0,477

0,72	2592	13,59	0,46	12,56	1,03	14,68	1,09	0,481
0,78	2808	14,00	0,36	12,99	1,01	14,88	0,88	0,495
0,84	3024	14,56	0,36	13,42	1,14	15,49	0,93	0,515
0,9	3240	14,87	0,33	13,94	0,93	15,52	0,65	0,526
0,96	3456	15,25	0,26	14,35	0,90	15,90	0,65	0,539
1,02	3672	15,72	0,30	15,05	0,67	16,33	0,61	0,556
1,08	3888	15,95	0,29	15,00	0,95	16,58	0,63	0,564
1,14	4104	16,27	0,27	15,27	1,00	16,99	0,72	0,576
1,2	4320	16,56	0,31	15,88	0,68	17,30	0,74	0,586
1,26	4536	16,79	0,24	16,12	0,67	17,43	0,64	0,594
1,32	4752	17,03	0,28	16,20	0,83	17,70	0,67	0,602
1,38	4968	17,23	0,26	16,51	0,72	17,91	0,68	0,609
1,44	5184	17,53	0,37	16,89	0,64	18,35	0,82	0,620
1,5	5400	17,84	0,32	17,29	0,55	18,89	1,05	0,631
1,56	5616	18,16	0,44	17,30	0,86	19,12	0,96	0,642
1,62	5832	18,60	0,44	17,80	0,80	19,43	0,83	0,658
1,68	6048	18,67	0,18	18,31	0,36	19,03	0,36	0,660
1,74	6264	19,16	0,46	18,13	1,03	19,94	0,78	0,678
1,8	6480	19,15	0,35	18,40	0,75	19,89	0,74	0,677
1,86	6696	19,79	0,30	19,14	0,65	20,39	0,60	0,700
1,92	6912	19,63	0,44	18,64	0,99	20,55	0,92	0,694
1,98	7128	20,20	0,46	19,00	1,20	20,90	0,70	0,714
2,04	7344	19,98	0,54	19,07	0,91	21,12	1,14	0,707
2,1	7560	20,65	0,72	19,11	1,54	21,90	1,25	0,730
2,16	7776	20,59	0,60	19,85	0,74	21,96	1,37	0,728
2,22	7992	21,18	0,75	19,84	1,34	22,93	1,75	0,749
2,28	8208	21,07	0,80	20,06	1,01	22,49	1,42	0,745
2,34	8424	21,68	0,71	20,30	1,38	22,96	1,28	0,767
2,4	8640	22,24	0,82	21,20	1,04	23,39	1,15	0,787
2,46	8856	22,51	0,84	21,41	1,10	23,67	1,16	0,796
2,49	8964	20,87	0,36	20,08	0,79	21,45	0,58	0,738
2,52	9072	22,00	0,69	21,11	0,89	23,70	1,70	0,778

All data tested

Flow air (l/min)	Flow air (m ³ /h)	Flow water (m ³ /h)	Flow water l/min
2	0,12	5,48	91,33
2	0,12	5,57	92,83
2	0,12	5,61	93,50
2	0,12	5,62	93,67
2	0,12	5,31	88,50
2	0,12	5,4	90,00
2	0,12	5,5	91,67
2	0,12	5,41	90,17
2	0,12	5,37	89,50
2	0,12	5,34	89,00
2	0,12	5,44	90,67
2	0,12	5,3	88,33
2	0,12	5,31	88,50
2	0,12	5,54	92,33
2	0,12	5,52	92,00
2	0,12	5,47	91,17
2	0,12	5,81	96,83
2	0,12	5,97	99,50
2	0,12	5,96	99,33
2	0,12	6,03	100,50
2	0,12	6,07	101,17
2	0,12	6,17	102,83
2	0,12	6,26	104,33
2	0,12	6,03	100,50
2	0,12	6,21	103,50
2	0,12	6,4	106,67
2	0,12	6,2	103,33
2	0,12	5,97	99,50
2	0,12	6,04	100,67
2	0,12	5,81	96,83
2	0,12	6,27	104,50
2	0,12	6,21	103,50

2	0,12	5,77	96,17
2	0,12	5,51	91,83
2	0,12	5,76	96,00
2	0,12	5,55	92,50
2	0,12	5,42	90,33
2	0,12	5,71	95,17
2	0,12	5,75	95,83
2	0,12	5,78	96,33
2	0,12	5,57	92,83
2	0,12	5,53	92,17
2	0,12	5,86	97,67
2	0,12	5,51	91,83
2	0,12	5,72	95,33
2	0,12	5,65	94,17
2	0,12	5,58	93,00
2	0,12	5,75	95,83
2	0,12	5,23	87,17
2	0,12	5,74	95,67
2	0,12	5,72	95,33
2	0,12	5,41	90,17
2	0,12	5,67	94,50
2	0,12	5,61	93,50
2	0,12	5,53	92,17
2	0,12	5,48	91,33
2	0,12	5,3	88,33
2	0,12	5,66	94,33
2	0,12	5,57	92,83
2	0,12	5,74	95,67
2	0,12	5,57	92,83
2	0,12	5,54	92,33
2	0,12	5,25	87,50
2	0,12	5,35	89,17
2	0,12	6,01	100,17
2	0,12	6	100,00
2	0,12	6,14	102,33
2	0,12	6,22	103,67
2	0,12	5,98	99,67

2	0,12	6,28	104,67
2	0,12	6,07	101,17
2	0,12	6,02	100,33
2	0,12	6,3	105,00
2	0,12	6,07	101,17
2	0,12	6,26	104,33
2	0,12	6,07	101,17
2	0,12	6,18	103,00
2	0,12	6,17	102,83
2	0,12	6,13	102,17
2	0,12	6,12	102,00
3	0,18	6,4	106,67
3	0,18	6,28	104,67
3	0,18	6,6	110,00
3	0,18	6,78	113,00
3	0,18	6,11	101,83
3	0,18	6,31	105,17
3	0,18	6,12	102,00
3	0,18	6,91	115,17
3	0,18	6,95	115,83
3	0,18	6,49	108,17
3	0,18	6,55	109,17
3	0,18	6,32	105,33
3	0,18	6,11	101,83
3	0,18	6,28	104,67
3	0,18	6,34	105,67
3	0,18	6,02	100,33
3	0,18	6,68	111,33
3	0,18	6,77	112,83
3	0,18	6,73	112,17
3	0,18	6,24	104,00
3	0,18	6,42	107,00
3	0,18	6,54	109,00
3	0,18	6,23	103,83
3	0,18	6,12	102,00
3	0,18	6,18	103,00
3	0,18	6,34	105,67

3	0,18	6,13	102,17
3	0,18	6,27	104,50
3	0,18	6,42	107,00
3	0,18	6,51	108,50
3	0,18	6,18	103,00
3	0,18	6	100,00
3	0,18	6,02	100,33
3	0,18	7,31	121,83
3	0,18	7,42	123,67
3	0,18	7,74	129,00
3	0,18	6,36	106,00
3	0,18	6,43	107,17
3	0,18	6,55	109,17
3	0,18	6,31	105,17
3	0,18	6,8	113,33
3	0,18	6,32	105,33
3	0,18	6,37	106,17
3	0,18	6,63	110,50
3	0,18	6,58	109,67
3	0,18	6,45	107,50
3	0,18	6,67	111,17
3	0,18	6,98	116,33
3	0,18	6,05	100,83
3	0,18	6,26	104,33
3	0,18	6,58	109,67
3	0,18	6,69	111,50
3	0,18	6,48	108,00
3	0,18	6,71	111,83
3	0,18	6,68	111,33
3	0,18	6,71	111,83
3	0,18	6,48	108,00
3	0,18	6,81	113,50
3	0,18	6,64	110,67
3	0,18	6,53	108,83
3	0,18	6,7	111,67
3	0,18	6,75	112,50
3	0,18	6,44	107,33

3	0,18	6,54	109,00
3	0,18	6,56	109,33
3	0,18	6,54	109,00
3	0,18	6,05	100,83
3	0,18	6,22	103,67
3	0,18	6,04	100,67
3	0,18	6,12	102,00
3	0,18	6,81	113,50
3	0,18	6,54	109,00
3	0,18	6,3	105,00
3	0,18	6,14	102,33
3	0,18	6,43	107,17
3	0,18	6,64	110,67
3	0,18	6,26	104,33
3	0,18	5,99	99,83
3	0,18	6,03	100,50
3	0,18	6,52	108,67
3,5	0,21	6,82	113,67
3,5	0,21	6,86	114,33
3,5	0,21	6,91	115,17
3,5	0,21	6,8	113,33
3,5	0,21	6,88	114,67
3,5	0,21	6,81	113,50
3,5	0,21	6,91	115,17
3,5	0,21	7,09	118,17
3,5	0,21	6,82	113,67
3,5	0,21	6,99	116,50
3,5	0,21	6,94	115,67
3,5	0,21	6,88	114,67
3,5	0,21	6,95	115,83
3,5	0,21	6,88	114,67
3,5	0,21	6,83	113,83
3,5	0,21	6,94	115,67
3,5	0,21	7,9	131,67
3,5	0,21	8,65	144,17
3,5	0,21	8,37	139,50
3,5	0,21	7,69	128,17

3,5	0,21	8,18	136,33
3,5	0,21	8,59	143,17
3,5	0,21	8,35	139,17
3,5	0,21	8,47	141,17
3,5	0,21	8,11	135,17
3,5	0,21	8,94	149,00
3,5	0,21	8,72	145,33
3,5	0,21	8,48	141,33
3,5	0,21	8,52	142,00
3,5	0,21	8,71	145,17
3,5	0,21	8,45	140,83
3,5	0,21	7,93	132,17
3,5	0,21	7,07	117,83
3,5	0,21	6,53	108,83
3,5	0,21	6,63	110,50
3,5	0,21	6,83	113,83
3,5	0,21	7,09	118,17
3,5	0,21	7,02	117,00
3,5	0,21	7,25	120,83
3,5	0,21	6,84	114,00
3,5	0,21	6,99	116,50
3,5	0,21	7,05	117,50
3,5	0,21	7,17	119,50
3,5	0,21	7,16	119,33
3,5	0,21	7,07	117,83
3,5	0,21	6,62	110,33
3,5	0,21	6,49	108,17
3,5	0,21	6,72	112,00
4	0,24	7,69	128,17
4	0,24	7,86	131,00
4	0,24	7,85	130,83
4	0,24	7,48	124,67
4	0,24	8,14	135,67
4	0,24	7,3	121,67
4	0,24	7,73	128,83
4	0,24	7,76	129,33
4	0,24	8,7	145,00

4	0,24	8,97	149,50
4	0,24	9,1	151,67
4	0,24	9,28	154,67
4	0,24	8,96	149,33
4	0,24	8,1	135,00
4	0,24	7,95	132,50
4	0,24	7,47	124,50
4	0,24	8,23	137,17
4	0,24	8,14	135,67
4	0,24	8,02	133,67
4	0,24	8,64	144,00
4	0,24	8,81	146,83
4	0,24	9,01	150,17
4	0,24	9,28	154,67
4	0,24	9,17	152,83
4	0,24	8,82	147,00
4	0,24	8,9	148,33
4	0,24	8,86	147,67
4	0,24	8,63	143,83
4	0,24	8,87	147,83
4	0,24	9,04	150,67
4	0,24	8,63	143,83
4	0,24	8,4	140,00
4	0,24	8,6	143,33
4	0,24	8,42	140,33
4	0,24	7,56	126,00
4	0,24	7,86	131,00
4	0,24	7,61	126,83
4	0,24	7,17	119,50
4	0,24	7,08	118,00
4	0,24	7,26	121,00
4	0,24	7,89	131,50
4	0,24	7,3	121,67
4	0,24	7,74	129,00
4	0,24	8,05	134,17
4	0,24	7,5	125,00
4	0,24	8,17	136,17

4	0,24	8,25	137,50
4	0,24	7,69	128,17
4	0,24	8,76	146,00
4	0,24	7,16	119,33
4	0,24	7,96	132,67
4	0,24	8,37	139,50
4	0,24	8,9	148,33
4	0,24	8,67	144,50
4	0,24	8,36	139,33
4	0,24	8,38	139,67
4	0,24	7,64	127,33
4	0,24	8,56	142,67
4	0,24	9,14	152,33
4	0,24	8,73	145,50
4	0,24	8	133,33
4	0,24	7,78	129,67
4	0,24	7,48	124,67
4	0,24	7,41	123,50
4	0,24	8,08	134,67
4	0,24	7,77	129,50
4	0,24	8,32	138,67
4	0,24	8,63	143,83
4	0,24	8,23	137,17
4	0,24	7,72	128,67
4	0,24	6,88	114,67
4	0,24	6,87	114,50
4	0,24	7,54	125,67
4	0,24	7,46	124,33
4	0,24	7,94	132,33
4	0,24	8,39	139,83
4	0,24	8,23	137,17
4	0,24	8,2	136,67
4	0,24	7,71	128,50
4	0,24	7,66	127,67
4	0,24	7,98	133,00
4	0,24	8,91	148,50
4	0,24	8,59	143,17

4	0,24	7,69	128,17
4	0,24	8,09	134,83
4	0,24	8,5	141,67
4	0,24	8,19	136,50
4	0,24	8,24	137,33
4	0,24	8,28	138,00
4	0,24	8,79	146,50
4	0,24	8,23	137,17
4	0,24	7,8	130,00
4	0,24	7,7	128,33
4	0,24	8,11	135,17
4	0,24	7,39	123,17
4	0,24	8,36	139,33
4,5	0,27	9,21	153,50
4,5	0,27	9,08	151,33
4,5	0,27	9,02	150,33
4,5	0,27	8,99	149,83
4,5	0,27	8,71	145,17
4,5	0,27	9,16	152,67
4,5	0,27	9,2	153,33
4,5	0,27	8,64	144,00
4,5	0,27	8,39	139,83
4,5	0,27	8,42	140,33
4,5	0,27	7,9	131,67
4,5	0,27	8,63	143,83
4,5	0,27	8,78	146,33
4,5	0,27	8,45	140,83
4,5	0,27	8,64	144,00
4,5	0,27	8,76	146,00
5	0,3	9,83	163,83
5	0,3	9,95	165,83
5	0,3	10,01	166,83
5	0,3	10,32	172,00
5	0,3	10,47	174,50
5	0,3	10,18	169,67
5	0,3	9,79	163,17
5	0,3	10,15	169,17

5	0,3	10,21	170,17
5	0,3	9,65	160,83
5	0,3	10,07	167,83
5	0,3	9,44	157,33
5	0,3	9,51	158,50
5	0,3	9,34	155,67
5	0,3	9,38	156,33
5	0,3	9,85	164,17
5	0,3	7,56	126,00
5	0,3	8	133,33
5	0,3	7,86	131,00
5	0,3	8,76	146,00
5	0,3	8,15	135,83
5	0,3	8,1	135,00
5	0,3	8,56	142,67
5	0,3	8,57	142,83
5	0,3	8,64	144,00
5	0,3	8,67	144,50
5	0,3	8,58	143,00
5	0,3	8,59	143,17
5	0,3	7,99	133,17
5	0,3	8,17	136,17
5	0,3	8,23	137,17
5	0,3	8,38	139,67
5,5	0,33	8,68	144,67
5,5	0,33	9,09	151,50
5,5	0,33	8,74	145,67
5,5	0,33	8,09	134,83
5,5	0,33	8,06	134,33
5,5	0,33	8,89	148,17
5,5	0,33	9,79	163,17
5,5	0,33	9,54	159,00
5,5	0,33	8,71	145,17
5,5	0,33	8,46	141,00
5,5	0,33	9,8	163,33
5,5	0,33	9,38	156,33
5,5	0,33	9,79	163,17

5,5	0,33	9,46	157,67
5,5	0,33	8,75	145,83
5,5	0,33	9,28	154,67
5,5	0,33	9,64	160,67
5,5	0,33	9,69	161,50
5,5	0,33	10	166,67
5,5	0,33	9,92	165,33
5,5	0,33	10,14	169,00
5,5	0,33	10,06	167,67
5,5	0,33	10,39	173,17
5,5	0,33	10,57	176,17
5,5	0,33	10,17	169,50
5,5	0,33	9,86	164,33
5,5	0,33	10,14	169,00
5,5	0,33	10,2	170,00
5,5	0,33	10,41	173,50
5,5	0,33	10,12	168,67
5,5	0,33	9,63	160,50
5,5	0,33	9,48	158,00
6	0,36	10,93	182,17
6	0,36	10,79	179,83
6	0,36	10,94	182,33
6	0,36	10,59	176,50
6	0,36	11,04	184,00
6	0,36	11,06	184,33
6	0,36	11,13	185,50
6	0,36	10,95	182,50
6	0,36	11,1	185,00
6	0,36	11,06	184,33
6	0,36	11,13	185,50
6	0,36	10,62	177,00
6	0,36	10,87	181,17
6	0,36	10,7	178,33
6	0,36	10,88	181,33
6	0,36	10,39	173,17
6	0,36	11,03	183,83
6	0,36	10,95	182,50

6	0,36	11,05	184,17
6	0,36	10,89	181,50
6	0,36	11,04	184,00
6	0,36	10,87	181,17
6	0,36	10,85	180,83
6	0,36	11,01	183,50
6	0,36	10,65	177,50
6	0,36	10,45	174,17
6	0,36	10,78	179,67
6	0,36	10,7	178,33
6	0,36	11,11	185,17
6	0,36	10,83	180,50
6	0,36	10,94	182,33
6	0,36	10,7	178,33
6	0,36	10,13	168,83
6	0,36	10,71	178,50
6	0,36	10,65	177,50
6	0,36	10,53	175,50
6	0,36	10,77	179,50
6	0,36	10,99	183,17
6	0,36	10,84	180,67
6	0,36	10,85	180,83
6	0,36	10,67	177,83
6	0,36	10,9	181,67
6	0,36	10,75	179,17
6	0,36	11,07	184,50
6	0,36	10,75	179,17
6	0,36	10,95	182,50
6	0,36	10,71	178,50
6	0,36	11,23	187,17
6	0,36	9,16	152,67
6	0,36	10,85	180,83
6	0,36	10,42	173,67
6	0,36	10,57	176,17
6	0,36	10,25	170,83
6	0,36	9,84	164,00
6	0,36	10,34	172,33

6	0,36	10,95	182,50
6	0,36	10,83	180,50
6	0,36	10,37	172,83
6	0,36	10,32	172,00
6	0,36	10,28	171,33
6	0,36	10,59	176,50
6	0,36	10,37	172,83
6	0,36	10,91	181,83
6	0,36	10,26	171,00
6	0,36	10,09	168,17
6	0,36	11,3	188,33
6	0,36	11,57	192,83
6	0,36	11,38	189,67
6	0,36	11,36	189,33
6	0,36	10,99	183,17
6	0,36	10,96	182,67
6	0,36	10,2	170,00
6	0,36	9,52	158,67
6	0,36	9,19	153,17
6	0,36	10,06	167,67
6	0,36	11	183,33
6	0,36	11,1	185,00
6	0,36	10,84	180,67
6	0,36	10,57	176,17
6	0,36	10,89	181,50
6,5	0,39	9,44	157,33
6,5	0,39	8,78	146,33
6,5	0,39	9,21	153,50
6,5	0,39	9,43	157,17
6,5	0,39	9,58	159,67
6,5	0,39	9,43	157,17
6,5	0,39	8,85	147,50
6,5	0,39	9,13	152,17
6,5	0,39	9,5	158,33
6,5	0,39	9,54	159,00
6,5	0,39	9,42	157,00
6,5	0,39	8,89	148,17

6,5	0,39	9,11	151,83
6,5	0,39	9,48	158,00
6,5	0,39	8,9	148,33
6,5	0,39	9,05	150,83
7	0,42	10,82	180,33
7	0,42	10,77	179,50
7	0,42	10,54	175,67
7	0,42	10,87	181,17
7	0,42	11,1	185,00
7	0,42	11,36	189,33
7	0,42	11,24	187,33
7	0,42	11,33	188,83
7	0,42	11,54	192,33
7	0,42	11,87	197,83
7	0,42	11,61	193,50
7	0,42	11,21	186,83
7	0,42	10,85	180,83
7	0,42	11,2	186,67
7	0,42	11,4	190,00
7	0,42	11,58	193,00
7	0,42	10,54	175,67
7	0,42	10,55	175,83
7	0,42	11,03	183,83
7	0,42	11,23	187,17
7	0,42	10,97	182,83
7	0,42	9,82	163,67
7	0,42	9,95	165,83
7	0,42	10,6	176,67
7	0,42	10,24	170,67
7	0,42	10,04	167,33
7	0,42	10,42	173,67
7	0,42	11,74	195,67
7	0,42	11,8	196,67
7	0,42	10,62	177,00
7	0,42	10,96	182,67
7	0,42	10,75	179,17
7	0,42	11,92	198,67

7	0,42	10,91	181,83
7	0,42	10,24	170,67
7	0,42	10,64	177,33
7	0,42	11,22	187,00
7	0,42	11,27	187,83
7	0,42	11,49	191,50
7	0,42	11,28	188,00
7	0,42	11,1	185,00
7	0,42	11,21	186,83
7	0,42	11,65	194,17
7	0,42	10,92	182,00
7	0,42	11,87	197,83
7	0,42	11,66	194,33
7	0,42	11,28	188,00
7	0,42	11,27	187,83
7	0,42	9,11	151,83
7	0,42	9,3	155,00
7	0,42	9,93	165,50
7	0,42	10,73	178,83
7	0,42	9,7	161,67
7	0,42	9,86	164,33
7	0,42	9,78	163,00
7	0,42	9,65	160,83
7	0,42	9,55	159,17
7	0,42	9,32	155,33
7	0,42	9,02	150,33
7	0,42	9,27	154,50
7	0,42	10,22	170,33
7	0,42	10,26	171,00
7	0,42	9,19	153,17
7	0,42	9,85	164,17
7	0,42	11,54	192,33
7	0,42	11,63	193,83
7	0,42	11,44	190,67
7	0,42	11,36	189,33
7	0,42	11,2	186,67
7	0,42	11,8	196,67

7	0,42	11,56	192,67
7	0,42	11,33	188,83
7	0,42	11,45	190,83
7	0,42	11,62	193,67
7	0,42	11,96	199,33
7	0,42	11,36	189,33
7	0,42	10,99	183,17
7	0,42	11,03	183,83
7	0,42	11,28	188,00
7	0,42	11	183,33
7	0,42	11,51	191,83
7	0,42	11,79	196,50
7	0,42	11,7	195,00
7	0,42	11,32	188,67
7	0,42	11,01	183,50
7	0,42	10,99	183,17
7	0,42	10,96	182,67
7	0,42	11,2	186,67
7	0,42	10,95	182,50
7	0,42	10,35	172,50
7	0,42	10,31	171,83
7	0,42	10,82	180,33
7	0,42	10,48	174,67
7	0,42	10,87	181,17
7	0,42	11,69	194,83
7	0,42	11,39	189,83
7	0,42	11,09	184,83
7	0,42	10,82	180,33
7	0,42	10,75	179,17
7	0,42	10,64	177,33
7	0,42	10,22	170,33
7	0,42	9,35	155,83
7	0,42	9	150,00
7	0,42	9,28	154,67
7	0,42	8,93	148,83
7	0,42	9,64	160,67
7	0,42	9,3	155,00

7	0,42	9,97	166,17
7	0,42	10,93	182,17
7	0,42	11,04	184,00
7	0,42	10,98	183,00
7	0,42	11,01	183,50
7,5	0,45	9,58	159,67
7,5	0,45	10,79	179,83
7,5	0,45	10,99	183,17
7,5	0,45	11,67	194,50
7,5	0,45	11,85	197,50
7,5	0,45	11,93	198,83
7,5	0,45	12,01	200,17
7,5	0,45	12	200,00
7,5	0,45	10,8	180,00
7,5	0,45	11	183,33
7,5	0,45	11,78	196,33
7,5	0,45	11,9	198,33
7,5	0,45	12,04	200,67
7,5	0,45	11,98	199,67
7,5	0,45	11,89	198,17
7,5	0,45	11,93	198,83
8	0,48	11,51	191,83
8	0,48	11,8	196,67
8	0,48	12,21	203,50
8	0,48	11,86	197,67
8	0,48	12,48	208,00
8	0,48	12,53	208,83
8	0,48	12,37	206,17
8	0,48	12,1	201,67
8	0,48	11,95	199,17
8	0,48	11,85	197,50
8	0,48	12,16	202,67
8	0,48	12,06	201,00
8	0,48	11,89	198,17
8	0,48	11,71	195,17
8	0,48	12,11	201,83
8	0,48	12,04	200,67

8	0,48	11,53	192,17
8	0,48	11,84	197,33
8	0,48	11,54	192,33
8	0,48	11,33	188,83
8	0,48	11,21	186,83
8	0,48	11,12	185,33
8	0,48	11,52	192,00
8	0,48	11,44	190,67
8	0,48	12,23	203,83
8	0,48	11,47	191,17
8	0,48	12,03	200,50
8	0,48	12,02	200,33
8	0,48	12,59	209,83
8	0,48	12,76	212,67
8	0,48	11,44	190,67
8	0,48	11,62	193,67
8	0,48	11,01	183,50
8	0,48	10,59	176,50
8	0,48	11,52	192,00
8	0,48	11,18	186,33
8	0,48	11,36	189,33
8	0,48	11,31	188,50
8	0,48	11	183,33
8	0,48	10,69	178,17
8	0,48	10,56	176,00
8	0,48	11,09	184,83
8	0,48	11,33	188,83
8	0,48	11,29	188,17
8	0,48	11,07	184,50
8	0,48	10,95	182,50
8	0,48	10,7	178,33
8	0,48	11,01	183,50
8	0,48	9,86	164,33
8	0,48	10,9	181,67
8	0,48	10,95	182,50
8	0,48	10,87	181,17
8	0,48	10,63	177,17

8	0,48	10,22	170,33
8	0,48	10	166,67
8	0,48	10,93	182,17
8	0,48	11,52	192,00
8	0,48	11,98	199,67
8	0,48	11,76	196,00
8	0,48	11,9	198,33
8	0,48	11,35	189,17
8	0,48	11,16	186,00
8	0,48	10,97	182,83
8	0,48	10,69	178,17
8	0,48	11,04	184,00
8	0,48	11,6	193,33
8	0,48	12,25	204,17
8	0,48	11,83	197,17
8	0,48	11,28	188,00
8	0,48	11,15	185,83
8	0,48	11,14	185,67
8	0,48	11,34	189,00
8	0,48	11,82	197,00
8	0,48	11,47	191,17
8	0,48	11,45	190,83
8	0,48	11,97	199,50
8	0,48	11,76	196,00
8	0,48	12,06	201,00
8	0,48	11,85	197,50
8	0,48	11,56	192,67
8	0,48	10,69	178,17
8	0,48	10,59	176,50
8	0,48	10,32	172,00
8	0,48	10,82	180,33
8	0,48	11,02	183,67
8	0,48	11,57	192,83
8	0,48	11,59	193,17
8	0,48	11,9	198,33
8	0,48	11,31	188,50
8	0,48	11,45	190,83

8	0,48	11,85	197,50
8	0,48	11,65	194,17
8	0,48	10,9	181,67
8	0,48	11,24	187,33
8	0,48	11,25	187,50
8	0,48	11,64	194,00
8	0,48	11,33	188,83
8	0,48	11,45	190,83
8	0,48	11,42	190,33
8	0,48	11,05	184,17
8	0,48	11,7	195,00
8	0,48	11,56	192,67
8	0,48	12	200,00
8	0,48	11,89	198,17
8	0,48	12,16	202,67
8	0,48	12,01	200,17
8	0,48	12,23	203,83
8	0,48	12,29	204,83
8	0,48	12,03	200,50
8	0,48	12,09	201,50
8	0,48	12,18	203,00
8	0,48	11,87	197,83
9	0,54	10,89	181,50
9	0,54	10,51	175,17
9	0,54	11,66	194,33
9	0,54	11,17	186,17
9	0,54	11,62	193,67
9	0,54	11,58	193,00
9	0,54	11,48	191,33
9	0,54	11,94	199,00
9	0,54	12,12	202,00
9	0,54	11,94	199,00
9	0,54	11,79	196,50
9	0,54	11,02	183,67
9	0,54	11,42	190,33
9	0,54	12,19	203,17
9	0,54	11,56	192,67

9	0,54	11,72	195,33
9	0,54	11,86	197,67
9	0,54	11,98	199,67
9	0,54	12,1	201,67
9	0,54	12,16	202,67
9	0,54	12,08	201,33
9	0,54	11,12	185,33
9	0,54	11,4	190,00
9	0,54	11,28	188,00
9	0,54	11,39	189,83
9	0,54	12,35	205,83
9	0,54	12,08	201,33
9	0,54	11,42	190,33
9	0,54	12,02	200,33
9	0,54	12,07	201,17
9	0,54	12,28	204,67
9	0,54	12,55	209,17
9	0,54	12,14	202,33
9	0,54	12,58	209,67
9	0,54	12,11	201,83
9	0,54	12,22	203,67
9	0,54	12,08	201,33
9	0,54	11,51	191,83
9	0,54	11,85	197,50
9	0,54	12,08	201,33
9	0,54	12,4	206,67
9	0,54	12,36	206,00
9	0,54	12,01	200,17
9	0,54	12,44	207,33
9	0,54	12,52	208,67
9	0,54	11,89	198,17
9	0,54	12,08	201,33
9	0,54	12,21	203,50
9	0,54	11,63	193,83
9	0,54	11,6	193,33
9	0,54	11,72	195,33
9	0,54	11,96	199,33

9	0,54	12,04	200,67
9	0,54	12,37	206,17
9	0,54	12,01	200,17
9	0,54	11,81	196,83
9	0,54	11,99	199,83
9	0,54	12,25	204,17
9	0,54	11,86	197,67
9	0,54	12,07	201,17
9	0,54	12,36	206,00
9	0,54	12,56	209,33
9	0,54	12,37	206,17
9	0,54	12,61	210,17
9	0,54	11,58	193,00
9	0,54	11,75	195,83
9	0,54	12,49	208,17
9	0,54	12,52	208,67
9	0,54	12,15	202,50
9	0,54	12,67	211,17
9	0,54	12,77	212,83
9	0,54	12,5	208,33
9	0,54	12,6	210,00
9	0,54	12,13	202,17
9	0,54	12,68	211,33
9	0,54	12,79	213,17
9	0,54	12,69	211,50
9	0,54	12,5	208,33
9	0,54	12,79	213,17
9	0,54	12,8	213,33
9	0,54	12,11	201,83
9	0,54	11,91	198,50
9	0,54	11,62	193,67
9	0,54	12,07	201,17
9	0,54	12,2	203,33
9	0,54	12,48	208,00
9	0,54	12,49	208,17
9	0,54	12,55	209,17
9	0,54	12,04	200,67

9	0,54	12,52	208,67
9	0,54	12,5	208,33
9	0,54	12,27	204,50
9	0,54	12,39	206,50
9	0,54	12,55	209,17
9	0,54	11,95	199,17
9	0,54	12,19	203,17
9	0,54	11,7	195,00
9	0,54	11,86	197,67
9	0,54	12,45	207,50
9	0,54	11,79	196,50
9	0,54	12,23	203,83
9	0,54	12,4	206,67
9	0,54	12,47	207,83
9	0,54	12,38	206,33
9	0,54	12,44	207,33
9	0,54	11,97	199,50
9	0,54	12	200,00
9	0,54	11,86	197,67
9	0,54	12,28	204,67
9	0,54	12,1	201,67
9	0,54	12,57	209,50
9	0,54	11,71	195,17
9,5	0,57	12,07	201,17
9,5	0,57	12,41	206,83
9,5	0,57	12,12	202,00
9,5	0,57	12,35	205,83
9,5	0,57	12,37	206,17
9,5	0,57	12,54	209,00
9,5	0,57	11,75	195,83
9,5	0,57	11,82	197,00
9,5	0,57	11,77	196,17
9,5	0,57	12,4	206,67
9,5	0,57	11,92	198,67
9,5	0,57	11,24	187,33
9,5	0,57	11,12	185,33
9,5	0,57	11,89	198,17

9,5	0,57	12,62	210,33
9,5	0,57	12,9	215,00
9,5	0,57	12,78	213,00
9,5	0,57	12,8	213,33
9,5	0,57	12,74	212,33
9,5	0,57	12,11	201,83
9,5	0,57	12,19	203,17
9,5	0,57	12,21	203,50
9,5	0,57	12,8	213,33
9,5	0,57	12,82	213,67
9,5	0,57	12,7	211,67
9,5	0,57	12,09	201,50
9,5	0,57	12,15	202,50
9,5	0,57	12,23	203,83
9,5	0,57	12,74	212,33
9,5	0,57	12,11	201,83
9,5	0,57	12,21	203,50
9,5	0,57	12,5	208,33
10	0,6	12,35	205,83
10	0,6	11,59	193,17
10	0,6	12,72	212,00
10	0,6	12,52	208,67
10	0,6	12,6	210,00
10	0,6	12,7	211,67
10	0,6	12,15	202,50
10	0,6	12,92	215,33
10	0,6	13	216,67
10	0,6	12,76	212,67
10	0,6	13,05	217,50
10	0,6	12,64	210,67
10	0,6	12,97	216,17
10	0,6	12,8	213,33
10	0,6	12,74	212,33
10	0,6	12,97	216,17
10	0,6	13,2	220,00
10	0,6	12,65	210,83
10	0,6	12,22	203,67

10	0,6	12,08	201,33
10	0,6	13,3	221,67
10	0,6	12,67	211,17
10	0,6	13	216,67
10	0,6	12,62	210,33
10	0,6	12,75	212,50
10	0,6	12,36	206,00
10	0,6	12,67	211,17
10	0,6	12,15	202,50
10	0,6	12,88	214,67
10	0,6	12,7	211,67
10	0,6	13,52	225,33
10	0,6	12,72	212,00
10	0,6	11,95	199,17
10	0,6	12,33	205,50
10	0,6	12,66	211,00
10	0,6	12,39	206,50
10	0,6	13,25	220,83
10	0,6	13,27	221,17
10	0,6	13,18	219,67
10	0,6	12,59	209,83
10	0,6	12,13	202,17
10	0,6	12,16	202,67
10	0,6	12,4	206,67
10	0,6	12,69	211,50
10	0,6	12,23	203,83
10	0,6	12,33	205,50
10	0,6	12,17	202,83
10	0,6	12,92	215,33
10	0,6	10,65	177,50
10	0,6	10,61	176,83
10	0,6	10,58	176,33
10	0,6	11,11	185,17
10	0,6	11,37	189,50
10	0,6	11,08	184,67
10	0,6	10,9	181,67
10	0,6	10,65	177,50

10	0,6	10,68	178,00
10	0,6	10,62	177,00
10	0,6	10,6	176,67
10	0,6	11,04	184,00
10	0,6	11,2	186,67
10	0,6	11,15	185,83
10	0,6	10,98	183,00
10	0,6	10,6	176,67
10	0,6	12,16	202,67
10	0,6	12,22	203,67
10	0,6	12,03	200,50
10	0,6	12,58	209,67
10	0,6	12,4	206,67
10	0,6	12,74	212,33
10	0,6	13,16	219,33
10	0,6	12,11	201,83
10	0,6	11,98	199,67
10	0,6	12,38	206,33
10	0,6	12,44	207,33
10	0,6	12,18	203,00
10	0,6	12,43	207,17
10	0,6	12,64	210,67
10	0,6	12,93	215,50
10	0,6	12,61	210,17
10	0,6	13,55	225,83
10	0,6	13,2	220,00
10	0,6	12,84	214,00
10	0,6	12,59	209,83
10	0,6	12,94	215,67
10	0,6	12,78	213,00
10	0,6	12,87	214,50
10	0,6	12,41	206,83
10	0,6	12,45	207,50
10	0,6	12,65	210,83
10	0,6	12,15	202,50
10	0,6	12,36	206,00
10	0,6	12,43	207,17

10	0,6	12,82	213,67
10	0,6	12,35	205,83
10	0,6	12,49	208,17
10	0,6	12,32	205,33
10	0,6	11,97	199,50
10	0,6	12,88	214,67
10	0,6	12,26	204,33
10	0,6	12,63	210,50
10	0,6	13,01	216,83
10	0,6	12,79	213,17
10	0,6	11,42	190,33
10	0,6	12,35	205,83
10	0,6	11,99	199,83
10	0,6	12,24	204,00
10	0,6	12,99	216,50
10	0,6	12,03	200,50
10	0,6	12,26	204,33
10	0,6	11,85	197,50
10	0,6	12,62	210,33
10	0,6	11,72	195,33
10	0,6	12,79	213,17
10	0,6	13,04	217,33
10	0,6	13,15	219,17
10	0,6	13,22	220,33
10	0,6	13,57	226,17
10	0,6	13,27	221,17
10	0,6	12,84	214,00
10	0,6	12,96	216,00
10	0,6	13,2	220,00
10	0,6	12,91	215,17
10	0,6	13,18	219,67
10	0,6	13,11	218,50
10	0,6	13,21	220,17
10	0,6	13,16	219,33
10	0,6	13,12	218,67
11	0,66	12,89	214,83
11	0,66	13,34	222,33

11	0,66	12,77	212,83
11	0,66	12,86	214,33
11	0,66	13,09	218,17
11	0,66	13,22	220,33
11	0,66	13,56	226,00
11	0,66	13,08	218,00
11	0,66	13,78	229,67
11	0,66	13,92	232,00
11	0,66	13,26	221,00
11	0,66	12,45	207,50
11	0,66	12,52	208,67
11	0,66	12,46	207,67
11	0,66	14,08	234,67
11	0,66	13,36	222,67
11	0,66	13,45	224,17
11	0,66	13,07	217,83
11	0,66	12,75	212,50
11	0,66	13,01	216,83
11	0,66	12,89	214,83
11	0,66	13,62	227,00
11	0,66	13,5	225,00
11	0,66	13,46	224,33
11	0,66	13,06	217,67
11	0,66	13,06	217,67
11	0,66	13,31	221,83
11	0,66	13,09	218,17
11	0,66	12,95	215,83
11	0,66	13,03	217,17
11	0,66	12,92	215,33
11	0,66	13,2	220,00
11	0,66	12,51	208,50
11	0,66	12,84	214,00
11	0,66	12,76	212,67
11	0,66	12,25	204,17
11	0,66	12,75	212,50
11	0,66	13,17	219,50
11	0,66	13	216,67

11	0,66	12,94	215,67
11	0,66	12,23	203,83
11	0,66	12,47	207,83
11	0,66	12,68	211,33
11	0,66	12,9	215,00
11	0,66	12,56	209,33
11	0,66	13,72	228,67
11	0,66	12,76	212,67
11	0,66	12,37	206,17
11	0,66	13	216,67
11	0,66	12,88	214,67
11	0,66	13,26	221,00
11	0,66	12,72	212,00
11	0,66	12,62	210,33
11	0,66	12,59	209,83
11	0,66	13,22	220,33
11	0,66	13,34	222,33
11	0,66	12,9	215,00
11	0,66	12,64	210,67
11	0,66	12,09	201,50
11	0,66	12,24	204,00
11	0,66	12,61	210,17
11	0,66	12,72	212,00
11	0,66	12,52	208,67
11	0,66	12,7	211,67
11	0,66	12,49	208,17
11	0,66	12,91	215,17
11	0,66	13,08	218,00
11	0,66	13,02	217,00
11	0,66	12,85	214,17
11	0,66	12,46	207,67
11	0,66	12,88	214,67
11	0,66	12,92	215,33
11	0,66	13,31	221,83
11	0,66	12,6	210,00
11	0,66	13,19	219,83
11	0,66	13,01	216,83

11	0,66	13,05	217,50
11	0,66	13,19	219,83
11	0,66	11,94	199,00
11	0,66	11,98	199,67
11,5	0,69	13,59	226,50
11,5	0,69	13,02	217,00
11,5	0,69	13,22	220,33
11,5	0,69	12,53	208,83
11,5	0,69	13,75	229,17
11,5	0,69	13,91	231,83
11,5	0,69	13,4	223,33
11,5	0,69	13,05	217,50
11,5	0,69	13,9	231,67
11,5	0,69	13,79	229,83
11,5	0,69	13,68	228,00
11,5	0,69	13,23	220,50
11,5	0,69	13,89	231,50
11,5	0,69	13,8	230,00
11,5	0,69	13,53	225,50
11,5	0,69	13,62	227,00
12	0,72	13,85	230,83
12	0,72	13,41	223,50
12	0,72	13,17	219,50
12	0,72	13,55	225,83
12	0,72	12,62	210,33
12	0,72	13,08	218,00
12	0,72	13,92	232,00
12	0,72	13,06	217,67
12	0,72	13,37	222,83
12	0,72	12,81	213,50
12	0,72	13,17	219,50
12	0,72	13,12	218,67
12	0,72	12,97	216,17
12	0,72	13,28	221,33
12	0,72	13,01	216,83
12	0,72	13,23	220,50
12	0,72	13,94	232,33

12	0,72	14,21	236,83
12	0,72	14,44	240,67
12	0,72	14,68	244,67
12	0,72	14,62	243,67
12	0,72	14,1	235,00
12	0,72	14,01	233,50
12	0,72	13,78	229,67
12	0,72	13,75	229,17
12	0,72	13,52	225,33
12	0,72	13,88	231,33
12	0,72	13,8	230,00
12	0,72	13,46	224,33
12	0,72	13,13	218,83
12	0,72	13,36	222,67
12	0,72	14,43	240,50
12	0,72	14,08	234,67
12	0,72	14,21	236,83
12	0,72	13,94	232,33
12	0,72	13,82	230,33
12	0,72	13,13	218,83
12	0,72	14,02	233,67
12	0,72	13,35	222,50
12	0,72	13,87	231,17
12	0,72	14,09	234,83
12	0,72	13,21	220,17
12	0,72	13,54	225,67
12	0,72	14,02	233,67
12	0,72	14,34	239,00
12	0,72	14,01	233,50
12	0,72	14,23	237,17
12	0,72	14,04	234,00
12	0,72	13,62	227,00
12	0,72	14,03	233,83
12	0,72	13,44	224,00
12	0,72	13,87	231,17
12	0,72	13,8	230,00
12	0,72	13,71	228,50

12	0,72	14,13	235,50
12	0,72	14,22	237,00
12	0,72	14,17	236,17
12	0,72	13,99	233,17
12	0,72	13,72	228,67
12	0,72	14,23	237,17
12	0,72	14,13	235,50
12	0,72	13,44	224,00
12	0,72	14,01	233,50
12	0,72	14,04	234,00
12	0,72	13,62	227,00
12	0,72	13,59	226,50
12	0,72	14,14	235,67
12	0,72	13,61	226,83
12	0,72	13,43	223,83
12	0,72	13,16	219,33
12	0,72	12,96	216,00
12	0,72	13,57	226,17
12	0,72	13,87	231,17
12	0,72	14,01	233,50
12	0,72	14,17	236,17
12	0,72	13,62	227,00
12	0,72	13	216,67
12	0,72	12,9	215,00
12	0,72	13,35	222,50
12	0,72	13,83	230,50
12	0,72	13,58	226,33
12	0,72	13,79	229,83
12	0,72	13,21	220,17
12	0,72	13,32	222,00
12	0,72	13,05	217,50
12	0,72	13,02	217,00
12	0,72	12,91	215,17
12	0,72	13,12	218,67
12	0,72	14,06	234,33
12	0,72	14,31	238,50
12	0,72	13,83	230,50

12	0,72	13,41	223,50
12	0,72	13,65	227,50
12	0,72	13,97	232,83
12	0,72	13,71	228,50
12	0,72	13,87	231,17
12	0,72	13,26	221,00
12	0,72	13,92	232,00
12	0,72	13,76	229,33
12	0,72	13,52	225,33
12	0,72	13,3	221,67
12	0,72	13,62	227,00
12	0,72	12,56	209,33
12	0,72	12,57	209,50
12	0,72	13,11	218,50
12	0,72	13,18	219,67
12	0,72	13	216,67
12	0,72	12,98	216,33
12	0,72	13,27	221,17
12	0,72	13,42	223,67
12	0,72	13,91	231,83
12	0,72	12,69	211,50
12	0,72	13,6	226,67
12	0,72	13,66	227,67
12	0,72	13,4	223,33
12	0,72	13,01	216,83
12	0,72	13,1	218,33
12	0,72	13,16	219,33
12	0,72	12,91	215,17
12	0,72	13,46	224,33
12	0,72	12,96	216,00
12	0,72	13,18	219,67
12	0,72	13,3	221,67
12	0,72	12,68	211,33
12	0,72	13,43	223,83
12	0,72	13,42	223,67
12	0,72	12,85	214,17
12	0,72	12,82	213,67

12	0,72	12,72	212,00
12	0,72	13,08	218,00
12	0,72	13,63	227,17
12	0,72	13,47	224,50
12	0,72	13,89	231,50
12	0,72	13,95	232,50
12	0,72	13,85	230,83
12	0,72	13,8	230,00
12	0,72	13,55	225,83
12	0,72	13,7	228,33
12	0,72	13,65	227,50
12	0,72	13,57	226,17
12	0,72	13,4	223,33
12	0,72	13,5	225,00
12	0,72	13,71	228,50
12	0,72	14,16	236,00
12	0,72	13,22	220,33
12	0,72	14,26	237,67
12	0,72	14,04	234,00
12	0,72	13,48	224,67
12	0,72	14,46	241,00
12	0,72	14,23	237,17
12	0,72	14	233,33
12	0,72	14,31	238,50
12	0,72	14,42	240,33
12	0,72	14,43	240,50
12	0,72	14,53	242,17
12	0,72	13,86	231,00
12	0,72	13,35	222,50
12	0,72	12,99	216,50
12	0,72	13,44	224,00
12	0,72	13,26	221,00
12	0,72	13,17	219,50
12	0,72	13,05	217,50
12	0,72	13,25	220,83
12	0,72	13,19	219,83
12	0,72	14,09	234,83

12	0,72	13,7	228,33
12	0,72	14,16	236,00
12	0,72	13,91	231,83
12	0,72	13,42	223,67
12	0,72	13,63	227,17
12	0,72	13,45	224,17
12	0,72	13,23	220,50
12	0,72	13,51	225,17
12	0,72	13,18	219,67
12	0,72	13,81	230,17
12	0,72	13,37	222,83
13	0,78	13,92	232,00
13	0,78	13,44	224,00
13	0,78	13,92	232,00
13	0,78	14,02	233,67
13	0,78	14,45	240,83
13	0,78	14,1	235,00
13	0,78	14,3	238,33
13	0,78	13,74	229,00
13	0,78	13,47	224,50
13	0,78	13,56	226,00
13	0,78	14,23	237,17
13	0,78	13,87	231,17
13	0,78	14,15	235,83
13	0,78	13,9	231,67
13	0,78	13,61	226,83
13	0,78	13,49	224,83
13	0,78	14,46	241,00
13	0,78	14,12	235,33
13	0,78	14,33	238,83
13	0,78	14,53	242,17
13	0,78	13,84	230,67
13	0,78	13,4	223,33
13	0,78	13,63	227,17
13	0,78	14,03	233,83
13	0,78	14,02	233,67
13	0,78	14,32	238,67

13	0,78	14,21	236,83
13	0,78	14,3	238,33
13	0,78	14,36	239,33
13	0,78	14,48	241,33
13	0,78	14,08	234,67
13	0,78	14,36	239,33
13	0,78	13,89	231,50
13	0,78	14,12	235,33
13	0,78	14,11	235,17
13	0,78	14,18	236,33
13	0,78	13,94	232,33
13	0,78	13,95	232,50
13	0,78	13,72	228,67
13	0,78	13,86	231,00
13	0,78	13,74	229,00
13	0,78	13,94	232,33
13	0,78	14,27	237,83
13	0,78	14,2	236,67
13	0,78	13,85	230,83
13	0,78	14	233,33
13	0,78	14,37	239,50
13	0,78	14,21	236,83
13	0,78	13,28	221,33
13	0,78	13,7	228,33
13	0,78	13,85	230,83
13	0,78	13,78	229,67
13	0,78	14,12	235,33
13	0,78	13,99	233,17
13	0,78	12,99	216,50
13	0,78	14,06	234,33
13	0,78	14,25	237,50
13	0,78	14,02	233,67
13	0,78	14,23	237,17
13	0,78	14,57	242,83
13	0,78	14,01	233,50
13	0,78	14,48	241,33
13	0,78	14,5	241,67

13	0,78	14,45	240,83
13	0,78	13,28	221,33
13	0,78	13,64	227,33
13	0,78	14,26	237,67
13	0,78	14,13	235,50
13	0,78	13,98	233,00
13	0,78	13,64	227,33
13	0,78	14,23	237,17
13	0,78	14,32	238,67
13	0,78	14,12	235,33
13	0,78	14,15	235,83
13	0,78	13,64	227,33
13	0,78	14,05	234,17
13	0,78	14,38	239,67
13	0,78	14,51	241,83
13	0,78	13,98	233,00
13	0,78	13,83	230,50
13	0,78	14,29	238,17
13	0,78	14,53	242,17
13	0,78	14,28	238,00
13	0,78	13,56	226,00
13	0,78	13,88	231,33
13	0,78	13,29	221,50
13	0,78	13,9	231,67
13	0,78	14,47	241,17
13	0,78	14,6	243,33
13	0,78	13,77	229,50
13	0,78	13,08	218,00
13	0,78	14,54	242,33
13	0,78	14,88	248,00
13	0,78	14,34	239,00
13	0,78	14,15	235,83
13	0,78	14,08	234,67
13	0,78	13,38	223,00
13	0,78	13,72	228,67
13	0,78	13,94	232,33
13	0,78	13,38	223,00

13	0,78	13,58	226,33
13	0,78	14,22	237,00
13	0,78	13,48	224,67
13	0,78	13,69	228,17
13	0,78	13,82	230,33
13	0,78	14,15	235,83
13	0,78	13,25	220,83
13	0,78	14,05	234,17
13	0,78	14,21	236,83
13	0,78	14,11	235,17
13	0,78	14,37	239,50
13	0,78	13,97	232,83
14	0,84	14,36	239,33
14	0,84	14,72	245,33
14	0,84	14,65	244,17
14	0,84	13,91	231,83
14	0,84	14,15	235,83
14	0,84	13,46	224,33
14	0,84	14,43	240,50
14	0,84	15,07	251,17
14	0,84	14,89	248,17
14	0,84	14,82	247,00
14	0,84	13,96	232,67
14	0,84	14,08	234,67
14	0,84	14,73	245,50
14	0,84	13,88	231,33
14	0,84	14,09	234,83
14	0,84	14,21	236,83
14	0,84	14,24	237,33
14	0,84	13,93	232,17
14	0,84	14,08	234,67
14	0,84	14,49	241,50
14	0,84	14,52	242,00
14	0,84	14,7	245,00
14	0,84	14,24	237,33
14	0,84	14,16	236,00
14	0,84	14,69	244,83

14	0,84	14,98	249,67
14	0,84	14,25	237,50
14	0,84	14,24	237,33
14	0,84	14,27	237,83
14	0,84	14,85	247,50
14	0,84	14,91	248,50
14	0,84	15,11	251,83
14	0,84	14,83	247,17
14	0,84	14,81	246,83
14	0,84	14,95	249,17
14	0,84	14,8	246,67
14	0,84	15,14	252,33
14	0,84	14,58	243,00
14	0,84	14,73	245,50
14	0,84	14,98	249,67
14	0,84	14,37	239,50
14	0,84	14,66	244,33
14	0,84	14,74	245,67
14	0,84	14,61	243,50
14	0,84	14,12	235,33
14	0,84	14,96	249,33
14	0,84	14,83	247,17
14	0,84	14,91	248,50
14	0,84	14,5	241,67
14	0,84	15,07	251,17
14	0,84	14,79	246,50
14	0,84	15,42	257,00
14	0,84	15	250,00
14	0,84	14,66	244,33
14	0,84	15,01	250,17
14	0,84	14,89	248,17
14	0,84	15,49	258,17
14	0,84	14,98	249,67
14	0,84	14,78	246,33
14	0,84	15	250,00
14	0,84	14,69	244,83
14	0,84	15,06	251,00

14	0,84	14,9	248,33
14	0,84	14,8	246,67
14	0,84	14,51	241,83
14	0,84	14,91	248,50
14	0,84	14,32	238,67
14	0,84	14,2	236,67
14	0,84	14,7	245,00
14	0,84	14,36	239,33
14	0,84	14,5	241,67
14	0,84	13,63	227,17
14	0,84	14,12	235,33
14	0,84	14,83	247,17
14	0,84	14,56	242,67
14	0,84	14,67	244,50
14	0,84	14,34	239,00
14	0,84	14,47	241,17
14	0,84	14,3	238,33
14	0,84	14,58	243,00
14	0,84	14,94	249,00
14	0,84	14,51	241,83
14	0,84	14,81	246,83
14	0,84	14,46	241,00
14	0,84	14,49	241,50
14	0,84	14,31	238,50
14	0,84	14,2	236,67
14	0,84	14,7	245,00
14	0,84	14,16	236,00
14	0,84	14,07	234,50
14	0,84	14,75	245,83
14	0,84	14,7	245,00
14	0,84	14,63	243,83
14	0,84	14,05	234,17
14	0,84	13,99	233,17
14	0,84	14,61	243,50
14	0,84	14,55	242,50
14	0,84	14,32	238,67
14	0,84	14,51	241,83

14	0,84	14,11	235,17
14	0,84	14,36	239,33
14	0,84	14,78	246,33
14	0,84	14,94	249,00
14	0,84	14,71	245,17
14	0,84	14,46	241,00
14	0,84	14,37	239,50
14	0,84	13,42	223,67
14	0,84	14,39	239,83
14	0,84	14,29	238,17
14	0,84	14,54	242,33
14	0,84	14,31	238,50
14	0,84	14,61	243,50
14	0,84	14,91	248,50
14	0,84	14,81	246,83
14	0,84	14,76	246,00
14	0,84	14,79	246,50
14	0,84	14,85	247,50
14	0,84	14,48	241,33
14	0,84	14,56	242,67
14	0,84	14,88	248,00
14	0,84	14,87	247,83
14	0,84	14,76	246,00
14	0,84	14,82	247,00
14	0,84	15,24	254,00
14	0,84	14,65	244,17
14	0,84	14,72	245,33
14	0,84	14,79	246,50
14	0,84	14,69	244,83
14	0,84	13,86	231,00
14	0,84	13,79	229,83
14	0,84	14,44	240,67
14	0,84	14,71	245,17
14	0,84	14,43	240,50
14	0,84	14,41	240,17
14	0,84	14,6	243,33
14	0,84	14,63	243,83

14	0,84	14,6	243,33
14	0,84	14,5	241,67
14	0,84	14,22	237,00
14	0,84	14,64	244,00
14	0,84	14,44	240,67
14	0,84	14,54	242,33
14	0,84	14,83	247,17
14	0,84	14,52	242,00
15	0,9	14,52	242,00
15	0,9	14,85	247,50
15	0,9	14,87	247,83
15	0,9	14,86	247,67
15	0,9	14,74	245,67
15	0,9	14,83	247,17
15	0,9	14,71	245,17
15	0,9	14,94	249,00
15	0,9	14,61	243,50
15	0,9	14,7	245,00
15	0,9	14,8	246,67
15	0,9	14,83	247,17
15	0,9	14,96	249,33
15	0,9	14,72	245,33
15	0,9	15,04	250,67
15	0,9	14,98	249,67
15	0,9	14,75	245,83
15	0,9	15,21	253,50
15	0,9	15,25	254,17
15	0,9	15,08	251,33
15	0,9	14,98	249,67
15	0,9	15,03	250,50
15	0,9	14,92	248,67
15	0,9	14,13	235,50
15	0,9	13,94	232,33
15	0,9	14,52	242,00
15	0,9	14,71	245,17
15	0,9	15,09	251,50
15	0,9	15,14	252,33

15	0,9	15,09	251,50
15	0,9	14,91	248,50
15	0,9	14,41	240,17
15	0,9	15,09	251,50
15	0,9	15,2	253,33
15	0,9	15,47	257,83
15	0,9	15,07	251,17
15	0,9	15,33	255,50
15	0,9	14,35	239,17
15	0,9	15,2	253,33
15	0,9	15,17	252,83
15	0,9	14,93	248,83
15	0,9	15,07	251,17
15	0,9	15,52	258,67
15	0,9	15,4	256,67
15	0,9	14,98	249,67
15	0,9	15,23	253,83
15	0,9	15,08	251,33
15	0,9	15,22	253,67
15	0,9	14	233,33
15	0,9	14,41	240,17
15	0,9	14,78	246,33
15	0,9	14,48	241,33
15	0,9	14,64	244,00
15	0,9	14,53	242,17
15	0,9	14,71	245,17
15	0,9	14,79	246,50
15	0,9	14,83	247,17
15	0,9	14,9	248,33
15	0,9	15,33	255,50
15	0,9	15,38	256,33
15	0,9	14,75	245,83
15	0,9	14,72	245,33
15	0,9	15,02	250,33
15	0,9	15,13	252,17
15	0,9	15,38	256,33
15	0,9	15	250,00

15	0,9	14,98	249,67
15	0,9	14,92	248,67
15	0,9	14,88	248,00
15	0,9	15,24	254,00
15	0,9	15,32	255,33
15	0,9	15,06	251,00
15	0,9	14,81	246,83
15	0,9	14,76	246,00
15	0,9	14,88	248,00
15	0,9	14,5	241,67
15	0,9	14,63	243,83
15	0,9	14,44	240,67
15	0,9	14,39	239,83
15	0,9	15,04	250,67
15	0,9	15,24	254,00
15	0,9	14,86	247,67
15	0,9	15,08	251,33
15	0,9	15,13	252,17
15	0,9	15,09	251,50
15	0,9	14,55	242,50
15	0,9	14,82	247,00
15	0,9	14,78	246,33
15	0,9	15,09	251,50
15	0,9	14,19	236,50
15	0,9	14,02	233,67
15	0,9	14,95	249,17
15	0,9	15,12	252,00
15	0,9	15,28	254,67
15	0,9	15,42	257,00
15	0,9	15,38	256,33
15	0,9	14,01	233,50
15	0,9	13,97	232,83
15	0,9	14,94	249,00
15	0,9	15,37	256,17
15	0,9	15,08	251,33
15	0,9	15,04	250,67
15	0,9	14,98	249,67

15	0,9	15,03	250,50
15	0,9	14,88	248,00
15	0,9	14,04	234,00
15	0,9	13,99	233,17
15	0,9	14,89	248,17
15	0,9	15,2	253,33
15	0,9	15,04	250,67
15	0,9	14,99	249,83
15	0,9	14,02	233,67
15	0,9	14,69	244,83
15	0,9	14,66	244,33
15	0,9	15,27	254,50
15	0,9	15	250,00
15	0,9	14,86	247,67
15	0,9	14,71	245,17
15	0,9	14,85	247,50
15	0,9	14,91	248,50
15	0,9	14,96	249,33
15	0,9	14,95	249,17
15	0,9	14,86	247,67
15	0,9	14,8	246,67
15	0,9	14,9	248,33
15	0,9	15,21	253,50
15	0,9	14,7	245,00
15	0,9	14,91	248,50
15	0,9	14,94	249,00
15	0,9	14,87	247,83
15	0,9	14,93	248,83
15	0,9	15,25	254,17
15	0,9	15,18	253,00
15	0,9	15,03	250,50
15	0,9	15,27	254,50
15	0,9	15	250,00
15	0,9	14,69	244,83
15	0,9	14,91	248,50
15	0,9	14,83	247,17
15	0,9	15,13	252,17

15	0,9	15,24	254,00
15	0,9	14,96	249,33
15	0,9	15,04	250,67
15	0,9	15,02	250,33
15	0,9	14,61	243,50
15	0,9	14,52	242,00
15	0,9	14,76	246,00
15	0,9	14,97	249,50
15	0,9	14,62	243,67
15	0,9	14,56	242,67
15	0,9	14,74	245,67
15	0,9	14,99	249,83
15	0,9	14,56	242,67
15	0,9	14,68	244,67
15	0,9	14,78	246,33
15	0,9	14,61	243,50
15	0,9	14,58	243,00
15	0,9	14,52	242,00
15	0,9	14,76	246,00
15	0,9	14,85	247,50
16	0,96	15,68	261,33
16	0,96	15,31	255,17
16	0,96	15,38	256,33
16	0,96	15,82	263,67
16	0,96	15,72	262,00
16	0,96	15,29	254,83
16	0,96	15	250,00
16	0,96	15,35	255,83
16	0,96	15,1	251,67
16	0,96	15,19	253,17
16	0,96	15,23	253,83
16	0,96	15,47	257,83
16	0,96	15,54	259,00
16	0,96	15,31	255,17
16	0,96	15,5	258,33
16	0,96	15,25	254,17
16	0,96	15,03	250,50

16	0,96	15	250,00
16	0,96	14,94	249,00
16	0,96	15,48	258,00
16	0,96	15,4	256,67
16	0,96	15,15	252,50
16	0,96	15,12	252,00
16	0,96	15,57	259,50
16	0,96	15,1	251,67
16	0,96	15,15	252,50
16	0,96	15,4	256,67
16	0,96	15,25	254,17
16	0,96	15,18	253,00
16	0,96	15,45	257,50
16	0,96	15,24	254,00
16	0,96	15,17	252,83
16	0,96	14,89	248,17
16	0,96	15,53	258,83
16	0,96	15,59	259,83
16	0,96	15,07	251,17
16	0,96	15,22	253,67
16	0,96	14,93	248,83
16	0,96	14,96	249,33
16	0,96	15,15	252,50
16	0,96	15,12	252,00
16	0,96	15,12	252,00
16	0,96	15,07	251,17
16	0,96	15,04	250,67
16	0,96	15,28	254,67
16	0,96	15,09	251,50
16	0,96	15,11	251,83
16	0,96	15,32	255,33
16	0,96	15,53	258,83
16	0,96	15,76	262,67
16	0,96	15,41	256,83
16	0,96	15,03	250,50
16	0,96	14,97	249,50
16	0,96	14,91	248,50

16	0,96	15,43	257,17
16	0,96	15,23	253,83
16	0,96	15,9	265,00
16	0,96	15,45	257,50
16	0,96	15,39	256,50
16	0,96	15,09	251,50
16	0,96	15,23	253,83
16	0,96	15,18	253,00
16	0,96	15	250,00
16	0,96	14,98	249,67
16	0,96	15,38	256,33
16	0,96	15,26	254,33
16	0,96	15,46	257,67
16	0,96	15,41	256,83
16	0,96	15,63	260,50
16	0,96	15,59	259,83
16	0,96	15,8	263,33
16	0,96	15,64	260,67
16	0,96	15,31	255,17
16	0,96	15,11	251,83
16	0,96	15,06	251,00
16	0,96	15,12	252,00
16	0,96	15,38	256,33
16	0,96	15,71	261,83
16	0,96	15,51	258,50
16	0,96	15,49	258,17
16	0,96	15,21	253,50
16	0,96	15,04	250,67
16	0,96	14,71	245,17
16	0,96	15,4	256,67
16	0,96	15,22	253,67
16	0,96	15,31	255,17
16	0,96	15,03	250,50
16	0,96	14,74	245,67
16	0,96	15,32	255,33
16	0,96	15,26	254,33
16	0,96	14,91	248,50

16	0,96	15,09	251,50
16	0,96	15,2	253,33
16	0,96	15,01	250,17
16	0,96	14,89	248,17
16	0,96	15,3	255,00
16	0,96	15,32	255,33
16	0,96	15,4	256,67
16	0,96	15,53	258,83
16	0,96	15,63	260,50
16	0,96	15,58	259,67
16	0,96	14,9	248,33
16	0,96	14,89	248,17
16	0,96	14,35	239,17
16	0,96	15,5	258,33
16	0,96	15,54	259,00
16	0,96	15,47	257,83
16	0,96	15,33	255,50
16	0,96	14,95	249,17
16	0,96	15,46	257,67
16	0,96	15,2	253,33
16	0,96	15,15	252,50
16	0,96	15,13	252,17
16	0,96	15,04	250,67
16	0,96	15,24	254,00
16	0,96	15,63	260,50
16	0,96	15,13	252,17
16	0,96	15,37	256,17
16	0,96	15,1	251,67
16	0,96	14,98	249,67
16	0,96	15,24	254,00
16	0,96	15,39	256,50
16	0,96	14,89	248,17
16	0,96	15	250,00
16	0,96	15,41	256,83
16	0,96	14,81	246,83
16	0,96	14,9	248,33
16	0,96	15,2	253,33

17	1,02	15,46	257,67
17	1,02	15,22	253,67
17	1,02	15,49	258,17
17	1,02	15,79	263,17
17	1,02	15,83	263,83
17	1,02	16,08	268,00
17	1,02	15,67	261,17
17	1,02	15,4	256,67
17	1,02	15,34	255,67
17	1,02	15,84	264,00
17	1,02	15,62	260,33
17	1,02	15,65	260,83
17	1,02	15,52	258,67
17	1,02	15,88	264,67
17	1,02	15,63	260,50
17	1,02	15,49	258,17
17	1,02	15,42	257,00
17	1,02	15,33	255,50
17	1,02	15,5	258,33
17	1,02	15,2	253,33
17	1,02	15,24	254,00
17	1,02	15,31	255,17
17	1,02	15,33	255,50
17	1,02	15,05	250,83
17	1,02	15,22	253,67
17	1,02	15,15	252,50
17	1,02	15,53	258,83
17	1,02	15,61	260,17
17	1,02	15,65	260,83
17	1,02	15,36	256,00
17	1,02	15,3	255,00
17	1,02	15,06	251,00
17	1,02	15,53	258,83
17	1,02	15,21	253,50
17	1,02	15,58	259,67
17	1,02	15,48	258,00
17	1,02	15,9	265,00

17	1,02	15,76	262,67
17	1,02	15,58	259,67
17	1,02	15,64	260,67
17	1,02	15,84	264,00
17	1,02	15,96	266,00
17	1,02	15,97	266,17
17	1,02	15,96	266,00
17	1,02	15,75	262,50
17	1,02	15,32	255,33
17	1,02	15,29	254,83
17	1,02	15,96	266,00
17	1,02	15,7	261,67
17	1,02	15,67	261,17
17	1,02	16,11	268,50
17	1,02	16,2	270,00
17	1,02	16,32	272,00
17	1,02	15,69	261,50
17	1,02	15,35	255,83
17	1,02	15,93	265,50
17	1,02	15,52	258,67
17	1,02	15,48	258,00
17	1,02	15,93	265,50
17	1,02	15,5	258,33
17	1,02	15,75	262,50
17	1,02	15,21	253,50
17	1,02	15,78	263,00
17	1,02	15,79	263,17
17	1,02	16,03	267,17
17	1,02	15,98	266,33
17	1,02	15,9	265,00
17	1,02	16,12	268,67
17	1,02	16,21	270,17
17	1,02	16,04	267,33
17	1,02	16	266,67
17	1,02	16,3	271,67
17	1,02	15,89	264,83
17	1,02	15,5	258,33

17	1,02	15,76	262,67
17	1,02	15,78	263,00
17	1,02	15,86	264,33
17	1,02	15,7	261,67
17	1,02	15,68	261,33
17	1,02	15,84	264,00
17	1,02	15,67	261,17
17	1,02	15,52	258,67
17	1,02	15,16	252,67
17	1,02	15,62	260,33
17	1,02	15,95	265,83
17	1,02	15,75	262,50
17	1,02	15,4	256,67
17	1,02	15,07	251,17
17	1,02	15,17	252,83
17	1,02	15,61	260,17
17	1,02	15,47	257,83
17	1,02	15,17	252,83
17	1,02	15,4	256,67
17	1,02	15,13	252,17
17	1,02	15,18	253,00
17	1,02	15,78	263,00
17	1,02	16,25	270,83
17	1,02	16,18	269,67
17	1,02	16,01	266,83
17	1,02	16,21	270,17
17	1,02	15,8	263,33
17	1,02	16,11	268,50
17	1,02	16,1	268,33
17	1,02	16,12	268,67
17	1,02	16,19	269,83
17	1,02	15,8	263,33
17	1,02	15,8	263,33
17	1,02	15,77	262,83
17	1,02	15,78	263,00
17	1,02	15,61	260,17
17	1,02	15,77	262,83

17	1,02	15,85	264,17
17	1,02	15,73	262,17
17	1,02	15,84	264,00
17	1,02	16,22	270,33
17	1,02	15,92	265,33
17	1,02	15,78	263,00
17	1,02	15,76	262,67
17	1,02	15,83	263,83
17	1,02	16,1	268,33
17	1,02	15,98	266,33
17	1,02	15,8	263,33
17	1,02	15,71	261,83
17	1,02	16,04	267,33
17	1,02	15,92	265,33
17	1,02	15,89	264,83
17	1,02	15,74	262,33
17	1,02	16,01	266,83
17	1,02	16,22	270,33
17	1,02	16,27	271,17
17	1,02	15,9	265,00
17	1,02	16,29	271,50
17	1,02	15,66	261,00
17	1,02	15,98	266,33
17	1,02	15,64	260,67
17	1,02	15,78	263,00
17	1,02	15,85	264,17
17	1,02	15,63	260,50
17	1,02	15,88	264,67
17	1,02	15,85	264,17
17	1,02	15,93	265,50
17	1,02	15,89	264,83
17	1,02	16,11	268,50
17	1,02	16,33	272,17
17	1,02	15,71	261,83
17	1,02	15,69	261,50
17	1,02	15,45	257,50
17	1,02	15,22	253,67

17	1,02	15,77	262,83
17	1,02	15,84	264,00
17	1,02	15,41	256,83
17	1,02	15,94	265,67
17	1,02	15,93	265,50
17	1,02	15,87	264,50
17	1,02	15,77	262,83
17	1,02	15,75	262,50
17	1,02	16,06	267,67
17	1,02	15,63	260,50
17	1,02	15,8	263,33
17	1,02	15,48	258,00
18	1,08	15,78	263,00
18	1,08	15,46	257,67
18	1,08	15,7	261,67
18	1,08	15,54	259,00
18	1,08	15,4	256,67
18	1,08	15,82	263,67
18	1,08	15,5	258,33
18	1,08	15,8	263,33
18	1,08	15,64	260,67
18	1,08	15,39	256,50
18	1,08	15,5	258,33
18	1,08	15,9	265,00
18	1,08	15	250,00
18	1,08	15,78	263,00
18	1,08	15,69	261,50
18	1,08	15,8	263,33
18	1,08	16,22	270,33
18	1,08	15,96	266,00
18	1,08	15,93	265,50
18	1,08	16,02	267,00
18	1,08	16,21	270,17
18	1,08	16,07	267,83
18	1,08	16,01	266,83
18	1,08	15,89	264,83
18	1,08	16,11	268,50

18	1,08	16,04	267,33
18	1,08	16,16	269,33
18	1,08	16,13	268,83
18	1,08	16,5	275,00
18	1,08	15,98	266,33
18	1,08	16,11	268,50
18	1,08	15,93	265,50
18	1,08	15,36	256,00
18	1,08	15,77	262,83
18	1,08	15,63	260,50
18	1,08	15,99	266,50
18	1,08	16,01	266,83
18	1,08	15,74	262,33
18	1,08	15,57	259,50
18	1,08	15,83	263,83
18	1,08	15,7	261,67
18	1,08	15,86	264,33
18	1,08	15,87	264,50
18	1,08	15,53	258,83
18	1,08	15,6	260,00
18	1,08	15,29	254,83
18	1,08	15,81	263,50
18	1,08	16,05	267,50
18	1,08	15,83	263,83
18	1,08	15,96	266,00
18	1,08	16,37	272,83
18	1,08	16,16	269,33
18	1,08	16,12	268,67
18	1,08	16,51	275,17
18	1,08	16,24	270,67
18	1,08	16,14	269,00
18	1,08	15,97	266,17
18	1,08	15,87	264,50
18	1,08	15,76	262,67
18	1,08	15,97	266,17
18	1,08	16,11	268,50
18	1,08	15,55	259,17

18	1,08	15,63	260,50
18	1,08	15,88	264,67
18	1,08	15,88	264,67
18	1,08	16,33	272,17
18	1,08	16,05	267,50
18	1,08	15,97	266,17
18	1,08	15,61	260,17
18	1,08	15,7	261,67
18	1,08	15,91	265,17
18	1,08	15,72	262,00
18	1,08	16,12	268,67
18	1,08	15,98	266,33
18	1,08	15,63	260,50
18	1,08	15,99	266,50
18	1,08	16,31	271,83
18	1,08	16,02	267,00
18	1,08	16,25	270,83
18	1,08	16,05	267,50
18	1,08	16,17	269,50
18	1,08	16,04	267,33
18	1,08	16,2	270,00
18	1,08	15,83	263,83
18	1,08	15,95	265,83
18	1,08	15,79	263,17
18	1,08	15,53	258,83
18	1,08	16,06	267,67
18	1,08	16,34	272,33
18	1,08	16,22	270,33
18	1,08	16,19	269,83
18	1,08	16,46	274,33
18	1,08	16,26	271,00
18	1,08	16,58	276,33
18	1,08	16,27	271,17
18	1,08	16,3	271,67
18	1,08	16	266,67
18	1,08	15,58	259,67
18	1,08	15,86	264,33

18	1,08	15,95	265,83
18	1,08	16,2	270,00
18	1,08	16,08	268,00
18	1,08	16,25	270,83
18	1,08	15,99	266,50
18	1,08	16,1	268,33
18	1,08	16,27	271,17
18	1,08	16,1	268,33
18	1,08	16,16	269,33
18	1,08	15,87	264,50
18	1,08	15,97	266,17
18	1,08	16,19	269,83
18	1,08	16,14	269,00
18	1,08	16,16	269,33
18	1,08	16,08	268,00
18	1,08	16,22	270,33
18	1,08	16,17	269,50
18	1,08	15,25	254,17
18	1,08	15,88	264,67
18	1,08	15,75	262,50
18	1,08	15,96	266,00
18	1,08	15,55	259,17
18	1,08	15,63	260,50
18	1,08	16,23	270,50
18	1,08	16,55	275,83
18	1,08	16,23	270,50
18	1,08	16,42	273,67
18	1,08	15,61	260,17
18	1,08	16,34	272,33
19	1,14	16,21	270,17
19	1,14	16,32	272,00
19	1,14	16,13	268,83
19	1,14	15,9	265,00
19	1,14	16,27	271,17
19	1,14	16,38	273,00
19	1,14	16,25	270,83
19	1,14	16,12	268,67

19	1,14	15,93	265,50
19	1,14	16,06	267,67
19	1,14	16,09	268,17
19	1,14	16,03	267,17
19	1,14	15,87	264,50
19	1,14	16,27	271,17
19	1,14	16,49	274,83
19	1,14	16,54	275,67
19	1,14	16,53	275,50
19	1,14	16,45	274,17
19	1,14	16,38	273,00
19	1,14	16,51	275,17
19	1,14	16,39	273,17
19	1,14	16,32	272,00
19	1,14	16,36	272,67
19	1,14	16,35	272,50
19	1,14	16,28	271,33
19	1,14	16,42	273,67
19	1,14	16,24	270,67
19	1,14	16,43	273,83
19	1,14	15,98	266,33
19	1,14	16,31	271,83
19	1,14	16,46	274,33
19	1,14	16,26	271,00
19	1,14	15,74	262,33
19	1,14	15,76	262,67
19	1,14	15,82	263,67
19	1,14	15,93	265,50
19	1,14	16,35	272,50
19	1,14	16,5	275,00
19	1,14	16,27	271,17
19	1,14	16,61	276,83
19	1,14	16,26	271,00
19	1,14	16,01	266,83
19	1,14	16,99	283,17
19	1,14	16,23	270,50
19	1,14	15,69	261,50

19	1,14	16,07	267,83
19	1,14	16,46	274,33
19	1,14	15,27	254,50
19	1,14	16,06	267,67
19	1,14	16,37	272,83
19	1,14	16,29	271,50
19	1,14	16,45	274,17
19	1,14	16,26	271,00
19	1,14	16,37	272,83
19	1,14	16,3	271,67
19	1,14	16,6	276,67
19	1,14	16,24	270,67
19	1,14	16,76	279,33
19	1,14	16,32	272,00
19	1,14	16,09	268,17
19	1,14	16,33	272,17
19	1,14	16,13	268,83
19	1,14	16,58	276,33
19	1,14	16,47	274,50
19	1,14	16,36	272,67
19	1,14	16,8	280,00
19	1,14	16,16	269,33
19	1,14	16,31	271,83
19	1,14	16,14	269,00
19	1,14	16,32	272,00
19	1,14	16,21	270,17
19	1,14	16,52	275,33
19	1,14	16,07	267,83
19	1,14	16,54	275,67
19	1,14	16,61	276,83
19	1,14	16,04	267,33
19	1,14	16,39	273,17
19	1,14	16,57	276,17
19	1,14	16,15	269,17
19	1,14	16,47	274,50
20	1,2	16,57	276,17
20	1,2	16,45	274,17

20	1,2	16,36	272,67
20	1,2	16,29	271,50
20	1,2	16,21	270,17
20	1,2	16,28	271,33
20	1,2	16,66	277,67
20	1,2	16,59	276,50
20	1,2	16,42	273,67
20	1,2	16,37	272,83
20	1,2	16,3	271,67
20	1,2	16,22	270,33
20	1,2	16,27	271,17
20	1,2	16,45	274,17
20	1,2	16,48	274,67
20	1,2	16,5	275,00
20	1,2	16,64	277,33
20	1,2	16,35	272,50
20	1,2	16,14	269,00
20	1,2	16,77	279,50
20	1,2	16,55	275,83
20	1,2	16,54	275,67
20	1,2	16,41	273,50
20	1,2	16,5	275,00
20	1,2	16,92	282,00
20	1,2	16,93	282,17
20	1,2	16,51	275,17
20	1,2	16,47	274,50
20	1,2	16,54	275,67
20	1,2	16,3	271,67
20	1,2	16,43	273,83
20	1,2	16,58	276,33
20	1,2	16,43	273,83
20	1,2	16,05	267,50
20	1,2	16,78	279,67
20	1,2	16,46	274,33
20	1,2	17,02	283,67
20	1,2	16,35	272,50
20	1,2	16,72	278,67

20	1,2	16,38	273,00
20	1,2	16,5	275,00
20	1,2	16,3	271,67
20	1,2	16,16	269,33
20	1,2	16,53	275,50
20	1,2	16,13	268,83
20	1,2	16,62	277,00
20	1,2	16,44	274,00
20	1,2	16,37	272,83
20	1,2	16,7	278,33
20	1,2	16,38	273,00
20	1,2	16,28	271,33
20	1,2	17	283,33
20	1,2	16,61	276,83
20	1,2	16,68	278,00
20	1,2	17,2	286,67
20	1,2	17,15	285,83
20	1,2	17,04	284,00
20	1,2	17,01	283,50
20	1,2	16,75	279,17
20	1,2	16,58	276,33
20	1,2	16,91	281,83
20	1,2	16,66	277,67
20	1,2	16,76	279,33
20	1,2	16,41	273,50
20	1,2	16,83	280,50
20	1,2	16,61	276,83
20	1,2	17,29	288,17
20	1,2	16,7	278,33
20	1,2	16,48	274,67
20	1,2	17,3	288,33
20	1,2	17,1	285,00
20	1,2	16,85	280,83
20	1,2	16,53	275,50
20	1,2	16,99	283,17
20	1,2	16,7	278,33
20	1,2	17,06	284,33

20	1,2	17	283,33
20	1,2	16,8	280,00
20	1,2	17,11	285,17
20	1,2	17,09	284,83
20	1,2	16,37	272,83
20	1,2	16,41	273,50
20	1,2	16,75	279,17
20	1,2	16,66	277,67
20	1,2	16,5	275,00
20	1,2	16,49	274,83
20	1,2	15,9	265,00
20	1,2	15,99	266,50
20	1,2	15,88	264,67
20	1,2	16,31	271,83
20	1,2	16,44	274,00
20	1,2	16,58	276,33
20	1,2	16,33	272,17
20	1,2	16,28	271,33
20	1,2	16,24	270,67
20	1,2	16,11	268,50
21	1,26	16,66	277,67
21	1,26	17	283,33
21	1,26	16,93	282,17
21	1,26	16,44	274,00
21	1,26	16,58	276,33
21	1,26	16,9	281,67
21	1,26	16,46	274,33
21	1,26	16,76	279,33
21	1,26	16,45	274,17
21	1,26	16,53	275,50
21	1,26	16,57	276,17
21	1,26	16,89	281,50
21	1,26	16,98	283,00
21	1,26	16,67	277,83
21	1,26	16,37	272,83
21	1,26	16,32	272,00
21	1,26	16,88	281,33

21	1,26	16,12	268,67
21	1,26	16,66	277,67
21	1,26	16,89	281,50
21	1,26	16,82	280,33
21	1,26	17,03	283,83
21	1,26	16,65	277,50
21	1,26	17,07	284,50
21	1,26	17	283,33
21	1,26	16,97	282,83
21	1,26	16,73	278,83
21	1,26	16,95	282,50
21	1,26	16,88	281,33
21	1,26	16,74	279,00
21	1,26	16,45	274,17
21	1,26	16,23	270,50
21	1,26	16,97	282,83
21	1,26	17,43	290,50
21	1,26	17,19	286,50
21	1,26	16,99	283,17
21	1,26	16,64	277,33
21	1,26	16,55	275,83
21	1,26	16,6	276,67
21	1,26	16,84	280,67
21	1,26	17,03	283,83
21	1,26	16,99	283,17
21	1,26	16,84	280,67
21	1,26	17,11	285,17
21	1,26	16,65	277,50
21	1,26	17	283,33
21	1,26	16,8	280,00
21	1,26	16,71	278,50
21	1,26	16,59	276,50
21	1,26	17,01	283,50
21	1,26	16,86	281,00
21	1,26	17,01	283,50
21	1,26	17,15	285,83
21	1,26	17,04	284,00

21	1,26	16,14	269,00
21	1,26	16,53	275,50
21	1,26	16,59	276,50
21	1,26	16,63	277,17
21	1,26	17,16	286,00
21	1,26	16,63	277,17
21	1,26	16,45	274,17
21	1,26	16,51	275,17
21	1,26	16,68	278,00
21	1,26	16,86	281,00
21	1,26	17,18	286,33
21	1,26	16,65	277,50
21	1,26	16,71	278,50
21	1,26	16,6	276,67
21	1,26	16,99	283,17
21	1,26	16,55	275,83
21	1,26	16,78	279,67
21	1,26	17,01	283,50
21	1,26	16,34	272,33
21	1,26	16,73	278,83
21	1,26	16,71	278,50
21	1,26	16,78	279,67
21	1,26	16,91	281,83
21	1,26	16,6	276,67
21	1,26	16,98	283,00
21	1,26	16,57	276,17
21	1,26	16,93	282,17
21	1,26	16,68	278,00
21	1,26	16,74	279,00
21	1,26	16,66	277,67
21	1,26	16,85	280,83
21	1,26	17,11	285,17
21	1,26	17,12	285,33
21	1,26	16,89	281,50
21	1,26	17,04	284,00
21	1,26	17,01	283,50
21	1,26	16,82	280,33

21	1,26	17,13	285,50
21	1,26	16,9	281,67
21	1,26	16,66	277,67
21	1,26	17,11	285,17
21	1,26	16,88	281,33
21	1,26	16,94	282,33
21	1,26	16,81	280,17
21	1,26	16,69	278,17
21	1,26	16,75	279,17
21	1,26	16,88	281,33
21	1,26	16,99	283,17
21	1,26	16,89	281,50
21	1,26	16,72	278,67
21	1,26	16,84	280,67
21	1,26	17	283,33
21	1,26	16,94	282,33
21	1,26	16,87	281,17
21	1,26	16,78	279,67
21	1,26	16,8	280,00
21	1,26	16,5	275,00
21	1,26	16,75	279,17
22	1,32	17	283,33
22	1,32	16,9	281,67
22	1,32	17,1	285,00
22	1,32	17,09	284,83
22	1,32	17,23	287,17
22	1,32	16,44	274,00
22	1,32	17,02	283,67
22	1,32	17,17	286,17
22	1,32	16,93	282,17
22	1,32	16,72	278,67
22	1,32	17,04	284,00
22	1,32	17,01	283,50
22	1,32	16,85	280,83
22	1,32	17,11	285,17
22	1,32	17,27	287,83
22	1,32	16,94	282,33

22	1,32	17,38	289,67
22	1,32	17,33	288,83
22	1,32	17,43	290,50
22	1,32	17,51	291,83
22	1,32	17,17	286,17
22	1,32	17,4	290,00
22	1,32	17,32	288,67
22	1,32	17,13	285,50
22	1,32	17,62	293,67
22	1,32	17,45	290,83
22	1,32	17,35	289,17
22	1,32	17,49	291,50
22	1,32	17,5	291,67
22	1,32	17,2	286,67
22	1,32	17,7	295,00
22	1,32	17,5	291,67
22	1,32	16,88	281,33
22	1,32	16,84	280,67
22	1,32	17,24	287,33
22	1,32	16,86	281,00
22	1,32	16,92	282,00
22	1,32	16,98	283,00
22	1,32	16,82	280,33
22	1,32	16,94	282,33
22	1,32	16,2	270,00
22	1,32	17,01	283,50
22	1,32	16,98	283,00
22	1,32	17,04	284,00
22	1,32	17,27	287,83
22	1,32	17,17	286,17
22	1,32	17,21	286,83
22	1,32	16,89	281,50
22	1,32	16,74	279,00
22	1,32	16,55	275,83
22	1,32	16,71	278,50
22	1,32	16,65	277,50
22	1,32	16,91	281,83

22	1,32	17,16	286,00
22	1,32	17,22	287,00
22	1,32	17,31	288,50
22	1,32	17,28	288,00
22	1,32	16,79	279,83
22	1,32	16,74	279,00
22	1,32	16,56	276,00
22	1,32	16,55	275,83
22	1,32	16,87	281,17
22	1,32	16,48	274,67
22	1,32	17,19	286,50
22	1,32	17,13	285,50
22	1,32	17,1	285,00
22	1,32	17,21	286,83
22	1,32	17,28	288,00
22	1,32	16,99	283,17
22	1,32	17,1	285,00
22	1,32	17,4	290,00
22	1,32	17,67	294,50
22	1,32	17,1	285,00
22	1,32	17,33	288,83
22	1,32	17,45	290,83
22	1,32	17,43	290,50
22	1,32	17,37	289,50
22	1,32	17,2	286,67
22	1,32	17,1	285,00
22	1,32	17,19	286,50
22	1,32	17,16	286,00
22	1,32	17,3	288,33
22	1,32	17,46	291,00
22	1,32	16,78	279,67
22	1,32	16,8	280,00
22	1,32	17,08	284,67
22	1,32	16,96	282,67
22	1,32	16,46	274,33
22	1,32	16,81	280,17
22	1,32	17,17	286,17

22	1,32	17,28	288,00
22	1,32	16,88	281,33
22	1,32	16,77	279,50
22	1,32	16,91	281,83
22	1,32	17,19	286,50
22	1,32	17,02	283,67
22	1,32	16,91	281,83
22	1,32	17,18	286,33
22	1,32	16,99	283,17
22	1,32	17,04	284,00
22	1,32	16,89	281,50
22	1,32	16,62	277,00
22	1,32	16,91	281,83
22	1,32	17,14	285,67
22	1,32	16,97	282,83
22	1,32	16,51	275,17
22	1,32	16,8	280,00
22	1,32	16,91	281,83
22	1,32	16,74	279,00
22	1,32	16,75	279,17
22	1,32	16,68	278,00
22	1,32	17,02	283,67
22	1,32	16,91	281,83
22	1,32	17,18	286,33
22	1,32	16,99	283,17
22	1,32	17,04	284,00
22	1,32	16,89	281,50
22	1,32	16,62	277,00
22	1,32	16,91	281,83
22	1,32	17,14	285,67
22	1,32	16,97	282,83
22	1,32	16,51	275,17
22	1,32	16,8	280,00
22	1,32	16,91	281,83
22	1,32	16,74	279,00
22	1,32	16,75	279,17
22	1,32	16,68	278,00

22	1,32	17,02	283,67
23	1,38	17,23	287,17
23	1,38	16,92	282,00
23	1,38	17,51	291,83
23	1,38	17,31	288,50
23	1,38	17,09	284,83
23	1,38	17,15	285,83
23	1,38	17,2	286,67
23	1,38	17,41	290,17
23	1,38	17,3	288,33
23	1,38	17,18	286,33
23	1,38	17,26	287,67
23	1,38	16,52	275,33
23	1,38	17,34	289,00
23	1,38	17,17	286,17
23	1,38	17,31	288,50
23	1,38	17,26	287,67
23	1,38	17,23	287,17
23	1,38	16,92	282,00
23	1,38	17,51	291,83
23	1,38	17,31	288,50
23	1,38	17,09	284,83
23	1,38	17,15	285,83
23	1,38	17,2	286,67
23	1,38	17,41	290,17
23	1,38	17,3	288,33
23	1,38	17,18	286,33
23	1,38	17,26	287,67
23	1,38	16,52	275,33
23	1,38	17,34	289,00
23	1,38	17,17	286,17
23	1,38	17,31	288,50
23	1,38	17,26	287,67
23	1,38	17,01	283,50
23	1,38	17,08	284,67
23	1,38	16,9	281,67
23	1,38	17,25	287,50

23	1,38	17,06	284,33
23	1,38	16,88	281,33
23	1,38	17,27	287,83
23	1,38	17,35	289,17
23	1,38	17,19	286,50
23	1,38	17,37	289,50
23	1,38	17	283,33
23	1,38	17,06	284,33
23	1,38	16,98	283,00
23	1,38	17,3	288,33
23	1,38	17,12	285,33
23	1,38	17,3	288,33
23	1,38	16,57	276,17
23	1,38	17,18	286,33
23	1,38	17,04	284,00
23	1,38	17,17	286,17
23	1,38	17,29	288,17
23	1,38	17,28	288,00
23	1,38	17,02	283,67
23	1,38	17,19	286,50
23	1,38	16,92	282,00
23	1,38	17,53	292,17
23	1,38	17,11	285,17
23	1,38	16,89	281,50
23	1,38	17,01	283,50
23	1,38	17,29	288,17
23	1,38	17,33	288,83
23	1,38	17,18	286,33
23	1,38	17,64	294,00
23	1,38	17,69	294,83
23	1,38	17,44	290,67
23	1,38	17,29	288,17
23	1,38	17,62	293,67
23	1,38	17,44	290,67
23	1,38	17,68	294,67
23	1,38	17,91	298,50
23	1,38	17,63	293,83

23	1,38	17,32	288,67
23	1,38	17,41	290,17
23	1,38	17,58	293,00
23	1,38	17,39	289,83
23	1,38	17,77	296,17
23	1,38	17,82	297,00
23	1,38	17,71	295,17
23	1,38	17,08	284,67
23	1,38	17,39	289,83
23	1,38	17,1	285,00
23	1,38	17,44	290,67
23	1,38	17,03	283,83
23	1,38	17,55	292,50
23	1,38	17,15	285,83
23	1,38	17,57	292,83
23	1,38	17,72	295,33
23	1,38	17,44	290,67
23	1,38	17,34	289,00
23	1,38	17,41	290,17
23	1,38	17,18	286,33
23	1,38	17,33	288,83
23	1,38	16,81	280,17
23	1,38	17,2	286,67
23	1,38	17,1	285,00
23	1,38	16,76	279,33
23	1,38	17,5	291,67
23	1,38	17,76	296,00
23	1,38	16,86	281,00
23	1,38	17,08	284,67
23	1,38	17,09	284,83
23	1,38	17,09	284,83
23	1,38	16,82	280,33
23	1,38	17,23	287,17
23	1,38	16,98	283,00
23	1,38	16,51	275,17
23	1,38	17,41	290,17
23	1,38	17,04	284,00

23	1,38	17,11	285,17
23	1,38	17,04	284,00
23	1,38	17,23	287,17
23	1,38	16,92	282,00
23	1,38	17,51	291,83
23	1,38	17,31	288,50
23	1,38	17,09	284,83
23	1,38	17,15	285,83
23	1,38	17,2	286,67
23	1,38	17,41	290,17
23	1,38	17,3	288,33
23	1,38	17,18	286,33
23	1,38	17,26	287,67
23	1,38	16,52	275,33
23	1,38	17,34	289,00
23	1,38	17,17	286,17
23	1,38	17,31	288,50
23	1,38	17,26	287,67
24	1,44	17,55	292,50
24	1,44	17,16	286,00
24	1,44	17,37	289,50
24	1,44	16,94	282,33
24	1,44	17,25	287,50
24	1,44	17,95	299,17
24	1,44	17,52	292,00
24	1,44	17,45	290,83
24	1,44	17,74	295,67
24	1,44	17,64	294,00
24	1,44	17,39	289,83
24	1,44	17,59	293,17
24	1,44	17,39	289,83
24	1,44	17,33	288,83
24	1,44	17,28	288,00
24	1,44	17,23	287,17
24	1,44	17,37	289,50
24	1,44	17,43	290,50
24	1,44	17,25	287,50

24	1,44	17,45	290,83
24	1,44	17,35	289,17
24	1,44	17,44	290,67
24	1,44	17,65	294,17
24	1,44	17,55	292,50
24	1,44	17,42	290,33
24	1,44	17,26	287,67
24	1,44	16,91	281,83
24	1,44	16,89	281,50
24	1,44	17,2	286,67
24	1,44	17,34	289,00
24	1,44	17,24	287,33
24	1,44	17,08	284,67
24	1,44	17,63	293,83
24	1,44	17,1	285,00
24	1,44	17,57	292,83
24	1,44	17,21	286,83
24	1,44	17,33	288,83
24	1,44	17,36	289,33
24	1,44	17,45	290,83
24	1,44	17,5	291,67
24	1,44	17,57	292,83
24	1,44	17,05	284,17
24	1,44	17,55	292,50
24	1,44	17,01	283,50
24	1,44	17,1	285,00
24	1,44	17,34	289,00
24	1,44	17,25	287,50
24	1,44	17,25	287,50
24	1,44	18,32	305,33
24	1,44	17,81	296,83
24	1,44	18,12	302,00
24	1,44	18,03	300,50
24	1,44	18,12	302,00
24	1,44	18,09	301,50
24	1,44	18,35	305,83
24	1,44	17,9	298,33

24	1,44	18,1	301,67
24	1,44	18,07	301,17
24	1,44	18,2	303,33
24	1,44	18	300,00
24	1,44	17,99	299,83
24	1,44	17,96	299,33
24	1,44	18,01	300,17
24	1,44	18,11	301,83
25	1,5	17,69	294,83
25	1,5	17,4	290,00
25	1,5	17,65	294,17
25	1,5	17,83	297,17
25	1,5	17,8	296,67
25	1,5	17,7	295,00
25	1,5	17,5	291,67
25	1,5	17,68	294,67
25	1,5	18	300,00
25	1,5	18,89	314,83
25	1,5	17,86	297,67
25	1,5	17,88	298,00
25	1,5	17,4	290,00
25	1,5	17,69	294,83
25	1,5	17,71	295,17
25	1,5	17,83	297,17
25	1,5	18,01	300,17
25	1,5	18,18	303,00
25	1,5	17,89	298,17
25	1,5	18,2	303,33
25	1,5	17,99	299,83
25	1,5	17,75	295,83
25	1,5	18,01	300,17
25	1,5	18,18	303,00
25	1,5	18,11	301,83
25	1,5	18	300,00
25	1,5	18,05	300,83
25	1,5	18,33	305,50
25	1,5	18,25	304,17

25	1,5	18,14	302,33
25	1,5	18,42	307,00
25	1,5	18,38	306,33
25	1,5	17,64	294,00
25	1,5	18,03	300,50
25	1,5	17,58	293,00
25	1,5	17,82	297,00
25	1,5	17,55	292,50
25	1,5	17,51	291,83
25	1,5	17,44	290,67
25	1,5	17,41	290,17
25	1,5	17,33	288,83
25	1,5	17,55	292,50
25	1,5	17,71	295,17
25	1,5	17,29	288,17
25	1,5	17,67	294,50
25	1,5	17,66	294,33
25	1,5	17,87	297,83
25	1,5	17,63	293,83
26	1,56	17,86	297,67
26	1,56	17,45	290,83
26	1,56	17,53	292,17
26	1,56	17,77	296,17
26	1,56	17,68	294,67
26	1,56	17,49	291,50
26	1,56	17,36	289,33
26	1,56	17,64	294,00
26	1,56	17,61	293,50
26	1,56	17,8	296,67
26	1,56	17,75	295,83
26	1,56	17,87	297,83
26	1,56	17,65	294,17
26	1,56	17,5	291,67
26	1,56	17,53	292,17
26	1,56	17,3	288,33
26	1,56	18,22	303,67
26	1,56	17,83	297,17

26	1,56	18,17	302,83
26	1,56	17,89	298,17
26	1,56	18,02	300,33
26	1,56	17,54	292,33
26	1,56	17,89	298,17
26	1,56	18,11	301,83
26	1,56	18,04	300,67
26	1,56	18,43	307,17
26	1,56	18,21	303,50
26	1,56	18,05	300,83
26	1,56	18,29	304,83
26	1,56	17,98	299,67
26	1,56	17,92	298,67
26	1,56	18,08	301,33
26	1,56	19,12	318,67
26	1,56	18,78	313,00
26	1,56	18,13	302,17
26	1,56	18,35	305,83
26	1,56	18,46	307,67
26	1,56	18,81	313,50
26	1,56	18,45	307,50
26	1,56	18,23	303,83
26	1,56	18,59	309,83
26	1,56	18,84	314,00
26	1,56	18,66	311,00
26	1,56	18,36	306,00
26	1,56	18,45	307,50
26	1,56	18,76	312,67
26	1,56	18,21	303,50
26	1,56	18,72	312,00
26	1,56	18,58	309,67
26	1,56	18,63	310,50
26	1,56	18,72	312,00
26	1,56	18,56	309,33
26	1,56	18,12	302,00
26	1,56	18,84	314,00
26	1,56	18,6	310,00

26	1,56	18,64	310,67
26	1,56	18,79	313,17
26	1,56	18,61	310,17
26	1,56	18,9	315,00
26	1,56	18,55	309,17
26	1,56	18,76	312,67
26	1,56	18,22	303,67
26	1,56	18,8	313,33
26	1,56	18,6	310,00
26	1,56	18,23	303,83
26	1,56	18,32	305,33
26	1,56	17,66	294,33
26	1,56	17,88	298,00
26	1,56	17,59	293,17
26	1,56	18,03	300,50
26	1,56	17,98	299,67
26	1,56	18,15	302,50
26	1,56	18,35	305,83
26	1,56	17,99	299,83
26	1,56	17,85	297,50
26	1,56	17,68	294,67
26	1,56	17,76	296,00
26	1,56	17,6	293,33
26	1,56	18,23	303,83
26	1,56	18,37	306,17
27	1,62	18,94	315,67
27	1,62	19,11	318,50
27	1,62	19,43	323,83
27	1,62	18,97	316,17
27	1,62	19,43	323,83
27	1,62	18,74	312,33
27	1,62	18,96	316,00
27	1,62	19	316,67
27	1,62	19,04	317,33
27	1,62	19,35	322,50
27	1,62	18,98	316,33
27	1,62	18,88	314,67

27	1,62	19,2	320,00
27	1,62	19,36	322,67
27	1,62	19	316,67
27	1,62	19,04	317,33
27	1,62	18,57	309,50
27	1,62	18,84	314,00
27	1,62	18,76	312,67
27	1,62	18,85	314,17
27	1,62	18,96	316,00
27	1,62	19,01	316,83
27	1,62	19,06	317,67
27	1,62	18,83	313,83
27	1,62	19,04	317,33
27	1,62	19,26	321,00
27	1,62	18,65	310,83
27	1,62	19,13	318,83
27	1,62	18,96	316,00
27	1,62	19,19	319,83
27	1,62	18,2	303,33
27	1,62	18,37	306,17
27	1,62	18,44	307,33
27	1,62	18,26	304,33
27	1,62	18,05	300,83
27	1,62	18	300,00
27	1,62	18,33	305,50
27	1,62	18,21	303,50
27	1,62	18,51	308,50
27	1,62	18,18	303,00
27	1,62	18,54	309,00
27	1,62	18,5	308,33
27	1,62	18,3	305,00
27	1,62	18,09	301,50
27	1,62	18,01	300,17
27	1,62	18,32	305,33
27	1,62	18,25	304,17
27	1,62	18,3	305,00
27	1,62	18,51	308,50

27	1,62	18,25	304,17
27	1,62	17,8	296,67
27	1,62	17,91	298,50
27	1,62	18,14	302,33
27	1,62	18,39	306,50
27	1,62	17,98	299,67
27	1,62	18,27	304,50
27	1,62	18,14	302,33
27	1,62	18,2	303,33
27	1,62	18,12	302,00
27	1,62	18,21	303,50
27	1,62	18,3	305,00
27	1,62	18,02	300,33
27	1,62	18,18	303,00
27	1,62	18,43	307,17
28	1,68	18,6	310,00
28	1,68	18,74	312,33
28	1,68	18,54	309,00
28	1,68	18,77	312,83
28	1,68	18,67	311,17
28	1,68	18,9	315,00
28	1,68	18,7	311,67
28	1,68	19,03	317,17
28	1,68	18,31	305,17
28	1,68	18,85	314,17
28	1,68	18,64	310,67
28	1,68	18,47	307,83
28	1,68	18,79	313,17
28	1,68	18,71	311,83
28	1,68	18,47	307,83
28	1,68	18,56	309,33
29	1,74	19,94	332,33
29	1,74	19,54	325,67
29	1,74	18,98	316,33
29	1,74	19,73	328,83
29	1,74	19,19	319,83
29	1,74	19,4	323,33

29	1,74	19,11	318,50
29	1,74	19,44	324,00
29	1,74	19,27	321,17
29	1,74	19,05	317,50
29	1,74	19,42	323,67
29	1,74	19,5	325,00
29	1,74	18,7	311,67
29	1,74	19,44	324,00
29	1,74	19,61	326,83
29	1,74	19,16	319,33
29	1,74	19,2	320,00
29	1,74	19,5	325,00
29	1,74	19,58	326,33
29	1,74	19,69	328,17
29	1,74	19,72	328,67
29	1,74	19,5	325,00
29	1,74	19,3	321,67
29	1,74	19,45	324,17
29	1,74	19,39	323,17
29	1,74	19,52	325,33
29	1,74	19,7	328,33
29	1,74	19,68	328,00
29	1,74	19,46	324,33
29	1,74	19,59	326,50
29	1,74	19,7	328,33
29	1,74	19,54	325,67
29	1,74	18,66	311,00
29	1,74	18,48	308,00
29	1,74	18,13	302,17
29	1,74	18,85	314,17
29	1,74	18,88	314,67
29	1,74	18,7	311,67
29	1,74	18,5	308,33
29	1,74	18,23	303,83
29	1,74	18,66	311,00
29	1,74	18,92	315,33
29	1,74	18,5	308,33

29	1,74	18,9	315,00
29	1,74	18,4	306,67
29	1,74	18,7	311,67
29	1,74	18,5	308,33
29	1,74	18,9	315,00
30	1,8	18,57	309,50
30	1,8	18,89	314,83
30	1,8	18,55	309,17
30	1,8	18,63	310,50
30	1,8	18,82	313,67
30	1,8	18,9	315,00
30	1,8	18,84	314,00
30	1,8	18,48	308,00
30	1,8	18,7	311,67
30	1,8	19,01	316,83
30	1,8	19,14	319,00
30	1,8	18,44	307,33
30	1,8	18,91	315,17
30	1,8	18,87	314,50
30	1,8	19,19	319,83
30	1,8	18,5	308,33
30	1,8	19,02	317,00
30	1,8	19,23	320,50
30	1,8	19,3	321,67
30	1,8	19,37	322,83
30	1,8	18,9	315,00
30	1,8	18,99	316,50
30	1,8	19,49	324,83
30	1,8	18,85	314,17
30	1,8	19,15	319,17
30	1,8	19,48	324,67
30	1,8	19,26	321,00
30	1,8	19,15	319,17
30	1,8	18,93	315,50
30	1,8	19,2	320,00
30	1,8	19,27	321,17
30	1,8	18,99	316,50

30	1,8	19,5	325,00
30	1,8	19,46	324,33
30	1,8	19,72	328,67
30	1,8	19,83	330,50
30	1,8	19,4	323,33
30	1,8	19,15	319,17
30	1,8	19,18	319,67
30	1,8	19,22	320,33
30	1,8	19,57	326,17
30	1,8	19,23	320,50
30	1,8	19,37	322,83
30	1,8	19,89	331,50
30	1,8	19,79	329,83
30	1,8	19,35	322,50
30	1,8	19,32	322,00
30	1,8	19,67	327,83
30	1,8	18,41	306,83
30	1,8	18,75	312,50
30	1,8	19,31	321,83
30	1,8	18,93	315,50
30	1,8	19,44	324,00
30	1,8	19,32	322,00
30	1,8	19,41	323,50
30	1,8	19,19	319,83
30	1,8	18,4	306,67
30	1,8	18,78	313,00
30	1,8	19,2	320,00
30	1,8	19	316,67
30	1,8	19,35	322,50
30	1,8	19,26	321,00
30	1,8	19,4	323,33
30	1,8	19,2	320,00
30	1,8	18,55	309,17
30	1,8	19,31	321,83
30	1,8	19,21	320,17
30	1,8	19,1	318,33
30	1,8	19,56	326,00

30	1,8	19,25	320,83
30	1,8	19,37	322,83
30	1,8	18,56	309,33
30	1,8	19,29	321,50
30	1,8	19,22	320,33
30	1,8	19,8	330,00
30	1,8	19,6	326,67
30	1,8	19,32	322,00
30	1,8	19,12	318,67
30	1,8	18,89	314,83
30	1,8	19,52	325,33
31	1,86	19,93	332,17
31	1,86	19,77	329,50
31	1,86	19,14	319,00
31	1,86	19,46	324,33
31	1,86	20,39	339,83
31	1,86	19,72	328,67
31	1,86	19,95	332,50
31	1,86	19,98	333,00
31	1,86	19,81	330,17
31	1,86	19,16	319,33
31	1,86	19,54	325,67
31	1,86	20,1	335,00
31	1,86	19,8	330,00
31	1,86	20	333,33
31	1,86	19,99	333,17
31	1,86	20,04	334,00
31	1,86	19,63	327,17
31	1,86	20,22	337,00
31	1,86	19,5	325,00
31	1,86	19,92	332,00
31	1,86	19,5	325,00
31	1,86	19,79	329,83
31	1,86	19,78	329,67
31	1,86	19,37	322,83
31	1,86	19,29	321,50
31	1,86	19,8	330,00

31	1,86	20,02	333,67
31	1,86	20,12	335,33
31	1,86	19,72	328,67
31	1,86	20,2	336,67
31	1,86	19,9	331,67
31	1,86	19,86	331,00
32	1,92	19,15	319,17
32	1,92	19,34	322,33
32	1,92	19	316,67
32	1,92	19,2	320,00
32	1,92	19,36	322,67
32	1,92	19,26	321,00
32	1,92	19,36	322,67
32	1,92	19,62	327,00
32	1,92	19,35	322,50
32	1,92	19,18	319,67
32	1,92	19,52	325,33
32	1,92	19,65	327,50
32	1,92	19,52	325,33
32	1,92	19,77	329,50
32	1,92	19,41	323,50
32	1,92	19,05	317,50
32	1,92	20,12	335,33
32	1,92	20,25	337,50
32	1,92	20,18	336,33
32	1,92	20,35	339,17
32	1,92	20,55	342,50
32	1,92	20,17	336,17
32	1,92	20,32	338,67
32	1,92	20,11	335,17
32	1,92	20,2	336,67
32	1,92	19,88	331,33
32	1,92	20,05	334,17
32	1,92	20,3	338,33
32	1,92	19,84	330,67
32	1,92	20,2	336,67
32	1,92	20,39	339,83

32	1,92	20,16	336,00
32	1,92	19,74	329,00
32	1,92	19,37	322,83
32	1,92	19,5	325,00
32	1,92	18,64	310,67
32	1,92	18,75	312,50
32	1,92	19,28	321,33
32	1,92	19,71	328,50
32	1,92	19,35	322,50
32	1,92	19,17	319,50
32	1,92	19,37	322,83
32	1,92	19,2	320,00
32	1,92	19,42	323,67
32	1,92	19,56	326,00
32	1,92	19,15	319,17
32	1,92	19,23	320,50
32	1,92	19,11	318,50
32	1,92	19,93	332,17
32	1,92	20,17	336,17
32	1,92	20,13	335,50
32	1,92	19,66	327,67
32	1,92	20,12	335,33
32	1,92	20,16	336,00
32	1,92	19,84	330,67
32	1,92	20	333,33
32	1,92	20,15	335,83
32	1,92	19	316,67
32	1,92	19,98	333,00
32	1,92	20,2	336,67
32	1,92	19,98	333,00
32	1,92	20,24	337,33
32	1,92	19,7	328,33
32	1,92	19,98	333,00
32	1,92	19,19	319,83
32	1,92	19,39	323,17
32	1,92	19,2	320,00
32	1,92	19,49	324,83

32	1,92	19,62	327,00
32	1,92	19,36	322,67
32	1,92	19,39	323,17
32	1,92	19,2	320,00
32	1,92	19,4	323,33
32	1,92	19,15	319,17
32	1,92	19,54	325,67
32	1,92	19,19	319,83
32	1,92	19,4	323,33
32	1,92	19,35	322,50
32	1,92	19,5	325,00
32	1,92	19,29	321,50
33	1,98	19,82	330,33
33	1,98	20,07	334,50
33	1,98	19,51	325,17
33	1,98	19,89	331,50
33	1,98	19,06	317,67
33	1,98	19,66	327,67
33	1,98	19,38	323,00
33	1,98	20,03	333,83
33	1,98	19,89	331,50
33	1,98	20,08	334,67
33	1,98	19,88	331,33
33	1,98	20,1	335,00
33	1,98	19,56	326,00
33	1,98	19,9	331,67
33	1,98	19	316,67
33	1,98	19,68	328,00
33	1,98	20,68	344,67
33	1,98	20,48	341,33
33	1,98	20,11	335,17
33	1,98	20,55	342,50
33	1,98	20,72	345,33
33	1,98	20,9	348,33
33	1,98	20,54	342,33
33	1,98	20,19	336,50
33	1,98	20,56	342,67

33	1,98	20,79	346,50
33	1,98	20,89	348,17
33	1,98	20,76	346,00
33	1,98	20,6	343,33
33	1,98	20,07	334,50
33	1,98	20,89	348,17
33	1,98	20,11	335,17
33	1,98	19,77	329,50
33	1,98	20,32	338,67
33	1,98	20,36	339,33
33	1,98	19,6	326,67
33	1,98	20,21	336,83
33	1,98	19,87	331,17
33	1,98	19,68	328,00
33	1,98	20,2	336,67
33	1,98	20,06	334,33
33	1,98	20,09	334,83
33	1,98	20,14	335,67
33	1,98	19,79	329,83
33	1,98	20,15	335,83
33	1,98	20,05	334,17
33	1,98	19,45	324,17
33	1,98	19,74	329,00
33	1,98	20,65	344,17
33	1,98	20,69	344,83
33	1,98	20,55	342,50
33	1,98	20,68	344,67
33	1,98	20,49	341,50
33	1,98	20,81	346,83
33	1,98	20,13	335,50
33	1,98	20,36	339,33
33	1,98	20,8	346,67
33	1,98	20,45	340,83
33	1,98	20,38	339,67
33	1,98	20,32	338,67
33	1,98	20,48	341,33
33	1,98	20,43	340,50

33	1,98	20,54	342,33
33	1,98	20,9	348,33
34	2,04	20	333,33
34	2,04	19,7	328,33
34	2,04	19,89	331,50
34	2,04	19,84	330,67
34	2,04	19,8	330,00
34	2,04	20,3	338,33
34	2,04	19,74	329,00
34	2,04	19,93	332,17
34	2,04	19,74	329,00
34	2,04	19,55	325,83
34	2,04	19,99	333,17
34	2,04	19,78	329,67
34	2,04	19,82	330,33
34	2,04	19,8	330,00
34	2,04	20	333,33
34	2,04	19,8	330,00
34	2,04	19,84	330,67
34	2,04	19,17	319,50
34	2,04	19,82	330,33
34	2,04	19,4	323,33
34	2,04	19,34	322,33
34	2,04	19,53	325,50
34	2,04	19,72	328,67
34	2,04	19,82	330,33
34	2,04	19,65	327,50
34	2,04	20,15	335,83
34	2,04	19,66	327,67
34	2,04	19,89	331,50
34	2,04	19,2	320,00
34	2,04	19,1	318,33
34	2,04	19,92	332,00
34	2,04	19,5	325,00
34	2,04	20,72	345,33
34	2,04	20,99	349,83
34	2,04	21,12	352,00

34	2,04	20,84	347,33
34	2,04	20,94	349,00
34	2,04	20,47	341,17
34	2,04	20,95	349,17
34	2,04	20,65	344,17
34	2,04	20,7	345,00
34	2,04	20,57	342,83
34	2,04	20,77	346,17
34	2,04	20,93	348,83
34	2,04	20,69	344,83
34	2,04	20,87	347,83
34	2,04	20,69	344,83
34	2,04	20,75	345,83
34	2,04	19,16	319,33
34	2,04	19,53	325,50
34	2,04	19,78	329,67
34	2,04	19,69	328,17
34	2,04	19,07	317,83
34	2,04	20,13	335,50
34	2,04	19,85	330,83
34	2,04	19,35	322,50
34	2,04	19,62	327,00
34	2,04	19,17	319,50
34	2,04	19,41	323,50
34	2,04	19,92	332,00
34	2,04	19,71	328,50
34	2,04	19,93	332,17
34	2,04	20,09	334,83
34	2,04	20,05	334,17
35	2,1	21,46	357,67
35	2,1	21,26	354,33
35	2,1	21,52	358,67
35	2,1	21,83	363,83
35	2,1	21,28	354,67
35	2,1	21,03	350,50
35	2,1	20,56	342,67
35	2,1	21,58	359,67

35	2,1	21,49	358,17
35	2,1	21,3	355,00
35	2,1	21,6	360,00
35	2,1	21,9	365,00
35	2,1	21,3	355,00
35	2,1	21,56	359,33
35	2,1	21,4	356,67
35	2,1	21,39	356,50
35	2,1	19,93	332,17
35	2,1	19,86	331,00
35	2,1	20,04	334,00
35	2,1	19,97	332,83
35	2,1	19,63	327,17
35	2,1	19,7	328,33
35	2,1	19,11	318,50
35	2,1	19,69	328,17
35	2,1	19,72	328,67
35	2,1	19,98	333,00
35	2,1	20,01	333,50
35	2,1	19,86	331,00
35	2,1	19,56	326,00
35	2,1	20,01	333,50
35	2,1	19,98	333,00
35	2,1	19,72	328,67
35	2,1	20,32	338,67
35	2,1	20,09	334,83
35	2,1	20,04	334,00
35	2,1	20,36	339,33
35	2,1	20,56	342,67
35	2,1	20,47	341,17
35	2,1	20,38	339,67
35	2,1	20,14	335,67
35	2,1	20,46	341,00
35	2,1	20,12	335,33
35	2,1	19,52	325,33
35	2,1	20,39	339,83
35	2,1	20,5	341,67

35	2,1	20,14	335,67
35	2,1	20,3	338,33
35	2,1	20,24	337,33
35	2,1	21,05	350,83
35	2,1	21,24	354,00
35	2,1	21,3	355,00
35	2,1	21,14	352,33
35	2,1	20,78	346,33
35	2,1	20,99	349,83
35	2,1	20,11	335,17
35	2,1	21,1	351,67
35	2,1	21,14	352,33
35	2,1	21,19	353,17
35	2,1	21,32	355,33
35	2,1	21,08	351,33
35	2,1	21,78	363,00
35	2,1	21,2	353,33
35	2,1	21,4	356,67
35	2,1	21,59	359,83
36	2,16	21,32	355,33
36	2,16	21,08	351,33
36	2,16	21,2	353,33
36	2,16	21,35	355,83
36	2,16	21,08	351,33
36	2,16	20,65	344,17
36	2,16	20,76	346,00
36	2,16	21,07	351,17
36	2,16	21,47	357,83
36	2,16	21,75	362,50
36	2,16	21,9	365,00
36	2,16	21,36	356,00
36	2,16	21,9	365,00
36	2,16	21,52	358,67
36	2,16	21,96	366,00
36	2,16	20,37	339,50
36	2,16	20,51	341,83
36	2,16	19,85	330,83

36	2,16	19,99	333,17
36	2,16	20,07	334,50
36	2,16	19,93	332,17
36	2,16	19,97	332,83
36	2,16	19,87	331,17
36	2,16	20,03	333,83
36	2,16	20,43	340,50
36	2,16	20,38	339,67
36	2,16	20,19	336,50
36	2,16	20,31	338,50
36	2,16	19,89	331,50
36	2,16	20,31	338,50
36	2,16	20,09	334,83
36	2,16	20,24	337,33
36	2,16	20,3	338,33
36	2,16	20,22	337,00
36	2,16	20,31	338,50
36	2,16	20,08	334,67
36	2,16	20,29	338,17
36	2,16	20,52	342,00
36	2,16	20,21	336,83
36	2,16	20,32	338,67
36	2,16	20,26	337,67
36	2,16	20,37	339,50
36	2,16	20,25	337,50
36	2,16	20,62	343,67
36	2,16	20,21	336,83
36	2,16	20,22	337,00
36	2,16	20,56	342,67
37	2,22	20	333,33
37	2,22	20,83	347,17
37	2,22	20,88	348,00
37	2,22	20,82	347,00
37	2,22	21,26	354,33
37	2,22	20,83	347,17
37	2,22	20,9	348,33
37	2,22	21,29	354,83

37	2,22	21,7	361,67
37	2,22	21,79	363,17
37	2,22	21,99	366,50
37	2,22	20,86	347,67
37	2,22	21,3	355,00
37	2,22	20,79	346,50
37	2,22	20,9	348,33
37	2,22	21,3	355,00
37	2,22	21,68	361,33
37	2,22	21,27	354,50
37	2,22	22,07	367,83
37	2,22	22,23	370,50
37	2,22	22,06	367,67
37	2,22	22,45	374,17
37	2,22	21,8	363,33
37	2,22	21,4	356,67
37	2,22	22,39	373,17
37	2,22	22,09	368,17
37	2,22	22,05	367,50
37	2,22	21,81	363,50
37	2,22	21,3	355,00
37	2,22	22	366,67
37	2,22	21,7	361,67
37	2,22	22,4	373,33
37	2,22	21,78	363,00
37	2,22	21,91	365,17
37	2,22	22,93	382,17
37	2,22	22,03	367,17
37	2,22	22,85	380,83
37	2,22	21,51	358,50
37	2,22	22,22	370,33
37	2,22	21,58	359,67
37	2,22	22,12	368,67
37	2,22	21,66	361,00
37	2,22	21,12	352,00
37	2,22	21,68	361,33
37	2,22	21,77	362,83

37	2,22	22,05	367,50
37	2,22	21,49	358,17
37	2,22	21,75	362,50
37	2,22	20,72	345,33
37	2,22	20,61	343,50
37	2,22	20,45	340,83
37	2,22	20,56	342,67
37	2,22	20,17	336,17
37	2,22	20,45	340,83
37	2,22	20,82	347,00
37	2,22	20,62	343,67
37	2,22	20,38	339,67
37	2,22	20,41	340,17
37	2,22	21,43	357,17
37	2,22	21,18	353,00
37	2,22	20,82	347,00
37	2,22	20,11	335,17
37	2,22	21,19	353,17
37	2,22	20,94	349,00
37	2,22	20,16	336,00
37	2,22	20,36	339,33
37	2,22	19,84	330,67
37	2,22	20,27	337,83
37	2,22	20,65	344,17
37	2,22	20,33	338,83
37	2,22	20,5	341,67
37	2,22	20,46	341,00
37	2,22	20,29	338,17
37	2,22	20,12	335,33
37	2,22	19,89	331,50
37	2,22	20,51	341,83
37	2,22	20,67	344,50
37	2,22	20,21	336,83
37	2,22	20,4	340,00
37	2,22	20,56	342,67
38	2,28	20,06	334,33
38	2,28	20,63	343,83

38	2,28	20,45	340,83
38	2,28	20,17	336,17
38	2,28	20,46	341,00
38	2,28	20,88	348,00
38	2,28	20,59	343,17
38	2,28	20,26	337,67
38	2,28	20,3	338,33
38	2,28	20,31	338,50
38	2,28	20,16	336,00
38	2,28	20,17	336,17
38	2,28	20,49	341,50
38	2,28	20,19	336,50
38	2,28	20,42	340,33
38	2,28	20,55	342,50
38	2,28	20,7	345,00
38	2,28	20,4	340,00
38	2,28	20,78	346,33
38	2,28	20,59	343,17
38	2,28	20,63	343,83
38	2,28	20,67	344,50
38	2,28	20,68	344,67
38	2,28	20,72	345,33
38	2,28	20,75	345,83
38	2,28	20,78	346,33
38	2,28	20,64	344,00
38	2,28	20,6	343,33
38	2,28	20,59	343,17
38	2,28	20,78	346,33
38	2,28	20,76	346,00
38	2,28	20,69	344,83
38	2,28	22,26	371,00
38	2,28	22,01	366,83
38	2,28	22,49	374,83
38	2,28	22,25	370,83
38	2,28	22,2	370,00
38	2,28	22,29	371,50
38	2,28	22,23	370,50

38	2,28	21,9	365,00
38	2,28	22,16	369,33
38	2,28	22,26	371,00
38	2,28	22,17	369,50
38	2,28	22,06	367,67
38	2,28	22,05	367,50
38	2,28	22,21	370,17
38	2,28	22,15	369,17
38	2,28	21,87	364,50
39	2,34	21,34	355,67
39	2,34	21,31	355,17
39	2,34	21,69	361,50
39	2,34	21,51	358,50
39	2,34	21,33	355,50
39	2,34	21,12	352,00
39	2,34	21,73	362,17
39	2,34	21,3	355,00
39	2,34	21,29	354,83
39	2,34	21,25	354,17
39	2,34	21,35	355,83
39	2,34	20,9	348,33
39	2,34	20,96	349,33
39	2,34	21,37	356,17
39	2,34	21,51	358,50
39	2,34	20,8	346,67
39	2,34	22,56	376,00
39	2,34	22,07	367,83
39	2,34	22,6	376,67
39	2,34	21,78	363,00
39	2,34	22,4	373,33
39	2,34	22,57	376,17
39	2,34	22,48	374,67
39	2,34	22,16	369,33
39	2,34	22,38	373,00
39	2,34	22,23	370,50
39	2,34	22,87	381,17
39	2,34	22,53	375,50

39	2,34	22,11	368,50
39	2,34	22,14	369,00
39	2,34	22,81	380,17
39	2,34	22,6	376,67
39	2,34	22,74	379,00
39	2,34	22,58	376,33
39	2,34	22,55	375,83
39	2,34	21,66	361,00
39	2,34	22,58	376,33
39	2,34	22,82	380,33
39	2,34	21,84	364,00
39	2,34	22,7	378,33
39	2,34	22,65	377,50
39	2,34	22,36	372,67
39	2,34	22,6	376,67
39	2,34	22,22	370,33
39	2,34	22,89	381,50
39	2,34	22,74	379,00
39	2,34	22,7	378,33
39	2,34	22,96	382,67
39	2,34	20,83	347,17
39	2,34	20,72	345,33
39	2,34	20,88	348,00
39	2,34	20,82	347,00
39	2,34	20,93	348,83
39	2,34	20,84	347,33
39	2,34	20,59	343,17
39	2,34	20,3	338,33
39	2,34	20,6	343,33
39	2,34	20,87	347,83
39	2,34	21,03	350,50
39	2,34	20,63	343,83
39	2,34	20,94	349,00
39	2,34	20,99	349,83
39	2,34	20,77	346,17
39	2,34	20,9	348,33
39	2,34	21,37	356,17

39	2,34	21,43	357,17
39	2,34	21,08	351,33
39	2,34	20,99	349,83
39	2,34	21,23	353,83
39	2,34	21,4	356,67
39	2,34	21,42	357,00
39	2,34	21,09	351,50
39	2,34	21	350,00
39	2,34	21,25	354,17
39	2,34	21,39	356,50
39	2,34	21,4	356,67
39	2,34	21,45	357,50
39	2,34	21,1	351,67
39	2,34	21,42	357,00
39	2,34	21,23	353,83
39	2,34	22,23	370,50
39	2,34	22,15	369,17
39	2,34	22,62	377,00
39	2,34	22,38	373,00
39	2,34	21,86	364,33
39	2,34	21,92	365,33
39	2,34	22,29	371,50
39	2,34	22,67	377,83
39	2,34	22,3	371,67
39	2,34	22,4	373,33
39	2,34	22,64	377,33
39	2,34	22,4	373,33
39	2,34	21,99	366,50
39	2,34	22,13	368,83
39	2,34	22,33	372,17
39	2,34	21,9	365,00
39	2,34	21,08	351,33
39	2,34	21,3	355,00
39	2,34	21,64	360,67
39	2,34	21,03	350,50
39	2,34	20,9	348,33
39	2,34	21,02	350,33

39	2,34	20,58	343,00
39	2,34	21,22	353,67
39	2,34	21,69	361,50
39	2,34	21,06	351,00
39	2,34	21,89	364,83
39	2,34	21,01	350,17
39	2,34	21,7	361,67
39	2,34	20,8	346,67
39	2,34	20,6	343,33
39	2,34	21,92	365,33
40	2,4	21,51	358,50
40	2,4	21,35	355,83
40	2,4	21,43	357,17
40	2,4	21,79	363,17
40	2,4	21,2	353,33
40	2,4	21,49	358,17
40	2,4	21,4	356,67
40	2,4	21,42	357,00
40	2,4	21,48	358,00
40	2,4	21,39	356,50
40	2,4	21,46	357,67
40	2,4	21,8	363,33
40	2,4	21,3	355,00
40	2,4	21,5	358,33
40	2,4	21,42	357,00
40	2,4	21,51	358,50
40	2,4	22,19	369,83
40	2,4	22,56	376,00
40	2,4	22,71	378,50
40	2,4	23,31	388,50
40	2,4	23,12	385,33
40	2,4	23,39	389,83
40	2,4	23,16	386,00
40	2,4	23,01	383,50
40	2,4	23,28	388,00
40	2,4	23,04	384,00
40	2,4	22,93	382,17

40	2,4	23,13	385,50
40	2,4	23,02	383,67
40	2,4	23,2	386,67
40	2,4	23,19	386,50
40	2,4	23,02	383,67
41	2,46	23,37	389,50
41	2,46	22,92	382,00
41	2,46	23,18	386,33
41	2,46	23,4	390,00
41	2,46	23,39	389,83
41	2,46	22,62	377,00
41	2,46	23,62	393,67
41	2,46	23,37	389,50
41	2,46	23,19	386,50
41	2,46	23,67	394,50
41	2,46	23,37	389,50
41	2,46	23,13	385,50
41	2,46	23,32	388,67
41	2,46	23,4	390,00
41	2,46	23,5	391,67
41	2,46	23,6	393,33
41	2,46	21,81	363,50
41	2,46	21,72	362,00
41	2,46	21,48	358,00
41	2,46	21,41	356,83
41	2,46	21,78	363,00
41	2,46	21,82	363,67
41	2,46	21,78	363,00
41	2,46	21,74	362,33
41	2,46	21,5	358,33
41	2,46	21,82	363,67
41	2,46	21,69	361,50
41	2,46	21,81	363,50
41	2,46	21,78	363,00
41	2,46	21,74	362,33
41	2,46	21,6	360,00
41	2,46	21,83	363,83

41,5	2,49	20,82	347,00
41,5	2,49	21,11	351,83
41,5	2,49	20,86	347,67
41,5	2,49	21,24	354,00
41,5	2,49	21,28	354,67
41,5	2,49	20,5	341,67
41,5	2,49	20,08	334,67
41,5	2,49	20,88	348,00
41,5	2,49	20,75	345,83
41,5	2,49	21,45	357,50
41,5	2,49	21,24	354,00
41,5	2,49	20,42	340,33
41,5	2,49	20,8	346,67
41,5	2,49	20,72	345,33
41,5	2,49	21,09	351,50
41,5	2,49	20,7	345,00
42	2,52	21,61	360,17
42	2,52	21,11	351,83
42	2,52	21,6	360,00
42	2,52	21,38	356,33
42	2,52	21,46	357,67
42	2,52	21,49	358,17
42	2,52	21,16	352,67
42	2,52	21,67	361,17
42	2,52	21,63	360,50
42	2,52	21,43	357,17
42	2,52	21,34	355,67
42	2,52	21,23	353,83
42	2,52	21,39	356,50
42	2,52	21,62	360,33
42	2,52	21,43	357,17
42	2,52	21,46	357,67
42	2,52	21,52	358,67
42	2,52	21,53	358,83
42	2,52	21,28	354,67
42	2,52	21,32	355,33
42	2,52	21,52	358,67

42	2,52	21,34	355,67
42	2,52	21,21	353,50
42	2,52	21,3	355,00
42	2,52	21,39	356,50
42	2,52	21,34	355,67
42	2,52	21,6	360,00
42	2,52	21,88	364,67
42	2,52	21,55	359,17
42	2,52	21,34	355,67
42	2,52	21,48	358,00
42	2,52	21,37	356,17
42	2,52	23,7	395,00
42	2,52	22,98	383,00
42	2,52	23,31	388,50
42	2,52	23,35	389,17
42	2,52	23,23	387,17
42	2,52	23,02	383,67
42	2,52	23,3	388,33
42	2,52	23,11	385,17
42	2,52	23,61	393,50
42	2,52	23,36	389,33
42	2,52	23,56	392,67
42	2,52	23,32	388,67
42	2,52	23,35	389,17
42	2,52	23,29	388,17
42	2,52	23,69	394,83
42	2,52	23,6	393,33
42	2,52	21,26	354,33
42	2,52	21,5	358,33
42	2,52	21,8	363,33
42	2,52	21,78	363,00
42	2,52	21,12	352,00
42	2,52	21,58	359,67
42	2,52	21,84	364,00
42	2,52	21,35	355,83
42	2,52	21,43	357,17
42	2,52	21,69	361,50

42	2,52	22,1	368,33
42	2,52	21,88	364,67
42	2,52	21,95	365,83
42	2,52	21,79	363,17
42	2,52	21,72	362,00
42	2,52	21,79	363,17
42	2,52	21,85	364,17
42	2,52	22,1	368,33
42	2,52	22,26	371,00
42	2,52	22,44	374,00
42	2,52	22,13	368,83
42	2,52	22,1	368,33
42	2,52	22,16	369,33
42	2,52	21,9	365,00
42	2,52	22,09	368,17
42	2,52	22,3	371,67
42	2,52	22,49	374,83
42	2,52	22,2	370,00
42	2,52	22,19	369,83
42	2,52	22,1	368,33
42	2,52	22,2	370,00
42	2,52	22,36	372,67
42	2,52	21,88	364,67
42	2,52	22,03	367,17
42	2,52	21,84	364,00
42	2,52	21,98	366,33
42	2,52	22,01	366,83
42	2,52	21,98	366,33
42	2,52	21,85	364,17
42	2,52	22,01	366,83
42	2,52	22,04	367,33
42	2,52	21,87	364,50
42	2,52	21,84	364,00
42	2,52	21,87	364,50
42	2,52	22,03	367,17
42	2,52	22,04	367,33
42	2,52	21,85	364,17

42	2,52	22,04	367,33
----	------	-------	--------

Doctoral thesis by Ms. Isabel Cristina Pulgarin Monsalve

**Fundamentals of process design and control of Anaerobic Sequencing Batch Gas-Lift Reactor regarding the mixing process
Brandenburgische Technische Universität Cottbus-Senftenberg, 2021**

Annex 4.2:

Flow characterization

Tests with different connectors

Tube 4 mm - cone connector 100/210		Tube 4 mm - cone connector control vibration 130/180		Tube 4 mm - cone connector control vibration 190/120	
Flow air (m ³ /h)	Flow water (m ³ /h)	Flow air (m ³ /h)	Flow water (m ³ /h)	Flow air (m ³ /h)	Flow water (m ³ /h)
0,12	5,15	0,12	5,81	0,12	4,84
0,12	5,2	0,12	5,97	0,12	5,12
0,12	5,31	0,12	5,96	0,12	4,81
0,12	5,21	0,12	6,03	0,12	4,85
0,12	5,32	0,12	6,07	0,12	5,05
0,12	5,51	0,12	6,17	0,12	4,87
0,12	5,46	0,12	6,26	0,12	5,23
0,12	5,63	0,12	6,03	0,12	5,16
0,12	5,56	0,12	6,21	0,12	4,82
0,12	5,3	0,12	6,4	0,12	5,11
0,12	5,42	0,12	6,2	0,12	5,06
0,12	5,44	0,12	5,97	0,12	5,01
0,12	5,62	0,12	6,04	0,12	4,98
0,12	5,66	0,12	5,81	0,12	4,83
0,12	5,57	0,12	6,27	0,12	4,99
0,12	5,22	0,12	6,21	0,12	5,2
0,18	6,96	0,18	6,68	0,18	6,33
0,18	6,79	0,18	6,77	0,18	6,02
0,18	6,67	0,18	6,73	0,18	6,34
0,18	6,94	0,18	6,24	0,18	6,28
0,18	6,99	0,18	6,42	0,18	5,95

0,18	6,61	0,18	6,54	0,18	6,22
0,18	6,38	0,18	6,23	0,18	6,09
0,18	6,23	0,18	6,12	0,18	6,34
0,18	6,43	0,18	6,18	0,18	6,01
0,18	6,61	0,18	6,34	0,18	6,28
0,18	6,29	0,18	6,13	0,18	6,33
0,18	6,56	0,18	6,27	0,18	6
0,18	6,1	0,18	6,42	0,18	6,29
0,18	5,93	0,18	6,51	0,18	6,11
0,18	6,69	0,18	6,18	0,18	6,23
0,18	6,42	0,18	6	0,18	6,24
0,24	7,66	0,24	8,08	0,24	7,02
0,24	7,76	0,24	7,77	0,24	7,2
0,24	7,72	0,24	8,32	0,24	7,28
0,24	8,15	0,24	8,63	0,24	7,29
0,24	8,43	0,24	8,23	0,24	6,84
0,24	7,91	0,24	7,72	0,24	6,92
0,24	7,7	0,24	6,88	0,24	6,96
0,24	7,65	0,24	6,87	0,24	7
0,24	7,39	0,24	7,54	0,24	6,23
0,24	7,76	0,24	7,46	0,24	7,3
0,24	7,47	0,24	7,94	0,24	6,89
0,24	7,78	0,24	8,39	0,24	7,34
0,24	7,63	0,24	8,23	0,24	6,2
0,24	7,69	0,24	8,2	0,24	6,24
0,24	7,48	0,24	7,71	0,24	7,6
0,24	7,79	0,24	7,66	0,24	7,2
0,3	7,78	0,3	8,25	0,24	9,5
0,3	8,52	0,3	8,69	0,24	8,75
0,3	8,28	0,3	8,54	0,24	8,56
0,3	8,75	0,3	8,93	0,24	8,23
0,3	8,43	0,3	9,03	0,24	8,19
0,3	8,01	0,3	9,13	0,24	8,31
0,3	7,93	0,3	9,66	0,24	9,45
0,3	8,73	0,3	9,72	0,24	8,89
0,3	8,89	0,3	9,14	0,24	8,76
0,3	8,02	0,3	9,9	0,24	8,2

0,3	8,47	0,3	9,83	0,24	8,98
0,3	8,9	0,3	8,44	0,24	8,75
0,3	8,52	0,3	8,86	0,24	9
0,3	8,91	0,3	8,69	0,24	8,45
0,3	8,77	0,3	8,25	0,24	8,28
0,3	8,04	0,3	8,54	0,24	8,32
0,36	9,37	0,36	9,16	0,3	9
0,36	8,96	0,36	10,85	0,3	9,1
0,36	8,89	0,36	10,42	0,3	9,45
0,36	8,36	0,36	10,57	0,3	9,34
0,36	8,61	0,36	10,25	0,3	9,69
0,36	8,22	0,36	9,84	0,3	9,84
0,36	8,64	0,36	10,34	0,3	9,72
0,36	9,08	0,36	10,95	0,3	9,01
0,36	9,59	0,36	10,83	0,3	9,15
0,36	9,38	0,36	10,37	0,3	9,16
0,36	9,65	0,36	10,32	0,3	9,72
0,36	9,81	0,36	10,28	0,3	9,14
0,36	9,62	0,36	10,59	0,3	9,7
0,36	9,77	0,36	10,37	0,3	9,81
0,36	9,27	0,36	10,91	0,3	9,69
0,36	9,65	0,36	10,26	0,3	9,2
0,42	9,11	0,39	9,44	0,33	8,33
0,42	9,31	0,39	8,78	0,33	8,49
0,42	9,3	0,39	9,21	0,33	8,56
0,42	9,8	0,39	9,43	0,33	8,52
0,42	9,32	0,39	9,58	0,33	8,37
0,42	9,67	0,39	9,43	0,33	9,3
0,42	9,55	0,39	8,85	0,33	10,02
0,42	9,39	0,39	9,13	0,33	9,68
0,42	9,94	0,39	9,5	0,33	9,98
0,42	9,9	0,39	9,54	0,33	9,7
0,42	9,58	0,39	9,42	0,33	9,53
0,42	9,51	0,39	8,89	0,33	9,3
0,42	9,57	0,39	9,11	0,33	9,46
0,42	9,62	0,39	9,48	0,33	9,89
0,42	9,99	0,39	8,9	0,33	10,25

0,42	10,34	0,39	9,05	0,33	9,99
0,48	10,33	0,42	10,82	0,36	10,05
0,48	10,17	0,42	10,77	0,36	10,15
0,48	10,38	0,42	10,54	0,36	10,05
0,48	11,04	0,42	10,87	0,36	10,72
0,48	10,59	0,42	11,1	0,36	10,74
0,48	10,36	0,42	11,36	0,36	10,55
0,48	10,01	0,42	11,24	0,36	10,9
0,48	10,71	0,42	11,33	0,36	10,02
0,48	10,58	0,42	11,54	0,36	10,12
0,48	10,01	0,42	11,87	0,36	10,68
0,48	10,08	0,42	11,61	0,36	10,71
0,48	10	0,42	11,21	0,36	10,62
0,48	10,04	0,42	10,85	0,36	10,72
0,48	10,12	0,42	11,2	0,36	10,78
0,48	10,65	0,42	11,4	0,36	10,89
0,48	10,89	0,42	11,58	0,36	10,02
0,54	11,34	0,45	9,58	0,42	10,56
0,54	11,52	0,45	10,79	0,42	10,29
0,54	11,49	0,45	10,99	0,42	9,32
0,54	11,88	0,45	11,67	0,42	10,05
0,54	11,79	0,45	11,85	0,42	9,43
0,54	11,96	0,45	11,93	0,42	10,26
0,54	11,18	0,45	12,01	0,42	10,1
0,54	11,92	0,45	12	0,42	10,45
0,54	11,54	0,45	10,8	0,42	10,37
0,54	11,31	0,45	11	0,42	10,21
0,54	11,97	0,45	11,78	0,42	10,6
0,54	11,86	0,45	11,9	0,42	10,15
0,54	11,64	0,45	12,04	0,42	10,02
0,54	11,4	0,45	11,98	0,42	10,2
0,54	12,14	0,45	11,89	0,42	9,7
0,54	11,98	0,45	11,93	0,42	10,32
0,54	11,09	0,48	11,51	0,48	10,57
0,54	11,36	0,48	11,8	0,48	10,22
0,54	11,67	0,48	12,21	0,48	10,48
0,54	10,92	0,48	11,86	0,48	10,95

0,54	11,24	0,48	12,48	0,48	11,9
0,54	10,92	0,48	12,53	0,48	10,6
0,54	11,71	0,48	12,37	0,48	10,23
0,54	10,31	0,48	12,1	0,48	10,5
0,54	10,24	0,48	11,95	0,48	10,89
0,54	10,32	0,48	11,85	0,48	10,7
0,54	11,14	0,48	12,16	0,48	11,2
0,54	11,09	0,48	12,06	0,48	11,08
0,54	11,15	0,48	11,89	0,48	11,01
0,54	10,82	0,48	11,71	0,48	11
0,54	10,56	0,48	12,11	0,48	10,82
0,54	10,15	0,48	12,04	0,48	10,45
0,54	11,09	0,54	11,58	0,54	11,59
0,54	11,32	0,54	11,75	0,54	11,07
0,54	11,53	0,54	12,49	0,54	11,9
0,54	11,59	0,54	12,52	0,54	11,99
0,54	11,18	0,54	12,15	0,54	11,37
0,54	11,07	0,54	12,67	0,54	11,35
0,54	11,4	0,54	12,77	0,54	11,6
0,54	11,98	0,54	12,5	0,54	11,42
0,54	11	0,54	12,6	0,54	11,56
0,54	10,36	0,54	12,13	0,54	11,08
0,54	10,22	0,54	12,68	0,54	11
0,54	10,94	0,54	12,79	0,54	11,6
0,54	11,45	0,54	12,69	0,54	11,09
0,54	11,06	0,54	12,5	0,54	11,82
0,54	11,2	0,54	12,79	0,54	11,07
0,54	11,27	0,54	12,8	0,54	11,6
0,6	11,64	0,54	12,11	0,6	12,65
0,6	11,1	0,54	11,91	0,6	12,54
0,6	11,84	0,54	11,62	0,6	12,26
0,6	11,72	0,54	12,07	0,6	12,05
0,6	11,53	0,54	12,2	0,6	11,71
0,6	11,23	0,54	12,48	0,6	12,1
0,6	11,84	0,54	12,49	0,6	12,34
0,6	11,79	0,54	12,55	0,6	12,7
0,6	11,72	0,54	12,04	0,6	12,59

0,6	11	0,54	12,52	0,6	12,3
0,6	11,99	0,54	12,5	0,6	12,69
0,6	11,51	0,54	12,27	0,6	12,4
0,6	11,73	0,54	12,39	0,6	12,3
0,6	11,66	0,54	12,55	0,6	12,72
0,6	11,64	0,54	11,95	0,6	12,6
0,6	11,96	0,54	12,19	0,6	12,09
0,66	12,13	0,6	13,2	0,6	12,03
0,66	12,88	0,6	12,65	0,6	12,05
0,66	12,66	0,6	12,22	0,6	11,73
0,66	12,67	0,6	12,08	0,6	11,98
0,66	12,18	0,6	13,3	0,6	11,64
0,66	12,08	0,6	12,67	0,6	11,97
0,66	12,01	0,6	13	0,6	11,57
0,66	11,99	0,6	12,62	0,6	12,34
0,66	12,74	0,6	12,75	0,6	12,42
0,66	12,01	0,6	12,36	0,6	12,66
0,66	11,85	0,6	12,67	0,6	12,58
0,66	12,24	0,6	12,15	0,6	12,28
0,66	11,43	0,6	12,88	0,6	11,41
0,66	12,24	0,6	12,7	0,6	11,37
0,66	12,38	0,6	13,52	0,6	11,49
0,66	12,02	0,6	12,72	0,6	11,9
0,72	13,29	0,66	13,05	0,66	12,67
0,72	13,37	0,66	13,68	0,66	12,85
0,72	13,54	0,66	13,67	0,66	12,19
0,72	13,23	0,66	13,44	0,66	13,42
0,72	13,35	0,66	13,3	0,66	13,07
0,72	13,01	0,66	13,78	0,66	13,2
0,72	13,05	0,66	13,73	0,66	12,82
0,72	13,34	0,66	13,66	0,66	12,46
0,72	13,01	0,66	13,59	0,66	12,69
0,72	13,28	0,66	12,65	0,66	13,07
0,72	13,07	0,66	13,38	0,66	12,98
0,72	13,42	0,66	13,56	0,66	12,82
0,72	13,31	0,66	13,07	0,66	12,78
0,72	13,85	0,66	13,16	0,66	13,05

0,72	13,16	0,66	13,13	0,66	13,11
0,72	13,56	0,66	13,26	0,66	13,15
0,78	14,03	0,72	13,94	0,72	13,18
0,78	13,97	0,72	14,21	0,72	13,21
0,78	13,13	0,72	14,44	0,72	13,16
0,78	12,98	0,72	14,68	0,72	12,54
0,78	12,94	0,72	14,62	0,72	13,32
0,78	13,08	0,72	14,1	0,72	13,15
0,78	13,55	0,72	14,01	0,72	12,75
0,78	13,72	0,72	13,78	0,72	12,9
0,78	13,89	0,72	13,75	0,72	13,19
0,78	14,04	0,72	13,52	0,72	13,23
0,78	14,52	0,72	13,88	0,72	13,18
0,78	13,15	0,72	13,8	0,72	12,98
0,78	13,32	0,72	13,46	0,72	13,2
0,78	13,12	0,72	13,13	0,72	13,19
0,78	13,03	0,72	13,36	0,72	13,32
0,78	13,12	0,72	14,43	0,72	13,2
0,78	13,65	0,72	14,08	0,72	12,85
0,78	14,07	0,72	14,21	0,72	12,73
0,78	14,01	0,72	13,94	0,72	12,8
0,78	13,44	0,72	13,82	0,72	12,9
0,78	13,82	0,72	13,13	0,72	12,39
0,78	13,89	0,72	14,02	0,72	12,82
0,78	13,3	0,72	13,35	0,72	13,47
0,78	13,21	0,72	13,87	0,72	13,37
0,78	13,56	0,72	14,09	0,72	13,26
0,78	13,85	0,72	13,21	0,72	13,45
0,78	14,05	0,72	13,54	0,72	13,69
0,78	14,06	0,72	14,02	0,72	14,12
0,78	13,45	0,72	14,34	0,72	13,7
0,78	13,89	0,72	14,01	0,72	14,03
0,78	13,76	0,72	14,23	0,72	13,91
0,78	14,22	0,72	14,04	0,72	13,4
0,84	14,77	0,72	13,62	0,78	13,33
0,84	14,55	0,72	14,03	0,78	13,13
0,84	14,09	0,72	13,44	0,78	13,88

0,84	14,03	0,72	13,87	0,78	13,95
0,84	14,88	0,72	13,8	0,78	14,31
0,84	14,64	0,72	13,71	0,78	13,29
0,84	14,52	0,72	14,13	0,78	13,34
0,84	14,13	0,72	14,22	0,78	13,34
0,84	14,36	0,72	14,17	0,78	13,29
0,84	14,23	0,72	13,99	0,78	13,89
0,84	14,21	0,72	13,72	0,78	13,97
0,84	14,42	0,72	14,23	0,78	14,32
0,84	14,66	0,72	14,13	0,78	14,01
0,84	14,25	0,72	13,44	0,78	14,11
0,84	14,65	0,72	14,01	0,78	13,79
0,84	14,49	0,72	14,04	0,78	13,85
0,9	15,06	0,78	14,29	0,84	14,29
0,9	14,76	0,78	14,53	0,84	14,68
0,9	15,36	0,78	14,28	0,84	14,72
0,9	15,42	0,78	13,56	0,84	14,33
0,9	15,19	0,78	13,88	0,84	14,1
0,9	14,98	0,78	13,29	0,84	14,39
0,9	14,72	0,78	13,9	0,84	14,01
0,9	14,47	0,78	14,47	0,84	13,94
0,9	14,29	0,78	14,6	0,84	14,54
0,9	15,13	0,78	13,77	0,84	14,11
0,9	14,76	0,78	13,08	0,84	14,54
0,9	14,87	0,78	14,54	0,84	14,78
0,9	14,88	0,78	14,88	0,84	14,35
0,9	14,87	0,78	14,34	0,84	14,21
0,9	14,99	0,78	14,15	0,84	14,7
0,9	15,24	0,78	14,08	0,84	14,42
0,96	15,76	0,84	14,83	0,84	15,01
0,96	15,6	0,84	14,81	0,84	14,82
0,96	15,46	0,84	14,95	0,84	14,68
0,96	15,48	0,84	14,8	0,84	15,04
0,96	15,52	0,84	15,14	0,84	15,13
0,96	15,61	0,84	14,58	0,84	14,86
0,96	15,19	0,84	14,73	0,84	14,31
0,96	15,04	0,84	14,98	0,84	14,69

0,96	15,44	0,84	14,37	0,84	14,54
0,96	14,8	0,84	14,66	0,84	14,69
0,96	14,84	0,84	14,74	0,84	15,44
0,96	14,68	0,84	14,61	0,84	15,27
0,96	15,26	0,84	14,12	0,84	14,7
0,96	14,95	0,84	14,96	0,84	14,67
0,96	15,18	0,84	14,83	0,84	14,44
0,96	15,55	0,84	14,91	0,84	14,64
1,02	15,37	0,84	14,5	0,9	14,84
1,02	15,76	0,84	15,07	0,9	14,22
1,02	15,4	0,84	14,79	0,9	14,28
1,02	15,17	0,84	15,42	0,9	14,32
1,02	15,34	0,84	15	0,9	14,94
1,02	15,75	0,84	14,66	0,9	14,5
1,02	15,66	0,84	15,01	0,9	14,8
1,02	15,96	0,84	14,89	0,9	14,86
1,02	15,58	0,84	15,49	0,9	14,91
1,02	15,66	0,84	14,98	0,9	14,84
1,02	15,48	0,84	14,78	0,9	14,25
1,02	15,67	0,84	15	0,9	14,37
1,02	15,01	0,84	14,69	0,9	14,79
1,02	15,25	0,84	15,06	0,9	14,86
1,02	15,52	0,84	14,9	0,9	14,56
1,02	15,47	0,84	14,8	0,9	14,32
1,08	15,87	0,9	14,69	1,02	15,26
1,08	15,98	0,9	14,66	1,02	15,04
1,08	16,02	0,9	15,27	1,02	15,95
1,08	15,94	0,9	15	1,02	16,34
1,08	16,11	0,9	14,86	1,02	16,56
1,08	15,89	0,9	14,71	1,02	16,42
1,08	15,77	0,9	14,85	1,02	15,87
1,08	15,95	0,9	14,91	1,02	15,59
1,08	16,12	0,9	14,96	1,02	15,78
1,08	15,48	0,9	14,95	1,02	15,53
1,08	15,71	0,9	14,86	1,02	15,7
1,08	16,07	0,9	14,8	1,02	15,41
1,08	15,85	0,9	14,9	1,02	15,67

1,08	15,26	0,9	15,21	1,02	15,43
1,08	15,77	0,9	14,7	1,02	15,62
1,08	15,8	0,9	14,91	1,02	15,89
1,14	16,46	0,96	15,03	1,2	16,61
1,14	16,23	0,96	15	1,2	16,94
1,14	15,94	0,96	14,94	1,2	16,75
1,14	16,13	0,96	15,48	1,2	16,56
1,14	16,08	0,96	15,4	1,2	16,59
1,14	16,23	0,96	15,15	1,2	16,27
1,14	16,29	0,96	15,12	1,2	16,15
1,14	17,02	0,96	15,57	1,2	16,81
1,14	16,52	0,96	15,1	1,2	16,25
1,14	16,59	0,96	15,15	1,2	16,22
1,14	16,4	0,96	15,4	1,2	16,14
1,14	16,43	0,96	15,25	1,2	15,88
1,14	16,46	0,96	15,18	1,2	16,82
1,14	16,53	0,96	15,45	1,2	16,66
1,14	16,39	0,96	15,24	1,2	16,8
1,14	16,21	0,96	15,17	1,2	17,01
1,2	16,06	1,02	16,25	1,32	16,98
1,2	16,88	1,02	16,18	1,32	16,95
1,2	16,43	1,02	16,01	1,32	16,73
1,2	16,44	1,02	16,21	1,32	16,91
1,2	16,17	1,02	15,8	1,32	16,95
1,2	16,01	1,02	16,11	1,32	16,9
1,2	16,45	1,02	16,1	1,32	17,7
1,2	16,37	1,02	16,12	1,32	17,42
1,2	16,72	1,02	16,19	1,32	17,4
1,2	16,33	1,02	15,8	1,32	17,1
1,2	16,72	1,02	15,8	1,32	17,02
1,2	16,02	1,02	15,77	1,32	17,3
1,2	16,83	1,02	15,78	1,32	16,71
1,2	16,43	1,02	15,61	1,32	17,26
1,2	16,47	1,02	15,77	1,32	17,2
1,2	16,66	1,02	15,85	1,32	17,42
1,26	17,55	1,02	15,73	1,44	17,96
1,26	16,98	1,02	15,84	1,44	17,66

1,26	17,29	1,02	16,22	1,44	18,28
1,26	16,9	1,02	15,92	1,44	18,46
1,26	15,99	1,02	15,78	1,44	18,4
1,26	16,09	1,02	15,76	1,44	18,2
1,26	16,63	1,02	15,83	1,44	18,47
1,26	16,08	1,02	16,1	1,44	18,38
1,26	16,5	1,02	15,98	1,44	18,26
1,26	16,4	1,02	15,8	1,44	18,52
1,26	16,57	1,02	15,71	1,44	17,76
1,26	16,58	1,02	16,04	1,44	17,77
1,26	16,61	1,02	15,92	1,44	18,16
1,26	16,52	1,02	15,89	1,44	17,51
1,26	16,66	1,02	15,74	1,44	17,58
1,26	16,96	1,02	16,01	1,44	17,91
1,32	17,55	1,08	16,16	1,56	18,19
1,32	17,73	1,08	16,03	1,56	18,31
1,32	17,11	1,08	16,25	1,56	18,48
1,32	17,53	1,08	16,09	1,56	18,11
1,32	17,22	1,08	16,56	1,56	18,62
1,32	17,43	1,08	16,39	1,56	18,97
1,32	17,26	1,08	16,35	1,56	19,03
1,32	17,29	1,08	16	1,56	18,17
1,32	17,66	1,08	16,37	1,56	18,03
1,32	17,53	1,08	16,45	1,56	18,12
1,32	17,54	1,08	15,9	1,56	18,45
1,32	17,17	1,08	15,94	1,56	18,76
1,32	17,25	1,08	15,85	1,56	18,81
1,32	17,29	1,08	15,74	1,56	18,38
1,32	17,63	1,08	15,87	1,56	18,27
1,32	17,54	1,08	16,02	1,56	17,71
1,38	16,81	1,14	16,32	1,62	18,93
1,38	17,07	1,14	16,36	1,62	19,05
1,38	17,17	1,14	16,75	1,62	19,14
1,38	17,14	1,14	16,52	1,62	18,4
1,38	16,94	1,14	16,75	1,62	18,52
1,38	17,2	1,14	16,71	1,62	18,2
1,38	17,85	1,14	16,58	1,62	18,57

1,38	17,2	1,14	16,48	1,62	18,71
1,38	17,26	1,14	17	1,62	18,11
1,38	17,15	1,14	16,69	1,62	18,88
1,38	17,3	1,14	16,36	1,62	18,3
1,38	17,24	1,14	16,55	1,62	18,7
1,38	17,74	1,14	16,5	1,62	19,04
1,38	17,3	1,14	16,06	1,62	18,72
1,38	17,04	1,14	16,33	1,62	18,55
1,38	17,43	1,14	16,79	1,62	18,26
1,44	17,77	1,14	16,54	1,74	19,44
1,44	17,94	1,14	16,78	1,74	19,41
1,44	17,33	1,14	16,42	1,74	19,27
1,44	17,53	1,14	16,56	1,74	19,07
1,44	18,29	1,14	17,05	1,74	18,9
1,44	18,02	1,14	16,85	1,74	18,72
1,44	17,75	1,14	16,6	1,74	19,36
1,44	17,42	1,14	16,8	1,74	19,4
1,44	17,92	1,14	16,4	1,74	19,35
1,44	17,41	1,14	16,9	1,74	19,19
1,44	17,89	1,14	16,7	1,74	19,51
1,44	17,99	1,14	16,99	1,74	19,62
1,44	17,92	1,14	17	1,74	19,45
1,44	17,57	1,14	16,6	1,74	19,43
1,44	17,91	1,14	17,01	1,74	19,6
1,44	18,07	1,14	16,9	1,74	19,32
1,5	18,2	1,2	17,02	1,8	20,02
1,5	18,01	1,2	16,8	1,8	19,84
1,5	17,73	1,2	16,69	1,8	19,47
1,5	17,96	1,2	16,63	1,8	19,65
1,5	18,46	1,2	16,58	1,8	19,18
1,5	18,06	1,2	16,8	1,8	19,53
1,5	18,01	1,2	16,75	1,8	19,18
1,5	18,32	1,2	17	1,8	19,87
1,5	18,39	1,2	16,73	1,8	20,06
1,5	18,3	1,2	16,99	1,8	20,35
1,5	18,24	1,2	16,46	1,8	19,86
1,5	18,12	1,2	17,19	1,8	19,95

1,5	17,86	1,2	16,96	1,8	19,7
1,5	18,27	1,2	16,95	1,8	19,98
1,5	17,93	1,2	17,06	1,8	20,26
1,5	17,98	1,2	17,17	1,8	19,94
1,56	18,5	1,32	17,38	1,86	20,23
1,56	18,03	1,32	17,33	1,86	19,83
1,56	18,4	1,32	17,43	1,86	20,43
1,56	18,93	1,32	17,51	1,86	20,23
1,56	18,19	1,32	17,17	1,86	19,99
1,56	18,03	1,32	17,4	1,86	19,8
1,56	17,85	1,32	17,32	1,86	20,43
1,56	18,05	1,32	17,13	1,86	19,78
1,56	18,09	1,32	17,62	1,86	20,41
1,56	18,96	1,32	17,45	1,86	20,23
1,56	18,73	1,32	17,35	1,86	20,37
1,56	18,67	1,32	17,49	1,86	19,6
1,56	18,66	1,32	17,5	1,86	20,01
1,56	18,29	1,32	17,2	1,86	20,35
1,56	18,14	1,32	17,7	1,86	20,38
1,56	18,44	1,32	17,5	1,86	20,69
1,62	18,79	1,44	18,32	1,98	20,75
1,62	18,8	1,44	17,81	1,98	20,65
1,62	18,86	1,44	18,12	1,98	20,32
1,62	18,58	1,44	18,03	1,98	20,21
1,62	18,77	1,44	18,12	1,98	20,61
1,62	18,93	1,44	18,09	1,98	20,05
1,62	18,74	1,44	18,35	1,98	20,25
1,62	18,89	1,44	17,9	1,98	20,43
1,62	18,56	1,44	18,1	1,98	20,26
1,62	18,84	1,44	18,07	1,98	20,15
1,62	18,35	1,44	18,2	1,98	20,61
1,62	18,98	1,44	18	1,98	19,93
1,62	18,55	1,44	17,99	1,98	20,21
1,62	18,13	1,44	17,96	1,98	20,05
1,62	18,63	1,44	18,01	1,98	20,47
1,62	18,99	1,44	18,11	1,98	20,13
1,68	19,15	1,56	18,58	2,04	20,42

1,68	18,3	1,56	18,63	2,04	20,53
1,68	19,04	1,56	18,72	2,04	20,47
1,68	19,12	1,56	18,56	2,04	21,12
1,68	18,75	1,56	18,12	2,04	21,1
1,68	19,12	1,56	18,84	2,04	20,47
1,68	19,12	1,56	18,6	2,04	20,61
1,68	19,13	1,56	18,64	2,04	21,08
1,68	19,26	1,56	18,79	2,04	20,73
1,68	19,24	1,56	18,61	2,04	20,51
1,68	18,82	1,56	18,9	2,04	21,23
1,68	18,79	1,56	18,55	2,04	20,87
1,68	18,58	1,56	18,76	2,04	21,28
1,68	18,46	1,56	18,22	2,04	20,49
1,68	18,81	1,56	18,8	2,04	20,78
1,68	18,64	1,56	18,6	2,04	21,21
1,74	19,07	1,62	18,94	2,1	21,37
1,74	19,75	1,62	19,11	2,1	20,75
1,74	19,29	1,62	19,43	2,1	21,11
1,74	19,17	1,62	18,97	2,1	21,72
1,74	19,12	1,62	19,43	2,1	20,65
1,74	19,48	1,62	18,74	2,1	20,84
1,74	19,61	1,62	18,96	2,1	21,08
1,74	19	1,62	19	2,1	20,57
1,74	19,21	1,62	19,04	2,1	21,11
1,74	19,11	1,62	19,35	2,1	20,63
1,74	19,12	1,62	18,98	2,1	21,26
1,74	19,34	1,62	18,88	2,1	21,45
1,74	19,47	1,62	19,2	2,1	20,95
1,74	18,66	1,62	19,36	2,1	20,45
1,74	18,49	1,62	19	2,1	21,69
1,74	19,02	1,62	19,04	2,1	21,31
1,8	19,4	1,74	19,2	2,16	21,63
1,8	19,79	1,74	19,5	2,16	21,54
1,8	19,74	1,74	19,58	2,16	21,2
1,8	19,34	1,74	19,69	2,16	21,53
1,8	19,11	1,74	19,72	2,16	21,78
1,8	19,27	1,74	19,5	2,16	21,63

1,8	19,29	1,74	19,3	2,16	21,54
1,8	19,59	1,74	19,45	2,16	21,98
1,8	19,82	1,74	19,39	2,16	21,59
1,8	20,08	1,74	19,52	2,16	21,75
1,8	19,35	1,74	19,7	2,16	21,65
1,8	19,93	1,74	19,68	2,16	21,31
1,8	20,21	1,74	19,46	2,16	21,37
1,8	20,02	1,74	19,59	2,16	21,94
1,8	19,72	1,74	19,7	2,16	21,47
1,8	19,54	1,74	19,54	2,16	21,52
1,86	19,52	1,86	19,93	2,22	21,6
1,86	19,39	1,86	19,77	2,22	22,02
1,86	19,3	1,86	19,14	2,22	21,62
1,86	19,81	1,86	19,46	2,22	22,2
1,86	19,93	1,86	20,39	2,22	21,81
1,86	19,85	1,86	19,72	2,22	22,26
1,86	19,95	1,86	19,95	2,22	22,35
1,86	19,7	1,86	19,98	2,22	21,89
1,86	19,71	1,86	19,81	2,22	22,5
1,86	19,33	1,86	19,16	2,22	22,18
1,86	19,67	1,86	19,54	2,22	22,27
1,86	19,38	1,86	20,1	2,22	21,15
1,86	19,92	1,86	19,8	2,22	21,35
1,86	19,67	1,86	20	2,22	21,24
1,86	19,28	1,86	19,99	2,22	21,46
1,86	19,79	1,86	20,04	2,22	21,53
1,92	20	1,92	19,93	2,28	22,38
1,92	20,31	1,92	20,17	2,28	22,64
1,92	20,42	1,92	20,13	2,28	22,31
1,92	20,2	1,92	19,66	2,28	22,57
1,92	20,16	1,92	20,12	2,28	22,32
1,92	20,22	1,92	20,16	2,28	22,27
1,92	20,38	1,92	19,84	2,28	22,43
1,92	19,68	1,92	20	2,28	22,02
1,92	20,32	1,92	20,15	2,28	22,84
1,92	20,14	1,92	19	2,28	22,69
1,92	20,13	1,92	19,98	2,28	22,7

1,92	20,2	1,92	20,2	2,28	22,25
1,92	20,08	1,92	19,98	2,28	22,72
1,92	20,01	1,92	20,24	2,28	22,87
1,92	19,8	1,92	19,7	2,28	22,07
1,92	20,21	1,92	19,98	2,28	22,58
1,98	20,37	1,98	20,68	2,34	21,93
1,98	20,17	1,98	20,48	2,34	22,07
1,98	20,64	1,98	20,11	2,34	22,49
1,98	20,34	1,98	20,55	2,34	22,47
1,98	19,59	1,98	20,72	2,34	22,37
1,98	20,23	1,98	20,9	2,34	22,87
1,98	20,52	1,98	20,54	2,34	22,65
1,98	20,5	1,98	20,19	2,34	22,14
1,98	20,48	1,98	20,56	2,34	22,75
1,98	20,23	1,98	20,79	2,34	22,69
1,98	20,37	1,98	20,89	2,34	22,12
1,98	20,27	1,98	20,76	2,34	22,25
1,98	19,91	1,98	20,6	2,34	22,28
1,98	20,89	1,98	20,07	2,34	22,87
1,98	20,8	1,98	20,89	2,34	22,55
1,98	20,65	1,98	20,11	2,34	22,21
2,04	19,86	2,1	21,46	2,4	21,84
2,04	20,13	2,1	21,26	2,4	22,78
2,04	20,99	2,1	21,52	2,4	22,97
2,04	20,63	2,1	21,83	2,4	22,34
2,04	20,75	2,1	21,28	2,4	23,47
2,04	20,98	2,1	21,03	2,4	23,07
2,04	20,94	2,1	20,56	2,4	23,01
2,04	20,86	2,1	21,58	2,4	22,88
2,04	20,71	2,1	21,49	2,4	22,96
2,04	20,77	2,1	21,3	2,4	23,03
2,04	20,64	2,1	21,6	2,4	23,22
2,04	21,19	2,1	21,9	2,4	23,38
2,04	20,89	2,1	21,3	2,4	23,56
2,04	21,04	2,1	21,56	2,4	22,91
2,04	20,83	2,1	21,4	2,4	22,8
2,04	21,08	2,1	21,39	2,4	23,2

2,1	20,79	2,22	21,68	2,46	23,29
2,1	21,47	2,22	21,27	2,46	22,91
2,1	21,22	2,22	22,07	2,46	23,58
2,1	21,32	2,22	22,23	2,46	23
2,1	21,17	2,22	22,06	2,46	23,8
2,1	21,31	2,22	22,45	2,46	23,3
2,1	20,7	2,22	21,8	2,46	23,48
2,1	21,1	2,22	21,4	2,46	23,15
2,1	21,18	2,22	22,39	2,46	23,39
2,1	20,62	2,22	22,09	2,46	23,49
2,1	20,98	2,22	22,05	2,46	23,54
2,1	21,39	2,22	21,81	2,46	23,19
2,1	21,03	2,22	21,3	2,46	23
2,1	20,96	2,22	22	2,46	23,8
2,1	21,3	2,22	21,7	2,46	23,6
2,1	21,32	2,22	22,4	2,46	23,75
2,16	20,99	2,34	22,23		
2,16	21,4	2,34	22,15		
2,16	21,35	2,34	22,62		
2,16	21,38	2,34	22,38		
2,16	21,51	2,34	21,86		
2,16	21,06	2,34	21,92		
2,16	21,48	2,34	22,29		
2,16	21,41	2,34	22,67		
2,16	21,54	2,34	22,3		
2,16	21,5	2,34	22,4		
2,16	21,27	2,34	22,64		
2,16	21,46	2,34	22,4		
2,16	21,67	2,34	21,99		
2,16	21,82	2,34	22,13		
2,16	21,43	2,34	22,33		
2,16	21,06	2,34	21,9		
2,22	21,11	2,46	23,37		
2,22	21,35	2,46	22,92		
2,22	21,67	2,46	23,18		
2,22	21,01	2,46	23,4		
2,22	20,9	2,46	23,39		

2,22	21,09	2,46	22,62
2,22	21,01	2,46	23,62
2,22	21,54	2,46	23,37
2,22	21,3	2,46	23,19
2,22	21,4	2,46	23,67
2,22	21,53	2,46	23,37
2,22	21,41	2,46	23,13
2,22	21,52	2,46	23,32
2,22	21,48	2,46	23,4
2,22	21,6	2,46	23,5
2,22	21,4	2,46	23,6
2,28	22,39		
2,28	22,01		
2,28	21,74		
2,28	21,97		
2,28	21,46		
2,28	22,12		
2,28	22,29		
2,28	21,78		
2,28	21,92		
2,28	22,24		
2,28	21,88		
2,28	21,92		
2,28	21,98		
2,28	21,66		
2,28	21,75		
2,28	21,85		
2,34	22,7		
2,34	22,83		
2,34	22,56		
2,34	22,41		
2,34	22,45		
2,34	22,7		
2,34	22,33		
2,34	22,19		
2,34	21,91		
2,34	22,32		

2,34	22,07
2,34	22,41
2,34	22,42
2,34	22,3
2,34	22,27
2,34	22,15
2,4	22,81
2,4	22,62
2,4	22,66
2,4	22,8
2,4	22,65
2,4	22,68
2,4	22,89
2,4	22,82
2,4	22,65
2,4	22,79
2,4	22,62
2,4	22,82
2,4	22,65
2,4	22,67
2,4	22,85
2,4	22,79

Doctoral thesis by Ms. Isabel Cristina Pulgarin Monsalve

**Fundamentals of process design and control of Anaerobic Sequencing Batch Gas-Lift Reactor regarding the mixing process
Brandenburgische Technische Universität Cottbus-Senftenberg, 2021**

Annex 5A:

Database Homogenization

Testing time	Conductivity Top_mS/cm	Homogenization Top	Conductivity Middle_mS/cm	Homogenization Middle	Conductivity Bottom_mS/cm	Homogenization Bottom	Test
00:00:00	1,823	0,01	1,778	0,00	1,836	0,02	1st injection
00:00:01	1,823	0,01	1,778	0,00	1,835	0,01	1st injection
00:00:02	1,823	0,01	1,778	0,00	1,835	0,01	1st injection
00:00:03	1,823	0,01	1,779	0,01	1,835	0,01	1st injection
00:00:04	1,823	0,01	1,779	0,01	1,835	0,01	1st injection
00:00:05	1,823	0,01	1,778	0,00	1,835	0,01	1st injection
00:00:06	1,823	0,01	1,778	0,00	1,835	0,01	1st injection
00:00:07	1,823	0,01	1,778	0,00	1,835	0,01	1st injection
00:00:08	1,823	0,01	1,778	0,00	1,835	0,01	1st injection
00:00:09	1,823	0,01	1,778	0,00	1,835	0,01	1st injection
00:00:10	1,823	0,01	1,778	0,00	1,835	0,01	1st injection
00:00:11	1,823	0,01	1,778	0,00	1,835	0,01	1st injection
00:00:12	1,823	0,01	1,778	0,00	1,835	0,01	1st injection
00:00:13	1,823	0,01	1,778	0,00	1,835	0,01	1st injection
00:00:14	1,823	0,01	1,778	0,00	1,835	0,01	1st injection
00:00:15	1,822	0,00	1,778	0,00	1,835	0,01	1st injection
00:00:16	1,822	0,00	1,778	0,00	1,835	0,01	1st injection
00:00:17	1,822	0,00	1,778	0,00	1,835	0,01	1st injection
00:00:18	1,822	0,00	1,778	0,00	1,835	0,01	1st injection
00:00:19	1,822	0,00	1,778	0,00	1,835	0,01	1st injection
00:00:20	1,822	0,00	1,779	0,01	1,835	0,01	1st injection

00:00:21	1,822	0,00	1,779	0,01	1,835	0,01	1st injection
00:00:22	1,822	0,00	1,779	0,01	1,835	0,01	1st injection
00:00:23	1,822	0,00	1,779	0,01	1,835	0,01	1st injection
00:00:24	1,822	0,00	1,779	0,01	1,835	0,01	1st injection
00:00:25	1,822	0,00	1,779	0,01	1,835	0,01	1st injection
00:00:26	1,823	0,01	1,779	0,01	1,835	0,01	1st injection
00:00:27	1,825	0,03	1,778	0,00	1,835	0,01	1st injection
00:00:28	1,827	0,04	1,778	0,00	1,835	0,01	1st injection
00:00:29	1,83	0,07	1,778	0,00	1,835	0,01	1st injection
00:00:30	1,833	0,10	1,778	0,00	1,835	0,01	1st injection
00:00:31	1,835	0,11	1,778	0,00	1,835	0,01	1st injection
00:00:32	1,837	0,13	1,778	0,00	1,835	0,01	1st injection
00:00:33	1,839	0,15	1,778	0,00	1,835	0,01	1st injection
00:00:34	1,842	0,17	1,778	0,00	1,835	0,01	1st injection
00:00:35	1,843	0,18	1,778	0,00	1,835	0,01	1st injection
00:00:36	1,845	0,20	1,778	0,00	1,835	0,01	1st injection
00:00:37	1,845	0,20	1,778	0,00	1,835	0,01	1st injection
00:00:38	1,845	0,20	1,778	0,00	1,835	0,01	1st injection
00:00:39	1,844	0,19	1,778	0,00	1,834	0,00	1st injection
00:00:40	1,843	0,18	1,778	0,00	1,834	0,00	1st injection
00:00:41	1,842	0,17	1,779	0,01	1,834	0,00	1st injection
00:00:42	1,841	0,17	1,779	0,01	1,834	0,00	1st injection
00:00:43	1,841	0,17	1,78	0,02	1,834	0,00	1st injection
00:00:44	1,842	0,17	1,781	0,03	1,835	0,01	1st injection
00:00:45	1,843	0,18	1,782	0,04	1,835	0,01	1st injection
00:00:46	1,845	0,20	1,783	0,05	1,836	0,02	1st injection
00:00:47	1,846	0,21	1,784	0,05	1,837	0,03	1st injection
00:00:48	1,849	0,23	1,785	0,06	1,838	0,03	1st injection
00:00:49	1,851	0,25	1,787	0,08	1,839	0,04	1st injection
00:00:50	1,854	0,28	1,788	0,09	1,84	0,05	1st injection
00:00:51	1,856	0,30	1,789	0,10	1,841	0,06	1st injection
00:00:52	1,858	0,31	1,789	0,10	1,842	0,07	1st injection
00:00:53	1,861	0,34	1,789	0,10	1,842	0,07	1st injection

00:00:54	1,863	0,36	1,789	0,10	1,843	0,08	1st injection
00:00:55	1,865	0,37	1,789	0,10	1,844	0,09	1st injection
00:00:56	1,866	0,38	1,789	0,10	1,844	0,09	1st injection
00:00:57	1,868	0,40	1,789	0,10	1,844	0,09	1st injection
00:00:58	1,87	0,42	1,789	0,10	1,844	0,09	1st injection
00:00:59	1,871	0,43	1,789	0,10	1,844	0,09	1st injection
00:01:00	1,873	0,44	1,789	0,10	1,845	0,10	1st injection
00:01:01	1,874	0,45	1,79	0,11	1,845	0,10	1st injection
00:01:02	1,877	0,48	1,79	0,11	1,845	0,10	1st injection
00:01:03	1,877	0,48	1,79	0,11	1,845	0,10	1st injection
00:01:04	1,878	0,49	1,791	0,12	1,846	0,10	1st injection
00:01:05	1,88	0,50	1,791	0,12	1,846	0,10	1st injection
00:01:06	1,881	0,51	1,792	0,13	1,846	0,10	1st injection
00:01:07	1,882	0,52	1,792	0,13	1,846	0,10	1st injection
00:01:08	1,882	0,52	1,793	0,14	1,846	0,10	1st injection
00:01:09	1,883	0,53	1,793	0,14	1,846	0,10	1st injection
00:01:10	1,883	0,53	1,793	0,14	1,846	0,10	1st injection
00:01:11	1,884	0,54	1,793	0,14	1,846	0,10	1st injection
00:01:12	1,884	0,54	1,793	0,14	1,845	0,10	1st injection
00:01:13	1,884	0,54	1,794	0,14	1,845	0,10	1st injection
00:01:14	1,885	0,55	1,794	0,14	1,845	0,10	1st injection
00:01:15	1,885	0,55	1,794	0,14	1,845	0,10	1st injection
00:01:16	1,886	0,56	1,794	0,14	1,845	0,10	1st injection
00:01:17	1,886	0,56	1,795	0,15	1,845	0,10	1st injection
00:01:18	1,887	0,57	1,795	0,15	1,845	0,10	1st injection
00:01:19	1,888	0,57	1,795	0,15	1,845	0,10	1st injection
00:01:20	1,889	0,58	1,795	0,15	1,845	0,10	1st injection
00:01:21	1,89	0,59	1,796	0,16	1,845	0,10	1st injection
00:01:22	1,891	0,60	1,796	0,16	1,846	0,10	1st injection
00:01:23	1,892	0,61	1,797	0,17	1,846	0,10	1st injection
00:01:24	1,893	0,62	1,798	0,18	1,846	0,10	1st injection
00:01:25	1,894	0,63	1,8	0,20	1,847	0,11	1st injection
00:01:26	1,895	0,63	1,801	0,21	1,848	0,12	1st injection

00:01:27	1,896	0,64	1,803	0,23	1,848	0,12	1st injection
00:01:28	1,897	0,65	1,806	0,25	1,849	0,13	1st injection
00:01:29	1,898	0,66	1,808	0,27	1,85	0,14	1st injection
00:01:30	1,898	0,66	1,81	0,29	1,851	0,15	1st injection
00:01:31	1,899	0,67	1,812	0,31	1,852	0,16	1st injection
00:01:32	1,9	0,68	1,814	0,32	1,854	0,17	1st injection
00:01:33	1,901	0,69	1,817	0,35	1,856	0,19	1st injection
00:01:34	1,902	0,70	1,818	0,36	1,858	0,21	1st injection
00:01:35	1,902	0,70	1,82	0,38	1,86	0,23	1st injection
00:01:36	1,904	0,71	1,82	0,38	1,862	0,24	1st injection
00:01:37	1,905	0,72	1,82	0,38	1,864	0,26	1st injection
00:01:38	1,906	0,73	1,82	0,38	1,867	0,29	1st injection
00:01:39	1,907	0,74	1,82	0,38	1,869	0,30	1st injection
00:01:40	1,909	0,76	1,82	0,38	1,871	0,32	1st injection
00:01:41	1,91	0,77	1,821	0,39	1,873	0,34	1st injection
00:01:42	1,912	0,78	1,821	0,39	1,875	0,36	1st injection
00:01:43	1,914	0,80	1,822	0,40	1,876	0,37	1st injection
00:01:44	1,915	0,81	1,824	0,41	1,878	0,38	1st injection
00:01:45	1,919	0,84	1,825	0,42	1,879	0,39	1st injection
00:01:46	1,92	0,85	1,827	0,44	1,881	0,41	1st injection
00:01:47	1,921	0,86	1,829	0,46	1,882	0,42	1st injection
00:01:48	1,922	0,87	1,831	0,48	1,884	0,43	1st injection
00:01:49	1,923	0,88	1,834	0,50	1,886	0,45	1st injection
00:01:50	1,923	0,88	1,836	0,52	1,888	0,47	1st injection
00:01:51	1,924	0,89	1,839	0,55	1,89	0,49	1st injection
00:01:52	1,924	0,89	1,841	0,57	1,892	0,50	1st injection
00:01:53	1,925	0,90	1,843	0,59	1,893	0,51	1st injection
00:01:54	1,925	0,90	1,844	0,59	1,895	0,53	1st injection
00:01:55	1,925	0,90	1,845	0,60	1,897	0,55	1st injection
00:01:56	1,925	0,90	1,845	0,60	1,899	0,57	1st injection
00:01:57	1,925	0,90	1,846	0,61	1,901	0,58	1st injection
00:01:58	1,925	0,90	1,846	0,61	1,902	0,59	1st injection
00:01:59	1,925	0,90	1,847	0,62	1,904	0,61	1st injection

00:02:00	1,925	0,90	1,848	0,63	1,906	0,63	1st injection
00:02:01	1,925	0,90	1,849	0,64	1,908	0,64	1st injection
00:02:02	1,925	0,90	1,851	0,66	1,91	0,66	1st injection
00:02:03	1,925	0,90	1,852	0,67	1,911	0,67	1st injection
00:02:04	1,924	0,89	1,853	0,68	1,913	0,69	1st injection
00:02:05	1,924	0,89	1,854	0,68	1,917	0,72	1st injection
00:02:06	1,924	0,89	1,856	0,70	1,919	0,74	1st injection
00:02:07	1,924	0,89	1,857	0,71	1,921	0,76	1st injection
00:02:08	1,924	0,89	1,858	0,72	1,923	0,77	1st injection
00:02:09	1,924	0,89	1,86	0,74	1,924	0,78	1st injection
00:02:10	1,924	0,89	1,861	0,75	1,926	0,80	1st injection
00:02:11	1,924	0,89	1,861	0,75	1,928	0,82	1st injection
00:02:12	1,925	0,90	1,862	0,76	1,93	0,83	1st injection
00:02:13	1,925	0,90	1,863	0,77	1,931	0,84	1st injection
00:02:14	1,925	0,90	1,864	0,77	1,932	0,85	1st injection
00:02:15	1,925	0,90	1,867	0,80	1,933	0,86	1st injection
00:02:16	1,925	0,90	1,868	0,81	1,934	0,87	1st injection
00:02:17	1,926	0,90	1,869	0,82	1,934	0,87	1st injection
00:02:18	1,926	0,90	1,87	0,83	1,935	0,88	1st injection
00:02:19	1,926	0,90	1,872	0,85	1,935	0,88	1st injection
00:02:20	1,926	0,90	1,873	0,86	1,935	0,88	1st injection
00:02:21	1,927	0,91	1,874	0,86	1,936	0,89	1st injection
00:02:22	1,927	0,91	1,875	0,87	1,936	0,89	1st injection
00:02:23	1,927	0,91	1,876	0,88	1,936	0,89	1st injection
00:02:24	1,928	0,92	1,877	0,89	1,937	0,90	1st injection
00:02:25	1,928	0,92	1,878	0,90	1,937	0,90	1st injection
00:02:26	1,928	0,92	1,879	0,91	1,937	0,90	1st injection
00:02:27	1,928	0,92	1,879	0,91	1,937	0,90	1st injection
00:02:28	1,928	0,92	1,88	0,92	1,937	0,90	1st injection
00:02:29	1,928	0,92	1,88	0,92	1,937	0,90	1st injection
00:02:30	1,929	0,93	1,88	0,92	1,937	0,90	1st injection
00:02:31	1,929	0,93	1,881	0,93	1,937	0,90	1st injection
00:02:32	1,929	0,93	1,881	0,93	1,937	0,90	1st injection

00:02:33	1,929	0,93	1,881	0,93	1,937	0,90	1st injection
00:02:34	1,93	0,94	1,881	0,93	1,937	0,90	1st injection
00:02:35	1,93	0,94	1,881	0,93	1,936	0,89	1st injection
00:02:36	1,93	0,94	1,882	0,94	1,937	0,90	1st injection
00:02:37	1,931	0,95	1,882	0,94	1,936	0,89	1st injection
00:02:38	1,931	0,95	1,882	0,94	1,936	0,89	1st injection
00:02:39	1,931	0,95	1,882	0,94	1,937	0,90	1st injection
00:02:40	1,931	0,95	1,882	0,94	1,937	0,90	1st injection
00:02:41	1,931	0,95	1,882	0,94	1,937	0,90	1st injection
00:02:42	1,931	0,95	1,882	0,94	1,937	0,90	1st injection
00:02:43	1,931	0,95	1,882	0,94	1,937	0,90	1st injection
00:02:44	1,931	0,95	1,882	0,94	1,937	0,90	1st injection
00:02:45	1,931	0,95	1,882	0,94	1,938	0,90	1st injection
00:02:46	1,931	0,95	1,882	0,94	1,938	0,90	1st injection
00:02:47	1,931	0,95	1,882	0,94	1,939	0,91	1st injection
00:02:48	1,931	0,95	1,882	0,94	1,939	0,91	1st injection
00:02:49	1,931	0,95	1,882	0,94	1,939	0,91	1st injection
00:02:50	1,932	0,96	1,882	0,94	1,939	0,91	1st injection
00:02:51	1,932	0,96	1,882	0,94	1,94	0,92	1st injection
00:02:52	1,932	0,96	1,882	0,94	1,94	0,92	1st injection
00:02:53	1,932	0,96	1,882	0,94	1,941	0,93	1st injection
00:02:54	1,932	0,96	1,882	0,94	1,941	0,93	1st injection
00:02:55	1,932	0,96	1,882	0,94	1,942	0,94	1st injection
00:02:56	1,933	0,97	1,881	0,93	1,942	0,94	1st injection
00:02:57	1,933	0,97	1,881	0,93	1,942	0,94	1st injection
00:02:58	1,933	0,97	1,881	0,93	1,942	0,94	1st injection
00:02:59	1,933	0,97	1,881	0,93	1,943	0,95	1st injection
00:03:00	1,934	0,97	1,88	0,92	1,943	0,95	1st injection
00:03:01	1,934	0,97	1,88	0,92	1,943	0,95	1st injection
00:03:02	1,934	0,97	1,88	0,92	1,943	0,95	1st injection
00:03:03	1,934	0,97	1,88	0,92	1,943	0,95	1st injection
00:03:04	1,934	0,97	1,88	0,92	1,943	0,95	1st injection
00:03:05	1,934	0,97	1,88	0,92	1,943	0,95	1st injection

00:03:06	1,934	0,97	1,88	0,92	1,943	0,95	1st injection
00:03:07	1,933	0,97	1,88	0,92	1,943	0,95	1st injection
00:03:08	1,933	0,97	1,88	0,92	1,943	0,95	1st injection
00:03:09	1,933	0,97	1,88	0,92	1,943	0,95	1st injection
00:03:10	1,933	0,97	1,88	0,92	1,944	0,96	1st injection
00:03:11	1,933	0,97	1,881	0,93	1,944	0,96	1st injection
00:03:12	1,933	0,97	1,881	0,93	1,944	0,96	1st injection
00:03:13	1,933	0,97	1,881	0,93	1,944	0,96	1st injection
00:03:14	1,933	0,97	1,881	0,93	1,945	0,97	1st injection
00:03:15	1,933	0,97	1,881	0,93	1,945	0,97	1st injection
00:03:16	1,933	0,97	1,882	0,94	1,945	0,97	1st injection
00:03:17	1,933	0,97	1,882	0,94	1,946	0,97	1st injection
00:03:18	1,933	0,97	1,882	0,94	1,946	0,97	1st injection
00:03:19	1,933	0,97	1,882	0,94	1,946	0,97	1st injection
00:03:20	1,933	0,97	1,882	0,94	1,946	0,97	1st injection
00:03:21	1,933	0,97	1,882	0,94	1,946	0,97	1st injection
00:03:22	1,933	0,97	1,882	0,94	1,946	0,97	1st injection
00:03:23	1,933	0,97	1,882	0,94	1,946	0,97	1st injection
00:03:24	1,933	0,97	1,882	0,94	1,946	0,97	1st injection
00:03:25	1,934	0,97	1,882	0,94	1,946	0,97	1st injection
00:03:26	1,934	0,97	1,882	0,94	1,946	0,97	1st injection
00:03:27	1,934	0,97	1,882	0,94	1,945	0,97	1st injection
00:03:28	1,934	0,97	1,882	0,94	1,945	0,97	1st injection
00:03:29	1,934	0,97	1,883	0,95	1,945	0,97	1st injection
00:03:30	1,934	0,97	1,883	0,95	1,945	0,97	1st injection
00:03:31	1,934	0,97	1,883	0,95	1,944	0,96	1st injection
00:03:32	1,934	0,97	1,883	0,95	1,944	0,96	1st injection
00:03:33	1,934	0,97	1,883	0,95	1,944	0,96	1st injection
00:03:34	1,934	0,97	1,884	0,95	1,945	0,97	1st injection
00:03:35	1,934	0,97	1,884	0,95	1,945	0,97	1st injection
00:03:36	1,934	0,97	1,884	0,95	1,945	0,97	1st injection
00:03:37	1,935	0,98	1,884	0,95	1,945	0,97	1st injection
00:03:38	1,935	0,98	1,884	0,95	1,945	0,97	1st injection

00:03:39	1,935	0,98	1,884	0,95	1,945	0,97	1st injection
00:03:40	1,935	0,98	1,885	0,96	1,945	0,97	1st injection
00:03:41	1,934	0,97	1,885	0,96	1,945	0,97	1st injection
00:03:42	1,934	0,97	1,885	0,96	1,945	0,97	1st injection
00:03:43	1,934	0,97	1,885	0,96	1,945	0,97	1st injection
00:03:44	1,934	0,97	1,885	0,96	1,945	0,97	1st injection
00:03:45	1,934	0,97	1,885	0,96	1,945	0,97	1st injection
00:03:46	1,934	0,97	1,885	0,96	1,945	0,97	1st injection
00:03:47	1,933	0,97	1,885	0,96	1,945	0,97	1st injection
00:03:48	1,933	0,97	1,885	0,96	1,945	0,97	1st injection
00:03:49	1,933	0,97	1,885	0,96	1,945	0,97	1st injection
00:03:50	1,934	0,97	1,885	0,96	1,945	0,97	1st injection
00:03:51	1,934	0,97	1,885	0,96	1,945	0,97	1st injection
00:03:52	1,934	0,97	1,885	0,96	1,945	0,97	1st injection
00:03:53	1,934	0,97	1,885	0,96	1,946	0,97	1st injection
00:03:54	1,934	0,97	1,885	0,96	1,946	0,97	1st injection
00:03:55	1,934	0,97	1,885	0,96	1,946	0,97	1st injection
00:03:56	1,935	0,98	1,885	0,96	1,946	0,97	1st injection
00:03:57	1,935	0,98	1,886	0,97	1,946	0,97	1st injection
00:03:58	1,935	0,98	1,886	0,97	1,946	0,97	1st injection
00:03:59	1,935	0,98	1,886	0,97	1,946	0,97	1st injection
00:04:00	1,936	0,99	1,886	0,97	1,946	0,97	1st injection
00:04:01	1,936	0,99	1,886	0,97	1,946	0,97	1st injection
00:04:02	1,935	0,98	1,886	0,97	1,946	0,97	1st injection
00:04:03	1,936	0,99	1,886	0,97	1,946	0,97	1st injection
00:04:04	1,936	0,99	1,886	0,97	1,946	0,97	1st injection
00:04:05	1,936	0,99	1,887	0,98	1,946	0,97	1st injection
00:04:06	1,936	0,99	1,887	0,98	1,946	0,97	1st injection
00:04:07	1,935	0,98	1,887	0,98	1,946	0,97	1st injection
00:04:08	1,935	0,98	1,887	0,98	1,946	0,97	1st injection
00:04:09	1,935	0,98	1,888	0,99	1,946	0,97	1st injection
00:04:10	1,935	0,98	1,888	0,99	1,946	0,97	1st injection
00:04:11	1,936	0,99	1,888	0,99	1,946	0,97	1st injection

00:04:12	1,936	0,99	1,888	0,99	1,946	0,97	1st injection
00:04:13	1,936	0,99	1,888	0,99	1,946	0,97	1st injection
00:04:14	1,936	0,99	1,888	0,99	1,946	0,97	1st injection
00:04:15	1,936	0,99	1,888	0,99	1,946	0,97	1st injection
00:04:16	1,936	0,99	1,888	0,99	1,946	0,97	1st injection
00:04:17	1,936	0,99	1,887	0,98	1,947	0,98	1st injection
00:04:18	1,936	0,99	1,887	0,98	1,947	0,98	1st injection
00:04:19	1,937	1,00	1,887	0,98	1,947	0,98	1st injection
00:04:20	1,936	0,99	1,887	0,98	1,947	0,98	1st injection
00:04:21	1,936	0,99	1,887	0,98	1,947	0,98	1st injection
00:04:22	1,936	0,99	1,887	0,98	1,947	0,98	1st injection
00:04:23	1,935	0,98	1,887	0,98	1,948	0,99	1st injection
00:04:24	1,935	0,98	1,887	0,98	1,948	0,99	1st injection
00:04:25	1,935	0,98	1,887	0,98	1,948	0,99	1st injection
00:04:26	1,934	0,97	1,887	0,98	1,948	0,99	1st injection
00:04:27	1,934	0,97	1,887	0,98	1,948	0,99	1st injection
00:04:28	1,934	0,97	1,887	0,98	1,948	0,99	1st injection
00:04:29	1,933	0,97	1,887	0,98	1,947	0,98	1st injection
00:04:30	1,933	0,97	1,887	0,98	1,947	0,98	1st injection
00:04:31	1,933	0,97	1,887	0,98	1,947	0,98	1st injection
00:04:32	1,933	0,97	1,887	0,98	1,948	0,99	1st injection
00:04:33	1,933	0,97	1,887	0,98	1,947	0,98	1st injection
00:04:34	1,933	0,97	1,887	0,98	1,947	0,98	1st injection
00:04:35	1,933	0,97	1,887	0,98	1,947	0,98	1st injection
00:04:36	1,933	0,97	1,887	0,98	1,947	0,98	1st injection
00:04:37	1,933	0,97	1,887	0,98	1,947	0,98	1st injection
00:04:38	1,933	0,97	1,887	0,98	1,947	0,98	1st injection
00:04:39	1,933	0,97	1,887	0,98	1,947	0,98	1st injection
00:04:40	1,933	0,97	1,887	0,98	1,947	0,98	1st injection
00:04:41	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:04:42	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:04:43	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:04:44	1,934	0,97	1,887	0,98	1,947	0,98	1st injection

00:04:45	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:04:46	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:04:47	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:04:48	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:04:49	1,934	0,97	1,886	0,97	1,947	0,98	1st injection
00:04:50	1,935	0,98	1,886	0,97	1,947	0,98	1st injection
00:04:51	1,935	0,98	1,886	0,97	1,948	0,99	1st injection
00:04:52	1,935	0,98	1,886	0,97	1,948	0,99	1st injection
00:04:53	1,935	0,98	1,886	0,97	1,948	0,99	1st injection
00:04:54	1,935	0,98	1,886	0,97	1,948	0,99	1st injection
00:04:55	1,936	0,99	1,886	0,97	1,949	1,00	1st injection
00:04:56	1,936	0,99	1,886	0,97	1,949	1,00	1st injection
00:04:57	1,936	0,99	1,886	0,97	1,949	1,00	1st injection
00:04:58	1,936	0,99	1,887	0,98	1,949	1,00	1st injection
00:04:59	1,936	0,99	1,887	0,98	1,949	1,00	1st injection
00:05:00	1,936	0,99	1,887	0,98	1,949	1,00	1st injection
00:05:01	1,936	0,99	1,887	0,98	1,949	1,00	1st injection
00:05:02	1,936	0,99	1,888	0,99	1,948	0,99	1st injection
00:05:03	1,936	0,99	1,888	0,99	1,948	0,99	1st injection
00:05:04	1,935	0,98	1,888	0,99	1,948	0,99	1st injection
00:05:05	1,935	0,98	1,888	0,99	1,948	0,99	1st injection
00:05:06	1,935	0,98	1,888	0,99	1,947	0,98	1st injection
00:05:07	1,935	0,98	1,888	0,99	1,947	0,98	1st injection
00:05:08	1,935	0,98	1,888	0,99	1,947	0,98	1st injection
00:05:09	1,935	0,98	1,888	0,99	1,947	0,98	1st injection
00:05:10	1,935	0,98	1,888	0,99	1,947	0,98	1st injection
00:05:11	1,934	0,97	1,888	0,99	1,947	0,98	1st injection
00:05:12	1,934	0,97	1,888	0,99	1,947	0,98	1st injection
00:05:13	1,934	0,97	1,888	0,99	1,947	0,98	1st injection
00:05:14	1,934	0,97	1,888	0,99	1,947	0,98	1st injection
00:05:15	1,934	0,97	1,888	0,99	1,947	0,98	1st injection
00:05:16	1,934	0,97	1,888	0,99	1,947	0,98	1st injection
00:05:17	1,934	0,97	1,888	0,99	1,947	0,98	1st injection

00:05:18	1,934	0,97	1,888	0,99	1,947	0,98	1st injection
00:05:19	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:05:20	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:05:21	1,933	0,97	1,887	0,98	1,947	0,98	1st injection
00:05:22	1,934	0,97	1,887	0,98	1,946	0,97	1st injection
00:05:23	1,934	0,97	1,887	0,98	1,946	0,97	1st injection
00:05:24	1,934	0,97	1,887	0,98	1,946	0,97	1st injection
00:05:25	1,934	0,97	1,887	0,98	1,946	0,97	1st injection
00:05:26	1,934	0,97	1,887	0,98	1,946	0,97	1st injection
00:05:27	1,934	0,97	1,887	0,98	1,946	0,97	1st injection
00:05:28	1,934	0,97	1,887	0,98	1,946	0,97	1st injection
00:05:29	1,934	0,97	1,887	0,98	1,946	0,97	1st injection
00:05:30	1,934	0,97	1,887	0,98	1,946	0,97	1st injection
00:05:31	1,934	0,97	1,887	0,98	1,946	0,97	1st injection
00:05:32	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:05:33	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:05:34	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:05:35	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:05:36	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:05:37	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:05:38	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:05:39	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:05:40	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:05:41	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:05:42	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:05:43	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:05:44	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:05:45	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:05:46	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:05:47	1,934	0,97	1,887	0,98	1,948	0,99	1st injection
00:05:48	1,934	0,97	1,886	0,97	1,948	0,99	1st injection
00:05:49	1,934	0,97	1,886	0,97	1,948	0,99	1st injection
00:05:50	1,934	0,97	1,886	0,97	1,948	0,99	1st injection

00:05:51	1,934	0,97	1,886	0,97	1,948	0,99	1st injection
00:05:52	1,935	0,98	1,886	0,97	1,948	0,99	1st injection
00:05:53	1,935	0,98	1,886	0,97	1,947	0,98	1st injection
00:05:54	1,935	0,98	1,886	0,97	1,947	0,98	1st injection
00:05:55	1,935	0,98	1,886	0,97	1,947	0,98	1st injection
00:05:56	1,936	0,99	1,886	0,97	1,947	0,98	1st injection
00:05:57	1,935	0,98	1,886	0,97	1,947	0,98	1st injection
00:05:58	1,935	0,98	1,886	0,97	1,947	0,98	1st injection
00:05:59	1,935	0,98	1,886	0,97	1,947	0,98	1st injection
00:06:00	1,935	0,98	1,886	0,97	1,947	0,98	1st injection
00:06:01	1,935	0,98	1,886	0,97	1,948	0,99	1st injection
00:06:02	1,935	0,98	1,886	0,97	1,948	0,99	1st injection
00:06:03	1,935	0,98	1,886	0,97	1,948	0,99	1st injection
00:06:04	1,935	0,98	1,886	0,97	1,948	0,99	1st injection
00:06:05	1,934	0,97	1,886	0,97	1,948	0,99	1st injection
00:06:06	1,934	0,97	1,886	0,97	1,948	0,99	1st injection
00:06:07	1,934	0,97	1,886	0,97	1,948	0,99	1st injection
00:06:08	1,934	0,97	1,886	0,97	1,948	0,99	1st injection
00:06:09	1,933	0,97	1,886	0,97	1,948	0,99	1st injection
00:06:10	1,933	0,97	1,886	0,97	1,948	0,99	1st injection
00:06:11	1,933	0,97	1,886	0,97	1,948	0,99	1st injection
00:06:12	1,933	0,97	1,886	0,97	1,948	0,99	1st injection
00:06:13	1,933	0,97	1,886	0,97	1,948	0,99	1st injection
00:06:14	1,933	0,97	1,887	0,98	1,948	0,99	1st injection
00:06:15	1,933	0,97	1,887	0,98	1,948	0,99	1st injection
00:06:16	1,934	0,97	1,887	0,98	1,948	0,99	1st injection
00:06:17	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:06:18	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:06:19	1,934	0,97	1,886	0,97	1,947	0,98	1st injection
00:06:20	1,934	0,97	1,886	0,97	1,947	0,98	1st injection
00:06:21	1,934	0,97	1,886	0,97	1,947	0,98	1st injection
00:06:22	1,935	0,98	1,886	0,97	1,947	0,98	1st injection
00:06:23	1,935	0,98	1,887	0,98	1,947	0,98	1st injection

00:06:24	1,935	0,98	1,887	0,98	1,946	0,97	1st injection
00:06:25	1,935	0,98	1,887	0,98	1,946	0,97	1st injection
00:06:26	1,935	0,98	1,887	0,98	1,947	0,98	1st injection
00:06:27	1,935	0,98	1,887	0,98	1,947	0,98	1st injection
00:06:28	1,935	0,98	1,887	0,98	1,947	0,98	1st injection
00:06:29	1,935	0,98	1,887	0,98	1,947	0,98	1st injection
00:06:30	1,935	0,98	1,887	0,98	1,947	0,98	1st injection
00:06:31	1,935	0,98	1,888	0,99	1,947	0,98	1st injection
00:06:32	1,935	0,98	1,888	0,99	1,947	0,98	1st injection
00:06:33	1,934	0,97	1,888	0,99	1,948	0,99	1st injection
00:06:34	1,934	0,97	1,888	0,99	1,948	0,99	1st injection
00:06:35	1,934	0,97	1,888	0,99	1,948	0,99	1st injection
00:06:36	1,934	0,97	1,888	0,99	1,948	0,99	1st injection
00:06:37	1,934	0,97	1,888	0,99	1,948	0,99	1st injection
00:06:38	1,934	0,97	1,888	0,99	1,948	0,99	1st injection
00:06:39	1,934	0,97	1,888	0,99	1,948	0,99	1st injection
00:06:40	1,934	0,97	1,888	0,99	1,947	0,98	1st injection
00:06:41	1,934	0,97	1,889	1,00	1,947	0,98	1st injection
00:06:42	1,934	0,97	1,889	1,00	1,947	0,98	1st injection
00:06:43	1,934	0,97	1,889	1,00	1,947	0,98	1st injection
00:06:44	1,934	0,97	1,889	1,00	1,947	0,98	1st injection
00:06:45	1,934	0,97	1,889	1,00	1,947	0,98	1st injection
00:06:46	1,934	0,97	1,889	1,00	1,947	0,98	1st injection
00:06:47	1,934	0,97	1,889	1,00	1,947	0,98	1st injection
00:06:48	1,934	0,97	1,889	1,00	1,947	0,98	1st injection
00:06:49	1,934	0,97	1,888	0,99	1,947	0,98	1st injection
00:06:50	1,934	0,97	1,888	0,99	1,948	0,99	1st injection
00:06:51	1,934	0,97	1,888	0,99	1,948	0,99	1st injection
00:06:52	1,934	0,97	1,888	0,99	1,948	0,99	1st injection
00:06:53	1,934	0,97	1,888	0,99	1,948	0,99	1st injection
00:06:54	1,934	0,97	1,888	0,99	1,948	0,99	1st injection
00:06:55	1,934	0,97	1,888	0,99	1,948	0,99	1st injection
00:06:56	1,934	0,97	1,888	0,99	1,948	0,99	1st injection

00:06:57	1,934	0,97	1,888	0,99	1,948	0,99	1st injection
00:06:58	1,934	0,97	1,888	0,99	1,948	0,99	1st injection
00:06:59	1,934	0,97	1,888	0,99	1,948	0,99	1st injection
00:07:00	1,934	0,97	1,887	0,98	1,948	0,99	1st injection
00:07:01	1,934	0,97	1,887	0,98	1,948	0,99	1st injection
00:07:02	1,935	0,98	1,887	0,98	1,948	0,99	1st injection
00:07:03	1,935	0,98	1,887	0,98	1,948	0,99	1st injection
00:07:04	1,935	0,98	1,887	0,98	1,948	0,99	1st injection
00:07:05	1,935	0,98	1,887	0,98	1,948	0,99	1st injection
00:07:06	1,935	0,98	1,887	0,98	1,948	0,99	1st injection
00:07:07	1,935	0,98	1,887	0,98	1,948	0,99	1st injection
00:07:08	1,935	0,98	1,887	0,98	1,948	0,99	1st injection
00:07:09	1,935	0,98	1,887	0,98	1,948	0,99	1st injection
00:07:10	1,936	0,99	1,887	0,98	1,948	0,99	1st injection
00:07:11	1,936	0,99	1,887	0,98	1,948	0,99	1st injection
00:07:12	1,936	0,99	1,887	0,98	1,948	0,99	1st injection
00:07:13	1,936	0,99	1,886	0,97	1,948	0,99	1st injection
00:07:14	1,936	0,99	1,886	0,97	1,948	0,99	1st injection
00:07:15	1,936	0,99	1,886	0,97	1,948	0,99	1st injection
00:07:16	1,936	0,99	1,886	0,97	1,948	0,99	1st injection
00:07:17	1,936	0,99	1,886	0,97	1,948	0,99	1st injection
00:07:18	1,936	0,99	1,886	0,97	1,948	0,99	1st injection
00:07:19	1,935	0,98	1,887	0,98	1,948	0,99	1st injection
00:07:20	1,935	0,98	1,887	0,98	1,948	0,99	1st injection
00:07:21	1,935	0,98	1,887	0,98	1,948	0,99	1st injection
00:07:22	1,935	0,98	1,887	0,98	1,949	1,00	1st injection
00:07:23	1,935	0,98	1,887	0,98	1,949	1,00	1st injection
00:07:24	1,935	0,98	1,887	0,98	1,949	1,00	1st injection
00:07:25	1,935	0,98	1,887	0,98	1,948	0,99	1st injection
00:07:26	1,935	0,98	1,887	0,98	1,948	0,99	1st injection
00:07:27	1,935	0,98	1,887	0,98	1,948	0,99	1st injection
00:07:28	1,934	0,97	1,887	0,98	1,948	0,99	1st injection
00:07:29	1,934	0,97	1,888	0,99	1,948	0,99	1st injection

00:07:30	1,934	0,97	1,888	0,99	1,947	0,98	1st injection
00:07:31	1,935	0,98	1,888	0,99	1,947	0,98	1st injection
00:07:32	1,935	0,98	1,888	0,99	1,947	0,98	1st injection
00:07:33	1,935	0,98	1,888	0,99	1,947	0,98	1st injection
00:07:34	1,935	0,98	1,888	0,99	1,947	0,98	1st injection
00:07:35	1,935	0,98	1,889	1,00	1,947	0,98	1st injection
00:07:36	1,935	0,98	1,889	1,00	1,947	0,98	1st injection
00:07:37	1,935	0,98	1,889	1,00	1,947	0,98	1st injection
00:07:38	1,935	0,98	1,889	1,00	1,948	0,99	1st injection
00:07:39	1,935	0,98	1,889	1,00	1,948	0,99	1st injection
00:07:40	1,935	0,98	1,888	0,99	1,948	0,99	1st injection
00:07:41	1,935	0,98	1,888	0,99	1,948	0,99	1st injection
00:07:42	1,935	0,98	1,888	0,99	1,948	0,99	1st injection
00:07:43	1,935	0,98	1,888	0,99	1,948	0,99	1st injection
00:07:44	1,935	0,98	1,888	0,99	1,948	0,99	1st injection
00:07:45	1,934	0,97	1,888	0,99	1,948	0,99	1st injection
00:07:46	1,934	0,97	1,888	0,99	1,948	0,99	1st injection
00:07:47	1,934	0,97	1,887	0,98	1,948	0,99	1st injection
00:07:48	1,934	0,97	1,887	0,98	1,948	0,99	1st injection
00:07:49	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:07:50	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:07:51	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:07:52	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:07:53	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:07:54	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:07:55	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:07:56	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:07:57	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:07:58	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:07:59	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:08:00	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:08:01	1,934	0,97	1,887	0,98	1,947	0,98	1st injection
00:08:02	1,934	0,97	1,887	0,98	1,947	0,98	1st injection

00:08:03	1,934	0,97	1,886	0,97	1,947	0,98	1st injection
00:08:04	1,934	0,97	1,886	0,97	1,947	0,98	1st injection
00:08:05	1,934	0,97	1,886	0,97	1,948	0,99	1st injection
00:08:06	1,934	0,97	1,886	0,97	1,948	0,99	1st injection
00:08:07	1,934	0,97	1,886	0,97	1,948	0,99	1st injection
00:08:08	1,935	0,98	1,886	0,97	1,948	0,99	1st injection
00:08:09	1,935	0,98	1,887	0,98	1,948	0,99	1st injection
00:08:10	1,935	0,98	1,887	0,98	1,948	0,99	1st injection
00:08:11	1,935	0,98	1,887	0,98	1,948	0,99	1st injection
00:08:12	1,935	0,98	1,887	0,98	1,948	0,99	1st injection
00:08:13	1,935	0,98	1,887	0,98	1,948	0,99	1st injection
00:08:14	1,935	0,98	1,887	0,98	1,947	0,98	1st injection
00:08:15	1,935	0,98	1,887	0,98	1,947	0,98	1st injection
00:08:16	1,935	0,98	1,887	0,98	1,947	0,98	1st injection
00:08:17	1,935	0,98	1,888	0,99	1,947	0,98	1st injection
00:08:18	1,935	0,98	1,888	0,99	1,947	0,98	1st injection
00:08:19	1,934	0,97	1,888	0,99	1,947	0,98	1st injection
00:08:20	1,934	0,97	1,888	0,99	1,947	0,98	1st injection
00:08:21	1,934	0,97	1,888	0,99	1,947	0,98	1st injection
00:08:22	1,934	0,97	1,888	0,99	1,947	0,98	1st injection
00:08:23	1,934	0,97	1,888	0,99	1,947	0,98	1st injection
00:08:24	1,934	0,97	1,888	0,99	1,947	0,98	1st injection
00:08:25	1,934	0,97	1,888	0,99	1,947	0,98	1st injection
00:08:26	1,934	0,97	1,888	0,99	1,947	0,98	1st injection
00:08:27	1,934	0,97	1,888	0,99	1,948	0,99	1st injection
00:08:28	1,934	0,97	1,888	0,99	1,948	0,99	1st injection
00:08:29	1,934	0,97	1,888	0,99	1,948	0,99	1st injection
00:08:30	1,934	0,97	1,888	0,99	1,947	0,98	1st injection
00:08:31	1,935	0,98	1,887	0,98	1,947	0,98	1st injection
00:08:32	1,935	0,98	1,887	0,98	1,947	0,98	1st injection
00:08:33	1,935	0,98	1,887	0,98	1,947	0,98	1st injection
00:08:34	1,935	0,98	1,887	0,98	1,947	0,98	1st injection
00:08:35	1,935	0,98	1,887	0,98	1,947	0,98	1st injection

00:08:36	1,934	0,97	1,887	0,98	1,946	0,97	1st injection
00:08:37	1,934	0,97	1,887	0,98	1,946	0,97	1st injection
00:08:38	1,934	0,97	1,887	0,98	1,946	0,97	1st injection
00:08:39	1,934	0,97	1,887	0,98	1,946	0,97	1st injection
00:08:40	1,934	0,97	1,887	0,98	1,945	0,97	1st injection
00:08:41	1,933	0,97	1,887	0,98	1,945	0,97	1st injection
00:08:42	1,933	0,97	1,887	0,98	1,945	0,97	1st injection
00:08:43	1,933	0,97	1,887	0,98	1,945	0,97	1st injection
00:08:44	1,933	0,97	1,887	0,98	1,945	0,97	1st injection
00:08:45	1,933	0,97	1,887	0,98	1,945	0,97	1st injection
00:08:46	1,933	0,97	1,887	0,98	1,945	0,97	1st injection
00:08:47	1,933	0,97	1,887	0,98	1,945	0,97	1st injection
00:08:48	1,933	0,97	1,887	0,98	1,945	0,97	1st injection
00:08:49	1,933	0,97	1,887	0,98	1,946	0,97	1st injection
00:08:50	1,933	0,97	1,887	0,98	1,946	0,97	1st injection
00:08:51	1,934	0,97	1,887	0,98	1,946	0,97	1st injection
00:08:52	1,934	0,97	1,887	0,98	1,946	0,97	1st injection
00:08:53	1,934	0,97	1,887	0,98	1,946	0,97	1st injection
00:08:54	1,934	0,97	1,888	0,99	1,946	0,97	1st injection
00:08:55	1,934	0,97	1,888	0,99	1,946	0,97	1st injection
00:08:56	1,934	0,97	1,888	0,99	1,947	0,98	1st injection
00:08:57	1,934	0,97	1,888	0,99	1,947	0,98	1st injection
00:08:58	1,934	0,97	1,888	0,99	1,947	0,98	1st injection
00:08:59	1,934	0,97	1,889	1,00	1,947	0,98	1st injection
00:09:00	1,934	0,97	1,889	1,00	1,947	0,98	1st injection
00:09:01	1,934	0,97	1,889	1,00	1,948	0,99	1st injection
00:09:02	1,934	0,97	1,889	1,00	1,948	0,99	1st injection
00:09:03	1,934	0,97	1,889	1,00	1,948	0,99	1st injection
00:09:04	1,934	0,97	1,889	1,00	1,948	0,99	1st injection
00:09:05	1,934	0,97	1,889	1,00	1,948	0,99	1st injection
00:09:06	1,934	0,97	1,889	1,00	1,948	0,99	1st injection
00:09:07	1,934	0,97	1,889	1,00	1,948	0,99	1st injection
00:09:08	1,934	0,97	1,888	0,99	1,948	0,99	1st injection

00:09:09	1,934	0,97	1,888	0,99	1,948	0,99	1st injection
00:09:10	1,934	0,97	1,888	0,99	1,948	0,99	1st injection
00:09:11	1,934	0,97	1,887	0,98	1,948	0,99	1st injection
00:09:12	1,933	0,97	1,887	0,98	1,948	0,99	1st injection
00:09:13	1,933	0,97	1,887	0,98	1,948	0,99	1st injection
00:09:14	1,933	0,97	1,886	0,97	1,948	0,99	1st injection
00:09:15	1,933	0,97	1,886	0,97	1,948	0,99	1st injection
00:00:00	1,933	0,01	1,886	0,00	1,948	0,02	2nd injection
00:00:01	1,934	0,02	1,886	0,00	1,948	0,02	2nd injection
00:00:02	1,934	0,02	1,886	0,00	1,949	0,03	2nd injection
00:00:03	1,934	0,02	1,886	0,00	1,949	0,03	2nd injection
00:00:04	1,934	0,02	1,886	0,00	1,949	0,03	2nd injection
00:00:05	1,934	0,02	1,887	0,01	1,948	0,02	2nd injection
00:00:06	1,934	0,02	1,887	0,01	1,948	0,02	2nd injection
00:00:07	1,934	0,02	1,887	0,01	1,948	0,02	2nd injection
00:00:08	1,934	0,02	1,887	0,01	1,948	0,02	2nd injection
00:00:09	1,934	0,02	1,887	0,01	1,948	0,02	2nd injection
00:00:10	1,935	0,03	1,887	0,01	1,948	0,02	2nd injection
00:00:11	1,935	0,03	1,887	0,01	1,948	0,02	2nd injection
00:00:12	1,935	0,03	1,887	0,01	1,947	0,01	2nd injection
00:00:13	1,935	0,03	1,887	0,01	1,947	0,01	2nd injection
00:00:14	1,935	0,03	1,887	0,01	1,947	0,01	2nd injection
00:00:15	1,935	0,03	1,887	0,01	1,947	0,01	2nd injection
00:00:16	1,935	0,03	1,887	0,01	1,947	0,01	2nd injection
00:00:17	1,935	0,03	1,887	0,01	1,947	0,01	2nd injection
00:00:18	1,934	0,02	1,887	0,01	1,947	0,01	2nd injection
00:00:19	1,934	0,02	1,887	0,01	1,947	0,01	2nd injection
00:00:20	1,934	0,02	1,888	0,02	1,947	0,01	2nd injection
00:00:21	1,933	0,01	1,888	0,02	1,947	0,01	2nd injection
00:00:22	1,933	0,01	1,888	0,02	1,947	0,01	2nd injection
00:00:23	1,932	0,00	1,888	0,02	1,947	0,01	2nd injection
00:00:24	1,932	0,00	1,888	0,02	1,947	0,01	2nd injection
00:00:25	1,932	0,00	1,888	0,02	1,947	0,01	2nd injection

00:00:26	1,932	0,00	1,888	0,02	1,947	0,01	2nd injection
00:00:27	1,932	0,00	1,888	0,02	1,947	0,01	2nd injection
00:00:28	1,932	0,00	1,888	0,02	1,947	0,01	2nd injection
00:00:29	1,932	0,00	1,888	0,02	1,947	0,01	2nd injection
00:00:30	1,932	0,00	1,888	0,02	1,947	0,01	2nd injection
00:00:31	1,932	0,00	1,888	0,02	1,947	0,01	2nd injection
00:00:32	1,932	0,00	1,888	0,02	1,947	0,01	2nd injection
00:00:33	1,932	0,00	1,888	0,02	1,947	0,01	2nd injection
00:00:34	1,932	0,00	1,887	0,01	1,947	0,01	2nd injection
00:00:35	1,932	0,00	1,887	0,01	1,947	0,01	2nd injection
00:00:36	1,932	0,00	1,887	0,01	1,947	0,01	2nd injection
00:00:37	1,932	0,00	1,887	0,01	1,947	0,01	2nd injection
00:00:38	1,933	0,01	1,888	0,02	1,947	0,01	2nd injection
00:00:39	1,933	0,01	1,888	0,02	1,947	0,01	2nd injection
00:00:40	1,934	0,02	1,888	0,02	1,947	0,01	2nd injection
00:00:41	1,935	0,03	1,888	0,02	1,947	0,01	2nd injection
00:00:42	1,936	0,03	1,888	0,02	1,947	0,01	2nd injection
00:00:43	1,938	0,05	1,888	0,02	1,947	0,01	2nd injection
00:00:44	1,94	0,07	1,888	0,02	1,947	0,01	2nd injection
00:00:45	1,942	0,08	1,888	0,02	1,947	0,01	2nd injection
00:00:46	1,943	0,09	1,888	0,02	1,946	0,00	2nd injection
00:00:47	1,945	0,11	1,888	0,02	1,946	0,00	2nd injection
00:00:48	1,946	0,12	1,887	0,01	1,946	0,00	2nd injection
00:00:49	1,947	0,13	1,887	0,01	1,946	0,00	2nd injection
00:00:50	1,947	0,13	1,887	0,01	1,946	0,00	2nd injection
00:00:51	1,947	0,13	1,887	0,01	1,946	0,00	2nd injection
00:00:52	1,947	0,13	1,887	0,01	1,946	0,00	2nd injection
00:00:53	1,946	0,12	1,887	0,01	1,946	0,00	2nd injection
00:00:54	1,946	0,12	1,887	0,01	1,946	0,00	2nd injection
00:00:55	1,946	0,12	1,887	0,01	1,946	0,00	2nd injection
00:00:56	1,947	0,13	1,887	0,01	1,946	0,00	2nd injection
00:00:57	1,947	0,13	1,887	0,01	1,946	0,00	2nd injection
00:00:58	1,948	0,13	1,887	0,01	1,946	0,00	2nd injection

00:00:59	1,949	0,14	1,887	0,01	1,946	0,00	2nd injection
00:01:00	1,95	0,15	1,887	0,01	1,946	0,00	2nd injection
00:01:01	1,951	0,16	1,887	0,01	1,947	0,01	2nd injection
00:01:02	1,953	0,18	1,888	0,02	1,947	0,01	2nd injection
00:01:03	1,955	0,19	1,888	0,02	1,947	0,01	2nd injection
00:01:04	1,957	0,21	1,889	0,03	1,947	0,01	2nd injection
00:01:05	1,959	0,23	1,889	0,03	1,947	0,01	2nd injection
00:01:06	1,959	0,23	1,89	0,03	1,948	0,02	2nd injection
00:01:07	1,963	0,26	1,89	0,03	1,948	0,02	2nd injection
00:01:08	1,967	0,29	1,892	0,05	1,948	0,02	2nd injection
00:01:09	1,97	0,32	1,893	0,06	1,948	0,02	2nd injection
00:01:10	1,973	0,34	1,895	0,08	1,949	0,03	2nd injection
00:01:11	1,977	0,38	1,898	0,10	1,949	0,03	2nd injection
00:01:12	1,981	0,41	1,901	0,13	1,949	0,03	2nd injection
00:01:13	1,984	0,43	1,903	0,15	1,949	0,03	2nd injection
00:01:14	1,987	0,46	1,906	0,17	1,95	0,03	2nd injection
00:01:15	1,99	0,48	1,909	0,20	1,95	0,03	2nd injection
00:01:16	1,992	0,50	1,911	0,22	1,95	0,03	2nd injection
00:01:17	1,994	0,52	1,914	0,24	1,95	0,03	2nd injection
00:01:18	1,996	0,53	1,916	0,26	1,95	0,03	2nd injection
00:01:19	1,997	0,54	1,918	0,28	1,95	0,03	2nd injection
00:01:20	1,999	0,56	1,919	0,28	1,95	0,03	2nd injection
00:01:21	2,002	0,58	1,92	0,29	1,95	0,03	2nd injection
00:01:22	2,004	0,60	1,92	0,29	1,951	0,04	2nd injection
00:01:23	2,005	0,61	1,919	0,28	1,951	0,04	2nd injection
00:01:24	2,006	0,62	1,918	0,28	1,952	0,05	2nd injection
00:01:25	2,008	0,63	1,917	0,27	1,953	0,06	2nd injection
00:01:26	2,009	0,64	1,916	0,26	1,954	0,07	2nd injection
00:01:27	2,01	0,65	1,916	0,26	1,955	0,08	2nd injection
00:01:28	2,011	0,66	1,916	0,26	1,956	0,08	2nd injection
00:01:29	2,012	0,67	1,917	0,27	1,958	0,10	2nd injection
00:01:30	2,013	0,67	1,919	0,28	1,959	0,11	2nd injection
00:01:31	2,014	0,68	1,921	0,30	1,961	0,13	2nd injection

00:01:32	2,014	0,68	1,925	0,34	1,963	0,14	2nd injection
00:01:33	2,015	0,69	1,929	0,37	1,964	0,15	2nd injection
00:01:34	2,016	0,70	1,933	0,41	1,965	0,16	2nd injection
00:01:35	2,016	0,70	1,937	0,44	1,966	0,17	2nd injection
00:01:36	2,017	0,71	1,941	0,47	1,967	0,18	2nd injection
00:01:37	2,018	0,72	1,946	0,52	1,968	0,18	2nd injection
00:01:38	2,019	0,73	1,951	0,56	1,97	0,20	2nd injection
00:01:39	2,02	0,73	1,956	0,60	1,971	0,21	2nd injection
00:01:40	2,021	0,74	1,96	0,64	1,973	0,23	2nd injection
00:01:41	2,022	0,75	1,965	0,68	1,979	0,28	2nd injection
00:01:42	2,023	0,76	1,968	0,71	1,983	0,31	2nd injection
00:01:43	2,024	0,77	1,971	0,73	1,988	0,35	2nd injection
00:01:44	2,025	0,77	1,974	0,76	1,994	0,40	2nd injection
00:01:45	2,026	0,78	1,977	0,78	1,999	0,44	2nd injection
00:01:46	2,026	0,78	1,98	0,81	2,006	0,50	2nd injection
00:01:47	2,027	0,79	1,982	0,83	2,012	0,55	2nd injection
00:01:48	2,027	0,79	1,983	0,84	2,018	0,60	2nd injection
00:01:49	2,027	0,79	1,983	0,84	2,024	0,65	2nd injection
00:01:50	2,027	0,79	1,983	0,84	2,029	0,69	2nd injection
00:01:51	2,028	0,80	1,983	0,84	2,035	0,74	2nd injection
00:01:52	2,028	0,80	1,982	0,83	2,039	0,78	2nd injection
00:01:53	2,028	0,80	1,982	0,83	2,043	0,81	2nd injection
00:01:54	2,028	0,80	1,982	0,83	2,047	0,84	2nd injection
00:01:55	2,028	0,80	1,981	0,82	2,05	0,87	2nd injection
00:01:56	2,029	0,81	1,981	0,82	2,052	0,88	2nd injection
00:01:57	2,029	0,81	1,981	0,82	2,053	0,89	2nd injection
00:01:58	2,029	0,81	1,98	0,81	2,055	0,91	2nd injection
00:01:59	2,029	0,81	1,98	0,81	2,056	0,92	2nd injection
00:02:00	2,03	0,82	1,98	0,81	2,056	0,92	2nd injection
00:02:01	2,03	0,82	1,981	0,82	2,057	0,93	2nd injection
00:02:02	2,03	0,82	1,981	0,82	2,058	0,93	2nd injection
00:02:03	2,031	0,83	1,981	0,82	2,058	0,93	2nd injection
00:02:04	2,031	0,83	1,981	0,82	2,059	0,94	2nd injection

00:02:05	2,031	0,83	1,981	0,82	2,059	0,94	2nd injection
00:02:06	2,032	0,83	1,981	0,82	2,06	0,95	2nd injection
00:02:07	2,032	0,83	1,981	0,82	2,06	0,95	2nd injection
00:02:08	2,033	0,84	1,981	0,82	2,06	0,95	2nd injection
00:02:09	2,033	0,84	1,981	0,82	2,06	0,95	2nd injection
00:02:10	2,034	0,85	1,98	0,81	2,061	0,96	2nd injection
00:02:11	2,035	0,86	1,98	0,81	2,061	0,96	2nd injection
00:02:12	2,035	0,86	1,979	0,80	2,061	0,96	2nd injection
00:02:13	2,036	0,87	1,978	0,79	2,061	0,96	2nd injection
00:02:14	2,037	0,87	1,978	0,79	2,06	0,95	2nd injection
00:02:15	2,037	0,87	1,978	0,79	2,06	0,95	2nd injection
00:02:16	2,038	0,88	1,977	0,78	2,06	0,95	2nd injection
00:02:17	2,038	0,88	1,978	0,79	2,06	0,95	2nd injection
00:02:18	2,038	0,88	1,978	0,79	2,06	0,95	2nd injection
00:02:19	2,038	0,88	1,978	0,79	2,059	0,94	2nd injection
00:02:20	2,038	0,88	1,978	0,79	2,059	0,94	2nd injection
00:02:21	2,038	0,88	1,979	0,80	2,058	0,93	2nd injection
00:02:22	2,038	0,88	1,98	0,81	2,058	0,93	2nd injection
00:02:23	2,038	0,88	1,981	0,82	2,057	0,93	2nd injection
00:02:24	2,038	0,88	1,983	0,84	2,057	0,93	2nd injection
00:02:25	2,038	0,88	1,984	0,84	2,057	0,93	2nd injection
00:02:26	2,038	0,88	1,985	0,85	2,056	0,92	2nd injection
00:02:27	2,038	0,88	1,986	0,86	2,056	0,92	2nd injection
00:02:28	2,039	0,89	1,986	0,86	2,056	0,92	2nd injection
00:02:29	2,039	0,89	1,987	0,87	2,055	0,91	2nd injection
00:02:30	2,039	0,89	1,987	0,87	2,055	0,91	2nd injection
00:02:31	2,039	0,89	1,987	0,87	2,055	0,91	2nd injection
00:02:32	2,04	0,90	1,988	0,88	2,055	0,91	2nd injection
00:02:33	2,04	0,90	1,988	0,88	2,055	0,91	2nd injection
00:02:34	2,04	0,90	1,988	0,88	2,055	0,91	2nd injection
00:02:35	2,041	0,91	1,988	0,88	2,055	0,91	2nd injection
00:02:36	2,041	0,91	1,988	0,88	2,055	0,91	2nd injection
00:02:37	2,041	0,91	1,988	0,88	2,055	0,91	2nd injection

00:02:38	2,042	0,92	1,989	0,89	2,055	0,91	2nd injection
00:02:39	2,042	0,92	1,989	0,89	2,055	0,91	2nd injection
00:02:40	2,042	0,92	1,989	0,89	2,054	0,90	2nd injection
00:02:41	2,042	0,92	1,989	0,89	2,054	0,90	2nd injection
00:02:42	2,043	0,93	1,989	0,89	2,054	0,90	2nd injection
00:02:43	2,043	0,93	1,99	0,90	2,054	0,90	2nd injection
00:02:44	2,044	0,93	1,99	0,90	2,053	0,89	2nd injection
00:02:45	2,044	0,93	1,99	0,90	2,053	0,89	2nd injection
00:02:46	2,044	0,93	1,99	0,90	2,053	0,89	2nd injection
00:02:47	2,044	0,93	1,99	0,90	2,053	0,89	2nd injection
00:02:48	2,045	0,94	1,99	0,90	2,053	0,89	2nd injection
00:02:49	2,045	0,94	1,99	0,90	2,053	0,89	2nd injection
00:02:50	2,045	0,94	1,99	0,90	2,054	0,90	2nd injection
00:02:51	2,045	0,94	1,991	0,91	2,054	0,90	2nd injection
00:02:52	2,045	0,94	1,991	0,91	2,055	0,91	2nd injection
00:02:53	2,045	0,94	1,991	0,91	2,055	0,91	2nd injection
00:02:54	2,045	0,94	1,991	0,91	2,056	0,92	2nd injection
00:02:55	2,046	0,95	1,992	0,91	2,056	0,92	2nd injection
00:02:56	2,046	0,95	1,992	0,91	2,056	0,92	2nd injection
00:02:57	2,046	0,95	1,992	0,91	2,057	0,93	2nd injection
00:02:58	2,046	0,95	1,992	0,91	2,057	0,93	2nd injection
00:02:59	2,047	0,96	1,993	0,92	2,058	0,93	2nd injection
00:03:00	2,047	0,96	1,993	0,92	2,058	0,93	2nd injection
00:03:01	2,047	0,96	1,993	0,92	2,058	0,93	2nd injection
00:03:02	2,048	0,97	1,993	0,92	2,058	0,93	2nd injection
00:03:03	2,048	0,97	1,994	0,93	2,058	0,93	2nd injection
00:03:04	2,048	0,97	1,994	0,93	2,058	0,93	2nd injection
00:03:05	2,048	0,97	1,994	0,93	2,059	0,94	2nd injection
00:03:06	2,049	0,97	1,994	0,93	2,059	0,94	2nd injection
00:03:07	2,049	0,97	1,995	0,94	2,059	0,94	2nd injection
00:03:08	2,049	0,97	1,995	0,94	2,059	0,94	2nd injection
00:03:09	2,049	0,97	1,995	0,94	2,06	0,95	2nd injection
00:03:10	2,05	0,98	1,996	0,95	2,06	0,95	2nd injection

00:03:11	2,05	0,98	1,996	0,95	2,06	0,95	2nd injection
00:03:12	2,05	0,98	1,996	0,95	2,06	0,95	2nd injection
00:03:13	2,05	0,98	1,997	0,96	2,06	0,95	2nd injection
00:03:14	2,05	0,98	1,997	0,96	2,06	0,95	2nd injection
00:03:15	2,05	0,98	1,997	0,96	2,06	0,95	2nd injection
00:03:16	2,05	0,98	1,998	0,97	2,06	0,95	2nd injection
00:03:17	2,05	0,98	1,998	0,97	2,06	0,95	2nd injection
00:03:18	2,049	0,97	1,998	0,97	2,06	0,95	2nd injection
00:03:19	2,049	0,97	1,998	0,97	2,06	0,95	2nd injection
00:03:20	2,049	0,97	1,999	0,97	2,06	0,95	2nd injection
00:03:21	2,048	0,97	1,999	0,97	2,06	0,95	2nd injection
00:03:22	2,048	0,97	1,999	0,97	2,061	0,96	2nd injection
00:03:23	2,048	0,97	1,999	0,97	2,061	0,96	2nd injection
00:03:24	2,047	0,96	1,999	0,97	2,061	0,96	2nd injection
00:03:25	2,047	0,96	1,999	0,97	2,061	0,96	2nd injection
00:03:26	2,047	0,96	1,999	0,97	2,061	0,96	2nd injection
00:03:27	2,047	0,96	1,999	0,97	2,061	0,96	2nd injection
00:03:28	2,047	0,96	1,999	0,97	2,061	0,96	2nd injection
00:03:29	2,046	0,95	1,999	0,97	2,061	0,96	2nd injection
00:03:30	2,046	0,95	1,999	0,97	2,061	0,96	2nd injection
00:03:31	2,047	0,96	1,999	0,97	2,061	0,96	2nd injection
00:03:32	2,047	0,96	1,999	0,97	2,061	0,96	2nd injection
00:03:33	2,047	0,96	1,999	0,97	2,061	0,96	2nd injection
00:03:34	2,047	0,96	1,999	0,97	2,061	0,96	2nd injection
00:03:35	2,048	0,97	1,999	0,97	2,061	0,96	2nd injection
00:03:36	2,048	0,97	1,999	0,97	2,061	0,96	2nd injection
00:03:37	2,048	0,97	1,999	0,97	2,061	0,96	2nd injection
00:03:38	2,048	0,97	1,999	0,97	2,061	0,96	2nd injection
00:03:39	2,048	0,97	1,999	0,97	2,061	0,96	2nd injection
00:03:40	2,048	0,97	1,999	0,97	2,06	0,95	2nd injection
00:03:41	2,048	0,97	1,999	0,97	2,06	0,95	2nd injection
00:03:42	2,048	0,97	1,999	0,97	2,06	0,95	2nd injection
00:03:43	2,048	0,97	1,999	0,97	2,06	0,95	2nd injection

00:03:44	2,048	0,97	1,999	0,97	2,06	0,95	2nd injection
00:03:45	2,048	0,97	1,999	0,97	2,06	0,95	2nd injection
00:03:46	2,048	0,97	1,999	0,97	2,061	0,96	2nd injection
00:03:47	2,048	0,97	1,999	0,97	2,061	0,96	2nd injection
00:03:48	2,048	0,97	1,999	0,97	2,061	0,96	2nd injection
00:03:49	2,048	0,97	1,999	0,97	2,061	0,96	2nd injection
00:03:50	2,048	0,97	1,999	0,97	2,061	0,96	2nd injection
00:03:51	2,048	0,97	1,999	0,97	2,061	0,96	2nd injection
00:03:52	2,048	0,97	1,999	0,97	2,061	0,96	2nd injection
00:03:53	2,048	0,97	1,999	0,97	2,061	0,96	2nd injection
00:03:54	2,048	0,97	1,999	0,97	2,061	0,96	2nd injection
00:03:55	2,048	0,97	2	0,98	2,062	0,97	2nd injection
00:03:56	2,048	0,97	2	0,98	2,062	0,97	2nd injection
00:03:57	2,048	0,97	2	0,98	2,062	0,97	2nd injection
00:03:58	2,049	0,97	2	0,98	2,062	0,97	2nd injection
00:03:59	2,049	0,97	2,001	0,99	2,062	0,97	2nd injection
00:04:00	2,049	0,97	2,001	0,99	2,062	0,97	2nd injection
00:04:01	2,049	0,97	2,001	0,99	2,062	0,97	2nd injection
00:04:02	2,049	0,97	2,001	0,99	2,062	0,97	2nd injection
00:04:03	2,049	0,97	2,001	0,99	2,062	0,97	2nd injection
00:04:04	2,049	0,97	2,001	0,99	2,062	0,97	2nd injection
00:04:05	2,049	0,97	2,001	0,99	2,062	0,97	2nd injection
00:04:06	2,049	0,97	2,001	0,99	2,062	0,97	2nd injection
00:04:07	2,049	0,97	2	0,98	2,062	0,97	2nd injection
00:04:08	2,049	0,97	2	0,98	2,062	0,97	2nd injection
00:04:09	2,049	0,97	2	0,98	2,062	0,97	2nd injection
00:04:10	2,049	0,97	2	0,98	2,062	0,97	2nd injection
00:04:11	2,049	0,97	2	0,98	2,062	0,97	2nd injection
00:04:12	2,049	0,97	2	0,98	2,062	0,97	2nd injection
00:04:13	2,049	0,97	2	0,98	2,062	0,97	2nd injection
00:04:14	2,049	0,97	2	0,98	2,062	0,97	2nd injection
00:04:15	2,049	0,97	2	0,98	2,062	0,97	2nd injection
00:04:16	2,049	0,97	2	0,98	2,062	0,97	2nd injection

00:04:17	2,049	0,97	2,001	0,99	2,062	0,97	2nd injection
00:04:18	2,049	0,97	2,001	0,99	2,062	0,97	2nd injection
00:04:19	2,049	0,97	2,001	0,99	2,062	0,97	2nd injection
00:04:20	2,049	0,97	2,001	0,99	2,062	0,97	2nd injection
00:04:21	2,049	0,97	2,002	1,00	2,063	0,98	2nd injection
00:04:22	2,049	0,97	2,002	1,00	2,063	0,98	2nd injection
00:04:23	2,049	0,97	2,002	1,00	2,063	0,98	2nd injection
00:04:24	2,049	0,97	2,002	1,00	2,063	0,98	2nd injection
00:04:25	2,049	0,97	2,002	1,00	2,063	0,98	2nd injection
00:04:26	2,049	0,97	2,002	1,00	2,063	0,98	2nd injection
00:04:27	2,049	0,97	2,002	1,00	2,063	0,98	2nd injection
00:04:28	2,049	0,97	2,002	1,00	2,063	0,98	2nd injection
00:04:29	2,05	0,98	2,002	1,00	2,063	0,98	2nd injection
00:04:30	2,05	0,98	2,002	1,00	2,063	0,98	2nd injection
00:04:31	2,05	0,98	2,002	1,00	2,063	0,98	2nd injection
00:04:32	2,05	0,98	2,002	1,00	2,063	0,98	2nd injection
00:04:33	2,05	0,98	2,002	1,00	2,063	0,98	2nd injection
00:04:34	2,05	0,98	2,002	1,00	2,063	0,98	2nd injection
00:04:35	2,05	0,98	2,001	0,99	2,063	0,98	2nd injection
00:04:36	2,05	0,98	2,001	0,99	2,064	0,98	2nd injection
00:04:37	2,05	0,98	2,001	0,99	2,064	0,98	2nd injection
00:04:38	2,05	0,98	2,001	0,99	2,064	0,98	2nd injection
00:04:39	2,05	0,98	2,001	0,99	2,064	0,98	2nd injection
00:04:40	2,05	0,98	2	0,98	2,064	0,98	2nd injection
00:04:41	2,05	0,98	2	0,98	2,064	0,98	2nd injection
00:04:42	2,05	0,98	2	0,98	2,064	0,98	2nd injection
00:04:43	2,051	0,99	2	0,98	2,064	0,98	2nd injection
00:04:44	2,05	0,98	1,999	0,97	2,064	0,98	2nd injection
00:04:45	2,05	0,98	1,999	0,97	2,064	0,98	2nd injection
00:04:46	2,05	0,98	1,999	0,97	2,064	0,98	2nd injection
00:04:47	2,051	0,99	1,999	0,97	2,064	0,98	2nd injection
00:04:48	2,051	0,99	1,999	0,97	2,064	0,98	2nd injection
00:04:49	2,051	0,99	1,999	0,97	2,064	0,98	2nd injection

00:04:50	2,051	0,99	1,999	0,97	2,064	0,98	2nd injection
00:04:51	2,051	0,99	1,999	0,97	2,064	0,98	2nd injection
00:04:52	2,051	0,99	1,998	0,97	2,064	0,98	2nd injection
00:04:53	2,051	0,99	1,998	0,97	2,064	0,98	2nd injection
00:04:54	2,051	0,99	1,998	0,97	2,064	0,98	2nd injection
00:04:55	2,051	0,99	1,998	0,97	2,064	0,98	2nd injection
00:04:56	2,05	0,98	1,998	0,97	2,064	0,98	2nd injection
00:04:57	2,05	0,98	1,998	0,97	2,064	0,98	2nd injection
00:04:58	2,05	0,98	1,998	0,97	2,063	0,98	2nd injection
00:04:59	2,05	0,98	1,998	0,97	2,063	0,98	2nd injection
00:05:00	2,05	0,98	1,998	0,97	2,063	0,98	2nd injection
00:05:01	2,05	0,98	1,998	0,97	2,063	0,98	2nd injection
00:05:02	2,05	0,98	1,999	0,97	2,063	0,98	2nd injection
00:05:03	2,05	0,98	1,999	0,97	2,063	0,98	2nd injection
00:05:04	2,05	0,98	1,999	0,97	2,063	0,98	2nd injection
00:05:05	2,05	0,98	1,999	0,97	2,063	0,98	2nd injection
00:05:06	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:05:07	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:05:08	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:05:09	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:05:10	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:05:11	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:05:12	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:05:13	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:05:14	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:05:15	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:05:16	2,052	1,00	2	0,98	2,062	0,97	2nd injection
00:05:17	2,052	1,00	2	0,98	2,062	0,97	2nd injection
00:05:18	2,052	1,00	2	0,98	2,062	0,97	2nd injection
00:05:19	2,052	1,00	2	0,98	2,062	0,97	2nd injection
00:05:20	2,052	1,00	2	0,98	2,062	0,97	2nd injection
00:05:21	2,052	1,00	2	0,98	2,063	0,98	2nd injection
00:05:22	2,052	1,00	2	0,98	2,063	0,98	2nd injection

00:05:23	2,052	1,00	1,999	0,97	2,063	0,98	2nd injection
00:05:24	2,052	1,00	1,999	0,97	2,063	0,98	2nd injection
00:05:25	2,052	1,00	1,999	0,97	2,063	0,98	2nd injection
00:05:26	2,052	1,00	1,999	0,97	2,063	0,98	2nd injection
00:05:27	2,052	1,00	1,999	0,97	2,063	0,98	2nd injection
00:05:28	2,052	1,00	1,999	0,97	2,063	0,98	2nd injection
00:05:29	2,052	1,00	1,999	0,97	2,062	0,97	2nd injection
00:05:30	2,052	1,00	1,999	0,97	2,062	0,97	2nd injection
00:05:31	2,052	1,00	1,999	0,97	2,062	0,97	2nd injection
00:05:32	2,052	1,00	1,999	0,97	2,062	0,97	2nd injection
00:05:33	2,052	1,00	2	0,98	2,062	0,97	2nd injection
00:05:34	2,052	1,00	2	0,98	2,062	0,97	2nd injection
00:05:35	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:05:36	2,051	0,99	1,999	0,97	2,062	0,97	2nd injection
00:05:37	2,051	0,99	1,999	0,97	2,062	0,97	2nd injection
00:05:38	2,051	0,99	1,999	0,97	2,062	0,97	2nd injection
00:05:39	2,051	0,99	1,999	0,97	2,062	0,97	2nd injection
00:05:40	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:05:41	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:05:42	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:05:43	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:05:44	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:05:45	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:05:46	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:05:47	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:05:48	2,05	0,98	1,998	0,97	2,062	0,97	2nd injection
00:05:49	2,05	0,98	1,998	0,97	2,062	0,97	2nd injection
00:05:50	2,05	0,98	1,998	0,97	2,062	0,97	2nd injection
00:05:51	2,05	0,98	1,998	0,97	2,062	0,97	2nd injection
00:05:52	2,05	0,98	1,998	0,97	2,062	0,97	2nd injection
00:05:53	2,05	0,98	1,998	0,97	2,062	0,97	2nd injection
00:05:54	2,05	0,98	1,998	0,97	2,062	0,97	2nd injection
00:05:55	2,05	0,98	1,998	0,97	2,062	0,97	2nd injection

00:05:56	2,05	0,98	1,998	0,97	2,062	0,97	2nd injection
00:05:57	2,049	0,97	1,998	0,97	2,062	0,97	2nd injection
00:05:58	2,049	0,97	1,999	0,97	2,062	0,97	2nd injection
00:05:59	2,049	0,97	1,999	0,97	2,062	0,97	2nd injection
00:06:00	2,049	0,97	1,998	0,97	2,062	0,97	2nd injection
00:06:01	2,049	0,97	1,998	0,97	2,062	0,97	2nd injection
00:06:02	2,049	0,97	1,998	0,97	2,062	0,97	2nd injection
00:06:03	2,049	0,97	1,998	0,97	2,062	0,97	2nd injection
00:06:04	2,048	0,97	1,998	0,97	2,063	0,98	2nd injection
00:06:05	2,048	0,97	1,998	0,97	2,062	0,97	2nd injection
00:06:06	2,048	0,97	1,998	0,97	2,062	0,97	2nd injection
00:06:07	2,048	0,97	1,998	0,97	2,063	0,98	2nd injection
00:06:08	2,048	0,97	1,998	0,97	2,063	0,98	2nd injection
00:06:09	2,048	0,97	1,998	0,97	2,062	0,97	2nd injection
00:06:10	2,048	0,97	1,999	0,97	2,062	0,97	2nd injection
00:06:11	2,048	0,97	1,999	0,97	2,062	0,97	2nd injection
00:06:12	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection
00:06:13	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection
00:06:14	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection
00:06:15	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection
00:06:16	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection
00:06:17	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection
00:06:18	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection
00:06:19	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection
00:06:20	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection
00:06:21	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection
00:06:22	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection
00:06:23	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection
00:06:24	2,048	0,97	1,999	0,97	2,062	0,97	2nd injection
00:06:25	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection
00:06:26	2,048	0,97	1,999	0,97	2,062	0,97	2nd injection
00:06:27	2,049	0,97	1,999	0,97	2,062	0,97	2nd injection
00:06:28	2,049	0,97	1,999	0,97	2,062	0,97	2nd injection

00:06:29	2,049	0,97	1,999	0,97	2,062	0,97	2nd injection
00:06:30	2,049	0,97	1,999	0,97	2,062	0,97	2nd injection
00:06:31	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:06:32	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:06:33	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:06:34	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:06:35	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:06:36	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:06:37	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:06:38	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:06:39	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:06:40	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:06:41	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:06:42	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:06:43	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:06:44	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:06:45	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:06:46	2,051	0,99	1,999	0,97	2,062	0,97	2nd injection
00:06:47	2,051	0,99	1,999	0,97	2,061	0,96	2nd injection
00:06:48	2,051	0,99	1,999	0,97	2,061	0,96	2nd injection
00:06:49	2,051	0,99	1,999	0,97	2,061	0,96	2nd injection
00:06:50	2,051	0,99	1,999	0,97	2,061	0,96	2nd injection
00:06:51	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:06:52	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:06:53	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:06:54	2,049	0,97	1,999	0,97	2,062	0,97	2nd injection
00:06:55	2,049	0,97	1,999	0,97	2,062	0,97	2nd injection
00:06:56	2,049	0,97	1,999	0,97	2,063	0,98	2nd injection
00:06:57	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection
00:06:58	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection
00:06:59	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection
00:07:00	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection
00:07:01	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection

00:07:02	2,048	0,97	1,999	0,97	2,062	0,97	2nd injection
00:07:03	2,049	0,97	1,999	0,97	2,062	0,97	2nd injection
00:07:04	2,049	0,97	1,999	0,97	2,061	0,96	2nd injection
00:07:05	2,049	0,97	1,999	0,97	2,061	0,96	2nd injection
00:07:06	2,049	0,97	1,999	0,97	2,061	0,96	2nd injection
00:07:07	2,05	0,98	1,999	0,97	2,06	0,95	2nd injection
00:07:08	2,05	0,98	2	0,98	2,06	0,95	2nd injection
00:07:09	2,05	0,98	2	0,98	2,06	0,95	2nd injection
00:07:10	2,05	0,98	2	0,98	2,06	0,95	2nd injection
00:07:11	2,051	0,99	2	0,98	2,06	0,95	2nd injection
00:07:12	2,051	0,99	2	0,98	2,06	0,95	2nd injection
00:07:13	2,051	0,99	2	0,98	2,061	0,96	2nd injection
00:07:14	2,051	0,99	2	0,98	2,061	0,96	2nd injection
00:07:15	2,051	0,99	2	0,98	2,061	0,96	2nd injection
00:07:16	2,052	1,00	2	0,98	2,061	0,96	2nd injection
00:07:17	2,052	1,00	2	0,98	2,061	0,96	2nd injection
00:07:18	2,052	1,00	2	0,98	2,061	0,96	2nd injection
00:07:19	2,052	1,00	2	0,98	2,062	0,97	2nd injection
00:07:20	2,052	1,00	1,999	0,97	2,062	0,97	2nd injection
00:07:21	2,052	1,00	1,999	0,97	2,062	0,97	2nd injection
00:07:22	2,052	1,00	1,999	0,97	2,062	0,97	2nd injection
00:07:23	2,052	1,00	1,999	0,97	2,062	0,97	2nd injection
00:07:24	2,052	1,00	1,999	0,97	2,062	0,97	2nd injection
00:07:25	2,051	0,99	1,999	0,97	2,062	0,97	2nd injection
00:07:26	2,051	0,99	1,999	0,97	2,063	0,98	2nd injection
00:07:27	2,05	0,98	1,999	0,97	2,063	0,98	2nd injection
00:07:28	2,05	0,98	1,999	0,97	2,063	0,98	2nd injection
00:07:29	2,049	0,97	1,999	0,97	2,063	0,98	2nd injection
00:07:30	2,049	0,97	1,999	0,97	2,063	0,98	2nd injection
00:07:31	2,049	0,97	2	0,98	2,063	0,98	2nd injection
00:07:32	2,049	0,97	2	0,98	2,063	0,98	2nd injection
00:07:33	2,049	0,97	2	0,98	2,063	0,98	2nd injection
00:07:34	2,048	0,97	2	0,98	2,063	0,98	2nd injection

00:07:35	2,048	0,97	2	0,98	2,064	0,98	2nd injection
00:07:36	2,048	0,97	1,999	0,97	2,064	0,98	2nd injection
00:07:37	2,048	0,97	1,999	0,97	2,064	0,98	2nd injection
00:07:38	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection
00:07:39	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection
00:07:40	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection
00:07:41	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection
00:07:42	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection
00:07:43	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection
00:07:44	2,048	0,97	1,998	0,97	2,062	0,97	2nd injection
00:07:45	2,048	0,97	1,998	0,97	2,062	0,97	2nd injection
00:07:46	2,048	0,97	1,998	0,97	2,062	0,97	2nd injection
00:07:47	2,048	0,97	1,998	0,97	2,062	0,97	2nd injection
00:07:48	2,048	0,97	1,998	0,97	2,062	0,97	2nd injection
00:07:49	2,049	0,97	1,998	0,97	2,062	0,97	2nd injection
00:07:50	2,049	0,97	1,997	0,96	2,062	0,97	2nd injection
00:07:51	2,049	0,97	1,997	0,96	2,062	0,97	2nd injection
00:07:52	2,049	0,97	1,997	0,96	2,062	0,97	2nd injection
00:07:53	2,049	0,97	1,997	0,96	2,062	0,97	2nd injection
00:07:54	2,049	0,97	1,997	0,96	2,062	0,97	2nd injection
00:07:55	2,049	0,97	1,997	0,96	2,062	0,97	2nd injection
00:07:56	2,049	0,97	1,997	0,96	2,062	0,97	2nd injection
00:07:57	2,049	0,97	1,997	0,96	2,062	0,97	2nd injection
00:07:58	2,049	0,97	1,997	0,96	2,062	0,97	2nd injection
00:07:59	2,049	0,97	1,998	0,97	2,062	0,97	2nd injection
00:08:00	2,049	0,97	1,998	0,97	2,062	0,97	2nd injection
00:08:01	2,049	0,97	1,998	0,97	2,062	0,97	2nd injection
00:08:02	2,049	0,97	1,998	0,97	2,062	0,97	2nd injection
00:08:03	2,049	0,97	1,998	0,97	2,062	0,97	2nd injection
00:08:04	2,049	0,97	1,998	0,97	2,062	0,97	2nd injection
00:08:05	2,049	0,97	1,999	0,97	2,062	0,97	2nd injection
00:08:06	2,049	0,97	1,999	0,97	2,062	0,97	2nd injection
00:08:07	2,049	0,97	1,999	0,97	2,062	0,97	2nd injection

00:08:08	2,049	0,97	1,999	0,97	2,062	0,97	2nd injection
00:08:09	2,049	0,97	1,999	0,97	2,062	0,97	2nd injection
00:08:10	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:08:11	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:08:12	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:08:13	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:08:14	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:08:15	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:08:16	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:08:17	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:08:18	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:08:19	2,049	0,97	2	0,98	2,063	0,98	2nd injection
00:08:20	2,049	0,97	2	0,98	2,063	0,98	2nd injection
00:08:21	2,049	0,97	1,999	0,97	2,063	0,98	2nd injection
00:08:22	2,049	0,97	2	0,98	2,063	0,98	2nd injection
00:08:23	2,049	0,97	1,999	0,97	2,063	0,98	2nd injection
00:08:24	2,049	0,97	2	0,98	2,063	0,98	2nd injection
00:08:25	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection
00:08:26	2,048	0,97	2	0,98	2,063	0,98	2nd injection
00:08:27	2,048	0,97	2	0,98	2,063	0,98	2nd injection
00:08:28	2,049	0,97	2	0,98	2,063	0,98	2nd injection
00:08:29	2,049	0,97	2	0,98	2,063	0,98	2nd injection
00:08:30	2,049	0,97	2	0,98	2,063	0,98	2nd injection
00:08:31	2,048	0,97	2	0,98	2,063	0,98	2nd injection
00:08:32	2,048	0,97	2	0,98	2,062	0,97	2nd injection
00:08:33	2,048	0,97	1,999	0,97	2,062	0,97	2nd injection
00:08:34	2,048	0,97	1,999	0,97	2,062	0,97	2nd injection
00:08:35	2,048	0,97	1,999	0,97	2,062	0,97	2nd injection
00:08:36	2,048	0,97	1,999	0,97	2,062	0,97	2nd injection
00:08:37	2,048	0,97	1,999	0,97	2,062	0,97	2nd injection
00:08:38	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection
00:08:39	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection
00:08:40	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection

00:08:41	2,049	0,97	1,999	0,97	2,063	0,98	2nd injection
00:08:42	2,049	0,97	1,999	0,97	2,063	0,98	2nd injection
00:08:43	2,049	0,97	1,999	0,97	2,063	0,98	2nd injection
00:08:44	2,05	0,98	1,999	0,97	2,063	0,98	2nd injection
00:08:45	2,05	0,98	1,999	0,97	2,063	0,98	2nd injection
00:08:46	2,05	0,98	1,999	0,97	2,063	0,98	2nd injection
00:08:47	2,05	0,98	1,999	0,97	2,063	0,98	2nd injection
00:08:48	2,051	0,99	1,999	0,97	2,063	0,98	2nd injection
00:08:49	2,051	0,99	1,999	0,97	2,063	0,98	2nd injection
00:08:50	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:08:51	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:08:52	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:08:53	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:08:54	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:08:55	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:08:56	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:08:57	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:08:58	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:08:59	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:09:00	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:09:01	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:09:02	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:09:03	2,049	0,97	2	0,98	2,063	0,98	2nd injection
00:09:04	2,049	0,97	2	0,98	2,063	0,98	2nd injection
00:09:05	2,048	0,97	2	0,98	2,063	0,98	2nd injection
00:09:06	2,048	0,97	2	0,98	2,063	0,98	2nd injection
00:09:07	2,048	0,97	2	0,98	2,063	0,98	2nd injection
00:09:08	2,048	0,97	2	0,98	2,063	0,98	2nd injection
00:09:09	2,048	0,97	2	0,98	2,063	0,98	2nd injection
00:09:10	2,048	0,97	2	0,98	2,062	0,97	2nd injection
00:09:11	2,048	0,97	2	0,98	2,062	0,97	2nd injection
00:09:12	2,048	0,97	2	0,98	2,062	0,97	2nd injection
00:09:13	2,048	0,97	2	0,98	2,062	0,97	2nd injection

00:09:14	2,048	0,97	2	0,98	2,062	0,97	2nd injection
00:09:15	2,049	0,97	2	0,98	2,061	0,96	2nd injection
00:09:16	2,049	0,97	2	0,98	2,061	0,96	2nd injection
00:09:17	2,049	0,97	2	0,98	2,061	0,96	2nd injection
00:09:18	2,049	0,97	2	0,98	2,061	0,96	2nd injection
00:09:19	2,049	0,97	2	0,98	2,061	0,96	2nd injection
00:09:20	2,049	0,97	2	0,98	2,061	0,96	2nd injection
00:09:21	2,049	0,97	2	0,98	2,061	0,96	2nd injection
00:09:22	2,049	0,97	2	0,98	2,061	0,96	2nd injection
00:09:23	2,049	0,97	2	0,98	2,061	0,96	2nd injection
00:09:24	2,05	0,98	2	0,98	2,061	0,96	2nd injection
00:09:25	2,05	0,98	2	0,98	2,061	0,96	2nd injection
00:09:26	2,05	0,98	2	0,98	2,061	0,96	2nd injection
00:09:27	2,05	0,98	2	0,98	2,061	0,96	2nd injection
00:09:28	2,05	0,98	2	0,98	2,061	0,96	2nd injection
00:09:29	2,05	0,98	2	0,98	2,061	0,96	2nd injection
00:09:30	2,051	0,99	2	0,98	2,061	0,96	2nd injection
00:09:31	2,051	0,99	2	0,98	2,061	0,96	2nd injection
00:09:32	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:09:33	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:09:34	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:09:35	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:09:36	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:09:37	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:09:38	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:09:39	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:09:40	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:09:41	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:09:42	2,05	0,98	1,999	0,97	2,063	0,98	2nd injection
00:09:43	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:09:44	2,049	0,97	1,999	0,97	2,063	0,98	2nd injection
00:09:45	2,049	0,97	1,999	0,97	2,063	0,98	2nd injection
00:09:46	2,049	0,97	1,999	0,97	2,063	0,98	2nd injection

00:09:47	2,049	0,97	1,999	0,97	2,063	0,98	2nd injection
00:09:48	2,049	0,97	1,999	0,97	2,063	0,98	2nd injection
00:09:49	2,049	0,97	1,999	0,97	2,063	0,98	2nd injection
00:09:50	2,049	0,97	1,999	0,97	2,063	0,98	2nd injection
00:09:51	2,049	0,97	1,998	0,97	2,063	0,98	2nd injection
00:09:52	2,049	0,97	1,998	0,97	2,063	0,98	2nd injection
00:09:53	2,049	0,97	1,998	0,97	2,063	0,98	2nd injection
00:09:54	2,049	0,97	1,998	0,97	2,063	0,98	2nd injection
00:09:55	2,049	0,97	1,998	0,97	2,063	0,98	2nd injection
00:09:56	2,049	0,97	1,998	0,97	2,063	0,98	2nd injection
00:09:57	2,049	0,97	1,998	0,97	2,063	0,98	2nd injection
00:09:58	2,05	0,98	1,998	0,97	2,063	0,98	2nd injection
00:09:59	2,05	0,98	1,999	0,97	2,063	0,98	2nd injection
00:10:00	2,05	0,98	1,999	0,97	2,063	0,98	2nd injection
00:10:01	2,05	0,98	1,999	0,97	2,063	0,98	2nd injection
00:10:02	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:10:03	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:10:04	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:10:05	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:10:06	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:10:07	2,05	0,98	2,001	0,99	2,063	0,98	2nd injection
00:10:08	2,05	0,98	2,001	0,99	2,063	0,98	2nd injection
00:10:09	2,05	0,98	2,001	0,99	2,063	0,98	2nd injection
00:10:10	2,05	0,98	2,001	0,99	2,063	0,98	2nd injection
00:10:11	2,05	0,98	2,001	0,99	2,063	0,98	2nd injection
00:10:12	2,049	0,97	2,001	0,99	2,064	0,98	2nd injection
00:10:13	2,049	0,97	2,001	0,99	2,064	0,98	2nd injection
00:10:14	2,049	0,97	2,001	0,99	2,064	0,98	2nd injection
00:10:15	2,049	0,97	2,001	0,99	2,064	0,98	2nd injection
00:10:16	2,049	0,97	2,001	0,99	2,064	0,98	2nd injection
00:10:17	2,049	0,97	2,001	0,99	2,064	0,98	2nd injection
00:10:18	2,049	0,97	2	0,98	2,064	0,98	2nd injection
00:10:19	2,049	0,97	2	0,98	2,064	0,98	2nd injection

00:10:20	2,049	0,97	2	0,98	2,064	0,98	2nd injection
00:10:21	2,048	0,97	2	0,98	2,064	0,98	2nd injection
00:10:22	2,048	0,97	2	0,98	2,064	0,98	2nd injection
00:10:23	2,048	0,97	2	0,98	2,064	0,98	2nd injection
00:10:24	2,048	0,97	2	0,98	2,064	0,98	2nd injection
00:10:25	2,048	0,97	1,999	0,97	2,064	0,98	2nd injection
00:10:26	2,048	0,97	1,999	0,97	2,064	0,98	2nd injection
00:10:27	2,048	0,97	1,999	0,97	2,064	0,98	2nd injection
00:10:28	2,048	0,97	1,999	0,97	2,064	0,98	2nd injection
00:10:29	2,048	0,97	1,999	0,97	2,063	0,98	2nd injection
00:10:30	2,049	0,97	1,999	0,97	2,063	0,98	2nd injection
00:10:31	2,049	0,97	1,999	0,97	2,063	0,98	2nd injection
00:10:32	2,049	0,97	1,999	0,97	2,063	0,98	2nd injection
00:10:33	2,05	0,98	1,999	0,97	2,063	0,98	2nd injection
00:10:34	2,05	0,98	1,998	0,97	2,062	0,97	2nd injection
00:10:35	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:10:36	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:10:37	2,051	0,99	1,999	0,97	2,062	0,97	2nd injection
00:10:38	2,051	0,99	1,999	0,97	2,062	0,97	2nd injection
00:10:39	2,051	0,99	1,999	0,97	2,062	0,97	2nd injection
00:10:40	2,051	0,99	1,999	0,97	2,062	0,97	2nd injection
00:10:41	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:10:42	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:10:43	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:10:44	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:10:45	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:10:46	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:10:47	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:10:48	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:10:49	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:10:50	2,049	0,97	2	0,98	2,062	0,97	2nd injection
00:10:51	2,049	0,97	2	0,98	2,062	0,97	2nd injection
00:10:52	2,049	0,97	1,999	0,97	2,062	0,97	2nd injection

00:10:53	2,049	0,97	1,999	0,97	2,062	0,97	2nd injection
00:10:54	2,049	0,97	1,999	0,97	2,062	0,97	2nd injection
00:10:55	2,049	0,97	1,999	0,97	2,062	0,97	2nd injection
00:10:56	2,049	0,97	1,999	0,97	2,062	0,97	2nd injection
00:10:57	2,049	0,97	1,999	0,97	2,062	0,97	2nd injection
00:10:58	2,049	0,97	1,999	0,97	2,063	0,98	2nd injection
00:10:59	2,049	0,97	1,999	0,97	2,062	0,97	2nd injection
00:11:00	2,049	0,97	1,999	0,97	2,063	0,98	2nd injection
00:11:01	2,049	0,97	1,999	0,97	2,063	0,98	2nd injection
00:11:02	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:11:03	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:11:04	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:11:05	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:11:06	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:11:07	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:11:08	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:11:09	2,051	0,99	2,001	0,99	2,062	0,97	2nd injection
00:11:10	2,051	0,99	2,001	0,99	2,062	0,97	2nd injection
00:11:11	2,051	0,99	2,001	0,99	2,062	0,97	2nd injection
00:11:12	2,052	1,00	2,001	0,99	2,062	0,97	2nd injection
00:11:13	2,052	1,00	2,001	0,99	2,062	0,97	2nd injection
00:11:14	2,052	1,00	2,001	0,99	2,062	0,97	2nd injection
00:11:15	2,052	1,00	2,001	0,99	2,062	0,97	2nd injection
00:11:16	2,052	1,00	2,001	0,99	2,063	0,98	2nd injection
00:11:17	2,052	1,00	2,001	0,99	2,063	0,98	2nd injection
00:11:18	2,052	1,00	2,001	0,99	2,063	0,98	2nd injection
00:11:19	2,052	1,00	2,001	0,99	2,063	0,98	2nd injection
00:11:20	2,052	1,00	2	0,98	2,063	0,98	2nd injection
00:11:21	2,052	1,00	2	0,98	2,063	0,98	2nd injection
00:11:22	2,052	1,00	2	0,98	2,063	0,98	2nd injection
00:11:23	2,052	1,00	2	0,98	2,063	0,98	2nd injection
00:11:24	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:11:25	2,051	0,99	2	0,98	2,063	0,98	2nd injection

00:11:26	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:11:27	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:11:28	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:11:29	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:11:30	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:11:31	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:11:32	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:11:33	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:11:34	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:11:35	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:11:36	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:11:37	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:11:38	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:11:39	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:11:40	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:11:41	2,051	0,99	1,999	0,97	2,062	0,97	2nd injection
00:11:42	2,051	0,99	1,999	0,97	2,062	0,97	2nd injection
00:11:43	2,051	0,99	1,999	0,97	2,062	0,97	2nd injection
00:11:44	2,052	1,00	1,999	0,97	2,062	0,97	2nd injection
00:11:45	2,051	0,99	1,999	0,97	2,062	0,97	2nd injection
00:11:46	2,051	0,99	1,999	0,97	2,062	0,97	2nd injection
00:11:47	2,051	0,99	1,999	0,97	2,063	0,98	2nd injection
00:11:48	2,051	0,99	1,999	0,97	2,063	0,98	2nd injection
00:11:49	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:11:50	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:11:51	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:11:52	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:11:53	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:11:54	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:11:55	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:11:56	2,05	0,98	2,001	0,99	2,062	0,97	2nd injection
00:11:57	2,05	0,98	2,001	0,99	2,062	0,97	2nd injection
00:11:58	2,051	0,99	2,001	0,99	2,062	0,97	2nd injection

00:11:59	2,051	0,99	2,001	0,99	2,062	0,97	2nd injection
00:12:00	2,051	0,99	2,001	0,99	2,062	0,97	2nd injection
00:12:01	2,052	1,00	2,001	0,99	2,062	0,97	2nd injection
00:12:02	2,052	1,00	2,001	0,99	2,062	0,97	2nd injection
00:12:03	2,052	1,00	2,001	0,99	2,062	0,97	2nd injection
00:12:04	2,052	1,00	2,001	0,99	2,062	0,97	2nd injection
00:12:05	2,052	1,00	2,002	1,00	2,062	0,97	2nd injection
00:12:06	2,052	1,00	2,002	1,00	2,062	0,97	2nd injection
00:12:07	2,052	1,00	2,002	1,00	2,062	0,97	2nd injection
00:12:08	2,052	1,00	2,002	1,00	2,062	0,97	2nd injection
00:12:09	2,052	1,00	2,002	1,00	2,062	0,97	2nd injection
00:12:10	2,052	1,00	2,002	1,00	2,062	0,97	2nd injection
00:12:11	2,051	0,99	2,002	1,00	2,062	0,97	2nd injection
00:12:12	2,051	0,99	2,002	1,00	2,062	0,97	2nd injection
00:12:13	2,051	0,99	2,002	1,00	2,062	0,97	2nd injection
00:12:14	2,051	0,99	2,002	1,00	2,062	0,97	2nd injection
00:12:15	2,05	0,98	2,002	1,00	2,062	0,97	2nd injection
00:12:16	2,05	0,98	2,001	0,99	2,062	0,97	2nd injection
00:12:17	2,05	0,98	2,001	0,99	2,063	0,98	2nd injection
00:12:18	2,05	0,98	2,001	0,99	2,063	0,98	2nd injection
00:12:19	2,05	0,98	2,001	0,99	2,063	0,98	2nd injection
00:12:20	2,05	0,98	2,001	0,99	2,063	0,98	2nd injection
00:12:21	2,05	0,98	2,001	0,99	2,063	0,98	2nd injection
00:12:22	2,05	0,98	2,001	0,99	2,063	0,98	2nd injection
00:12:23	2,051	0,99	2,001	0,99	2,063	0,98	2nd injection
00:12:24	2,051	0,99	2,001	0,99	2,063	0,98	2nd injection
00:12:25	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:12:26	2,052	1,00	2	0,98	2,063	0,98	2nd injection
00:12:27	2,052	1,00	2	0,98	2,063	0,98	2nd injection
00:12:28	2,052	1,00	2	0,98	2,063	0,98	2nd injection
00:12:29	2,052	1,00	2	0,98	2,063	0,98	2nd injection
00:12:30	2,052	1,00	2	0,98	2,063	0,98	2nd injection
00:12:31	2,051	0,99	2	0,98	2,063	0,98	2nd injection

00:12:32	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:12:33	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:12:34	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:12:35	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:12:36	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:12:37	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:12:38	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:12:39	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:12:40	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:12:41	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:12:42	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:12:43	2,05	0,98	1,999	0,97	2,063	0,98	2nd injection
00:12:44	2,049	0,97	2	0,98	2,063	0,98	2nd injection
00:12:45	2,049	0,97	2	0,98	2,063	0,98	2nd injection
00:12:46	2,049	0,97	2	0,98	2,063	0,98	2nd injection
00:12:47	2,049	0,97	2	0,98	2,063	0,98	2nd injection
00:12:48	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:12:49	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:12:50	2,05	0,98	2,001	0,99	2,063	0,98	2nd injection
00:12:51	2,051	0,99	2,001	0,99	2,063	0,98	2nd injection
00:12:52	2,051	0,99	2,001	0,99	2,063	0,98	2nd injection
00:12:53	2,052	1,00	2	0,98	2,063	0,98	2nd injection
00:12:54	2,052	1,00	2	0,98	2,063	0,98	2nd injection
00:12:55	2,052	1,00	2	0,98	2,063	0,98	2nd injection
00:12:56	2,052	1,00	2	0,98	2,063	0,98	2nd injection
00:12:57	2,052	1,00	2	0,98	2,062	0,97	2nd injection
00:12:58	2,052	1,00	2	0,98	2,062	0,97	2nd injection
00:12:59	2,052	1,00	2	0,98	2,062	0,97	2nd injection
00:13:00	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:13:01	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:13:02	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:13:03	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:13:04	2,051	0,99	2	0,98	2,062	0,97	2nd injection

00:13:05	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:13:06	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:13:07	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:13:08	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:13:09	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:13:10	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:13:11	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:13:12	2,052	1,00	2	0,98	2,062	0,97	2nd injection
00:13:13	2,052	1,00	2,001	0,99	2,062	0,97	2nd injection
00:13:14	2,052	1,00	2,001	0,99	2,062	0,97	2nd injection
00:13:15	2,052	1,00	2,001	0,99	2,062	0,97	2nd injection
00:13:16	2,052	1,00	2,001	0,99	2,062	0,97	2nd injection
00:13:17	2,052	1,00	2,001	0,99	2,062	0,97	2nd injection
00:13:18	2,052	1,00	2,001	0,99	2,062	0,97	2nd injection
00:13:19	2,052	1,00	2,001	0,99	2,062	0,97	2nd injection
00:13:20	2,052	1,00	2,001	0,99	2,062	0,97	2nd injection
00:13:21	2,052	1,00	2,001	0,99	2,063	0,98	2nd injection
00:13:22	2,051	0,99	2,001	0,99	2,063	0,98	2nd injection
00:13:23	2,051	0,99	2,001	0,99	2,063	0,98	2nd injection
00:13:24	2,051	0,99	2,001	0,99	2,063	0,98	2nd injection
00:13:25	2,05	0,98	2,001	0,99	2,063	0,98	2nd injection
00:13:26	2,05	0,98	2,001	0,99	2,063	0,98	2nd injection
00:13:27	2,05	0,98	2,001	0,99	2,063	0,98	2nd injection
00:13:28	2,05	0,98	2,001	0,99	2,063	0,98	2nd injection
00:13:29	2,05	0,98	2,001	0,99	2,063	0,98	2nd injection
00:13:30	2,05	0,98	2,001	0,99	2,063	0,98	2nd injection
00:13:31	2,05	0,98	2,001	0,99	2,063	0,98	2nd injection
00:13:32	2,049	0,97	2,001	0,99	2,063	0,98	2nd injection
00:13:33	2,049	0,97	2,001	0,99	2,063	0,98	2nd injection
00:13:34	2,049	0,97	2,001	0,99	2,063	0,98	2nd injection
00:13:35	2,049	0,97	2,002	1,00	2,063	0,98	2nd injection
00:13:36	2,049	0,97	2,002	1,00	2,063	0,98	2nd injection
00:13:37	2,049	0,97	2,002	1,00	2,063	0,98	2nd injection

00:13:38	2,049	0,97	2,002	1,00	2,063	0,98	2nd injection
00:13:39	2,049	0,97	2,002	1,00	2,063	0,98	2nd injection
00:13:40	2,049	0,97	2,002	1,00	2,063	0,98	2nd injection
00:13:41	2,049	0,97	2,001	0,99	2,063	0,98	2nd injection
00:13:42	2,049	0,97	2,001	0,99	2,063	0,98	2nd injection
00:13:43	2,049	0,97	2,001	0,99	2,063	0,98	2nd injection
00:13:44	2,049	0,97	2	0,98	2,063	0,98	2nd injection
00:13:45	2,049	0,97	2	0,98	2,063	0,98	2nd injection
00:13:46	2,049	0,97	2	0,98	2,063	0,98	2nd injection
00:13:47	2,049	0,97	2	0,98	2,063	0,98	2nd injection
00:13:48	2,049	0,97	2	0,98	2,063	0,98	2nd injection
00:13:49	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:13:50	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:13:51	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:13:52	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:13:53	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:13:54	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:13:55	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:13:56	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:13:57	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:13:58	2,049	0,97	2	0,98	2,063	0,98	2nd injection
00:13:59	2,049	0,97	2	0,98	2,063	0,98	2nd injection
00:14:00	2,049	0,97	2	0,98	2,063	0,98	2nd injection
00:14:01	2,048	0,97	2	0,98	2,064	0,98	2nd injection
00:14:02	2,048	0,97	2	0,98	2,064	0,98	2nd injection
00:14:03	2,048	0,97	2	0,98	2,064	0,98	2nd injection
00:14:04	2,048	0,97	2	0,98	2,064	0,98	2nd injection
00:14:05	2,049	0,97	2,001	0,99	2,064	0,98	2nd injection
00:14:06	2,049	0,97	2,001	0,99	2,064	0,98	2nd injection
00:14:07	2,049	0,97	2,001	0,99	2,064	0,98	2nd injection
00:14:08	2,05	0,98	2,001	0,99	2,064	0,98	2nd injection
00:14:09	2,05	0,98	2,001	0,99	2,064	0,98	2nd injection
00:14:10	2,05	0,98	2,001	0,99	2,065	0,99	2nd injection

00:14:11	2,05	0,98	2,001	0,99	2,065	0,99	2nd injection
00:14:12	2,05	0,98	2,001	0,99	2,065	0,99	2nd injection
00:14:13	2,049	0,97	2,001	0,99	2,065	0,99	2nd injection
00:14:14	2,049	0,97	2,001	0,99	2,065	0,99	2nd injection
00:14:15	2,049	0,97	2,001	0,99	2,065	0,99	2nd injection
00:14:16	2,049	0,97	2,001	0,99	2,065	0,99	2nd injection
00:14:17	2,049	0,97	2,001	0,99	2,065	0,99	2nd injection
00:14:18	2,049	0,97	2,001	0,99	2,065	0,99	2nd injection
00:14:19	2,049	0,97	2,001	0,99	2,065	0,99	2nd injection
00:14:20	2,05	0,98	2,001	0,99	2,065	0,99	2nd injection
00:14:21	2,05	0,98	2,001	0,99	2,065	0,99	2nd injection
00:14:22	2,05	0,98	2,001	0,99	2,065	0,99	2nd injection
00:14:23	2,05	0,98	2,001	0,99	2,065	0,99	2nd injection
00:14:24	2,05	0,98	2,001	0,99	2,065	0,99	2nd injection
00:14:25	2,05	0,98	2,001	0,99	2,064	0,98	2nd injection
00:14:26	2,05	0,98	2,001	0,99	2,064	0,98	2nd injection
00:14:27	2,05	0,98	2,001	0,99	2,064	0,98	2nd injection
00:14:28	2,05	0,98	2,001	0,99	2,064	0,98	2nd injection
00:14:29	2,05	0,98	2,001	0,99	2,064	0,98	2nd injection
00:14:30	2,05	0,98	2,001	0,99	2,064	0,98	2nd injection
00:14:31	2,05	0,98	2,001	0,99	2,063	0,98	2nd injection
00:14:32	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:14:33	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:14:34	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:14:35	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:14:36	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:14:37	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:14:38	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:14:39	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:14:40	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:14:41	2,051	0,99	2	0,98	2,062	0,97	2nd injection
00:14:42	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:14:43	2,05	0,98	2	0,98	2,062	0,97	2nd injection

00:14:44	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:14:45	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:14:46	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:14:47	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:14:48	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:14:49	2,05	0,98	2	0,98	2,063	0,98	2nd injection
00:14:50	2,049	0,97	2	0,98	2,063	0,98	2nd injection
00:14:51	2,049	0,97	2	0,98	2,063	0,98	2nd injection
00:14:52	2,049	0,97	2	0,98	2,063	0,98	2nd injection
00:14:53	2,049	0,97	2	0,98	2,063	0,98	2nd injection
00:14:54	2,049	0,97	1,999	0,97	2,063	0,98	2nd injection
00:14:55	2,049	0,97	1,999	0,97	2,063	0,98	2nd injection
00:14:56	2,049	0,97	1,999	0,97	2,063	0,98	2nd injection
00:14:57	2,049	0,97	1,999	0,97	2,063	0,98	2nd injection
00:14:58	2,049	0,97	1,999	0,97	2,063	0,98	2nd injection
00:14:59	2,049	0,97	1,999	0,97	2,063	0,98	2nd injection
00:15:00	2,049	0,97	1,998	0,97	2,063	0,98	2nd injection
00:15:01	2,049	0,97	1,998	0,97	2,063	0,98	2nd injection
00:15:02	2,049	0,97	1,998	0,97	2,063	0,98	2nd injection
00:15:03	2,049	0,97	1,998	0,97	2,063	0,98	2nd injection
00:15:04	2,049	0,97	1,998	0,97	2,063	0,98	2nd injection
00:15:05	2,049	0,97	1,998	0,97	2,063	0,98	2nd injection
00:15:06	2,049	0,97	1,998	0,97	2,063	0,98	2nd injection
00:15:07	2,049	0,97	1,998	0,97	2,063	0,98	2nd injection
00:15:08	2,049	0,97	1,998	0,97	2,064	0,98	2nd injection
00:15:09	2,049	0,97	1,999	0,97	2,064	0,98	2nd injection
00:15:10	2,05	0,98	1,999	0,97	2,064	0,98	2nd injection
00:15:11	2,05	0,98	1,999	0,97	2,064	0,98	2nd injection
00:15:12	2,05	0,98	1,999	0,97	2,065	0,99	2nd injection
00:15:13	2,05	0,98	1,999	0,97	2,065	0,99	2nd injection
00:15:14	2,05	0,98	1,999	0,97	2,065	0,99	2nd injection
00:15:15	2,051	0,99	1,999	0,97	2,065	0,99	2nd injection
00:15:16	2,051	0,99	1,999	0,97	2,066	1,00	2nd injection

00:15:17	2,051	0,99	1,999	0,97	2,066	1,00	2nd injection
00:15:18	2,051	0,99	1,999	0,97	2,066	1,00	2nd injection
00:15:19	2,051	0,99	1,999	0,97	2,066	1,00	2nd injection
00:15:20	2,051	0,99	1,999	0,97	2,065	0,99	2nd injection
00:15:21	2,051	0,99	1,999	0,97	2,065	0,99	2nd injection
00:15:22	2,051	0,99	1,999	0,97	2,065	0,99	2nd injection
00:15:23	2,051	0,99	1,999	0,97	2,065	0,99	2nd injection
00:15:24	2,051	0,99	1,999	0,97	2,064	0,98	2nd injection
00:15:25	2,051	0,99	2	0,98	2,064	0,98	2nd injection
00:15:26	2,051	0,99	2	0,98	2,064	0,98	2nd injection
00:15:27	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:15:28	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:15:29	2,051	0,99	2	0,98	2,063	0,98	2nd injection
00:15:30	2,051	0,99	2,001	0,99	2,063	0,98	2nd injection
00:15:31	2,051	0,99	2,001	0,99	2,062	0,97	2nd injection
00:15:32	2,051	0,99	2,001	0,99	2,062	0,97	2nd injection
00:15:33	2,051	0,99	2,001	0,99	2,062	0,97	2nd injection
00:15:34	2,051	0,99	2,001	0,99	2,062	0,97	2nd injection
00:15:35	2,05	0,98	2,001	0,99	2,062	0,97	2nd injection
00:15:36	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:15:37	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:15:38	2,05	0,98	2	0,98	2,062	0,97	2nd injection
00:15:39	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:15:40	2,05	0,98	1,999	0,97	2,062	0,97	2nd injection
00:15:41	2,05	0,98	1,999	0,97	2,063	0,98	2nd injection
00:15:42	2,05	0,98	1,998	0,97	2,063	0,98	2nd injection
00:15:43	2,05	0,98	1,998	0,97	2,063	0,98	2nd injection
00:15:44	2,05	0,98	1,998	0,97	2,063	0,98	2nd injection
00:15:45	2,05	0,98	1,998	0,97	2,063	0,98	2nd injection
00:15:46	2,05	0,98	1,998	0,97	2,063	0,98	2nd injection
00:15:47	2,05	0,98	1,998	0,97	2,063	0,98	2nd injection
00:15:48	2,05	0,98	1,999	0,97	2,063	0,98	2nd injection
00:15:49	2,05	0,98	1,999	0,97	2,063	0,98	2nd injection

00:15:50	2,051	0,99	1,999	0,97	2,063	0,98	2nd injection
00:15:51	2,051	0,99	1,999	0,97	2,063	0,98	2nd injection
00:15:52	2,051	0,99	1,999	0,97	2,063	0,98	2nd injection
00:15:53	2,051	0,99	1,999	0,97	2,063	0,98	2nd injection
00:15:54	2,051	0,99	1,999	0,97	2,062	0,97	2nd injection
00:00:00	2,163	0,01	2,112	0,02	2,178	0,02	3rd injection
00:00:01	2,163	0,01	2,113	0,03	2,178	0,02	3rd injection
00:00:02	2,163	0,01	2,112	0,02	2,178	0,02	3rd injection
00:00:03	2,162	0,00	2,112	0,02	2,178	0,02	3rd injection
00:00:04	2,162	0,00	2,112	0,02	2,177	0,01	3rd injection
00:00:05	2,162	0,00	2,112	0,02	2,177	0,01	3rd injection
00:00:06	2,162	0,00	2,112	0,02	2,177	0,01	3rd injection
00:00:07	2,162	0,00	2,112	0,02	2,177	0,01	3rd injection
00:00:08	2,163	0,01	2,112	0,02	2,177	0,01	3rd injection
00:00:09	2,163	0,01	2,112	0,02	2,176	0,00	3rd injection
00:00:10	2,163	0,01	2,112	0,02	2,176	0,00	3rd injection
00:00:11	2,163	0,01	2,112	0,02	2,176	0,00	3rd injection
00:00:12	2,163	0,01	2,112	0,02	2,176	0,00	3rd injection
00:00:13	2,164	0,02	2,112	0,02	2,176	0,00	3rd injection
00:00:14	2,164	0,02	2,112	0,02	2,176	0,00	3rd injection
00:00:15	2,164	0,02	2,112	0,02	2,177	0,01	3rd injection
00:00:16	2,164	0,02	2,113	0,03	2,177	0,01	3rd injection
00:00:17	2,164	0,02	2,113	0,03	2,178	0,02	3rd injection
00:00:18	2,164	0,02	2,113	0,03	2,178	0,02	3rd injection
00:00:19	2,165	0,02	2,113	0,03	2,178	0,02	3rd injection
00:00:20	2,165	0,02	2,114	0,03	2,178	0,02	3rd injection
00:00:21	2,165	0,02	2,114	0,03	2,178	0,02	3rd injection
00:00:22	2,165	0,02	2,114	0,03	2,178	0,02	3rd injection
00:00:23	2,165	0,02	2,114	0,03	2,178	0,02	3rd injection
00:00:24	2,165	0,02	2,114	0,03	2,178	0,02	3rd injection
00:00:25	2,165	0,02	2,114	0,03	2,178	0,02	3rd injection
00:00:26	2,165	0,02	2,114	0,03	2,178	0,02	3rd injection
00:00:27	2,165	0,02	2,114	0,03	2,177	0,01	3rd injection

00:00:28	2,165	0,02	2,114	0,03	2,177	0,01	3rd injection
00:00:29	2,165	0,02	2,114	0,03	2,177	0,01	3rd injection
00:00:30	2,165	0,02	2,114	0,03	2,177	0,01	3rd injection
00:00:31	2,165	0,02	2,114	0,03	2,177	0,01	3rd injection
00:00:32	2,164	0,02	2,114	0,03	2,177	0,01	3rd injection
00:00:33	2,164	0,02	2,114	0,03	2,177	0,01	3rd injection
00:00:34	2,164	0,02	2,115	0,04	2,176	0,00	3rd injection
00:00:35	2,164	0,02	2,115	0,04	2,177	0,01	3rd injection
00:00:36	2,164	0,02	2,115	0,04	2,177	0,01	3rd injection
00:00:37	2,163	0,01	2,114	0,03	2,177	0,01	3rd injection
00:00:38	2,163	0,01	2,114	0,03	2,177	0,01	3rd injection
00:00:39	2,163	0,01	2,114	0,03	2,176	0,00	3rd injection
00:00:40	2,163	0,01	2,114	0,03	2,177	0,01	3rd injection
00:00:41	2,163	0,01	2,114	0,03	2,177	0,01	3rd injection
00:00:42	2,163	0,01	2,114	0,03	2,177	0,01	3rd injection
00:00:43	2,163	0,01	2,113	0,03	2,177	0,01	3rd injection
00:00:44	2,163	0,01	2,113	0,03	2,177	0,01	3rd injection
00:00:45	2,163	0,01	2,113	0,03	2,177	0,01	3rd injection
00:00:46	2,163	0,01	2,112	0,02	2,177	0,01	3rd injection
00:00:47	2,164	0,02	2,112	0,02	2,177	0,01	3rd injection
00:00:48	2,164	0,02	2,112	0,02	2,177	0,01	3rd injection
00:00:49	2,164	0,02	2,111	0,01	2,177	0,01	3rd injection
00:00:50	2,164	0,02	2,111	0,01	2,177	0,01	3rd injection
00:00:51	2,164	0,02	2,111	0,01	2,177	0,01	3rd injection
00:00:52	2,165	0,02	2,11	0,00	2,177	0,01	3rd injection
00:00:53	2,165	0,02	2,11	0,00	2,176	0,00	3rd injection
00:00:54	2,165	0,02	2,11	0,00	2,176	0,00	3rd injection
00:00:55	2,164	0,02	2,11	0,00	2,176	0,00	3rd injection
00:00:56	2,164	0,02	2,111	0,01	2,176	0,00	3rd injection
00:00:57	2,164	0,02	2,111	0,01	2,176	0,00	3rd injection
00:00:58	2,164	0,02	2,111	0,01	2,176	0,00	3rd injection
00:00:59	2,163	0,01	2,112	0,02	2,176	0,00	3rd injection
00:01:00	2,163	0,01	2,112	0,02	2,176	0,00	3rd injection

00:01:01	2,163	0,01	2,113	0,03	2,176	0,00	3rd injection
00:01:02	2,163	0,01	2,113	0,03	2,176	0,00	3rd injection
00:01:03	2,163	0,01	2,113	0,03	2,176	0,00	3rd injection
00:01:04	2,163	0,01	2,114	0,03	2,176	0,00	3rd injection
00:01:05	2,163	0,01	2,114	0,03	2,176	0,00	3rd injection
00:01:06	2,163	0,01	2,114	0,03	2,176	0,00	3rd injection
00:01:07	2,163	0,01	2,114	0,03	2,176	0,00	3rd injection
00:01:08	2,163	0,01	2,114	0,03	2,176	0,00	3rd injection
00:01:09	2,163	0,01	2,115	0,04	2,177	0,01	3rd injection
00:01:10	2,163	0,01	2,115	0,04	2,177	0,01	3rd injection
00:01:11	2,163	0,01	2,115	0,04	2,177	0,01	3rd injection
00:01:12	2,163	0,01	2,115	0,04	2,177	0,01	3rd injection
00:01:13	2,163	0,01	2,115	0,04	2,177	0,01	3rd injection
00:01:14	2,164	0,02	2,115	0,04	2,177	0,01	3rd injection
00:01:15	2,164	0,02	2,115	0,04	2,177	0,01	3rd injection
00:01:16	2,164	0,02	2,114	0,03	2,178	0,02	3rd injection
00:01:17	2,164	0,02	2,114	0,03	2,177	0,01	3rd injection
00:01:18	2,163	0,01	2,114	0,03	2,178	0,02	3rd injection
00:01:19	2,163	0,01	2,114	0,03	2,178	0,02	3rd injection
00:01:20	2,163	0,01	2,114	0,03	2,178	0,02	3rd injection
00:01:21	2,163	0,01	2,114	0,03	2,177	0,01	3rd injection
00:01:22	2,163	0,01	2,114	0,03	2,177	0,01	3rd injection
00:01:23	2,163	0,01	2,114	0,03	2,177	0,01	3rd injection
00:01:24	2,163	0,01	2,114	0,03	2,178	0,02	3rd injection
00:01:25	2,162	0,00	2,114	0,03	2,178	0,02	3rd injection
00:01:26	2,162	0,00	2,115	0,04	2,178	0,02	3rd injection
00:01:27	2,162	0,00	2,115	0,04	2,179	0,02	3rd injection
00:01:28	2,162	0,00	2,115	0,04	2,179	0,02	3rd injection
00:01:29	2,164	0,02	2,115	0,04	2,179	0,02	3rd injection
00:01:30	2,165	0,02	2,115	0,04	2,18	0,03	3rd injection
00:01:31	2,168	0,05	2,115	0,04	2,18	0,03	3rd injection
00:01:32	2,17	0,07	2,115	0,04	2,18	0,03	3rd injection
00:01:33	2,173	0,09	2,114	0,03	2,18	0,03	3rd injection

00:01:34	2,175	0,11	2,114	0,03	2,18	0,03	3rd injection
00:01:35	2,177	0,12	2,114	0,03	2,179	0,02	3rd injection
00:01:36	2,178	0,13	2,114	0,03	2,179	0,02	3rd injection
00:01:37	2,18	0,15	2,114	0,03	2,178	0,02	3rd injection
00:01:38	2,181	0,16	2,113	0,03	2,178	0,02	3rd injection
00:01:39	2,181	0,16	2,113	0,03	2,178	0,02	3rd injection
00:01:40	2,18	0,15	2,113	0,03	2,178	0,02	3rd injection
00:01:41	2,178	0,13	2,113	0,03	2,177	0,01	3rd injection
00:01:42	2,177	0,12	2,113	0,03	2,177	0,01	3rd injection
00:01:43	2,175	0,11	2,114	0,03	2,177	0,01	3rd injection
00:01:44	2,174	0,10	2,114	0,03	2,177	0,01	3rd injection
00:01:45	2,173	0,09	2,114	0,03	2,177	0,01	3rd injection
00:01:46	2,172	0,08	2,115	0,04	2,177	0,01	3rd injection
00:01:47	2,171	0,07	2,115	0,04	2,177	0,01	3rd injection
00:01:48	2,171	0,07	2,115	0,04	2,177	0,01	3rd injection
00:01:49	2,172	0,08	2,116	0,05	2,177	0,01	3rd injection
00:01:50	2,173	0,09	2,116	0,05	2,176	0,00	3rd injection
00:01:51	2,173	0,09	2,117	0,06	2,176	0,00	3rd injection
00:01:52	2,174	0,10	2,117	0,06	2,176	0,00	3rd injection
00:01:53	2,175	0,11	2,117	0,06	2,176	0,00	3rd injection
00:01:54	2,177	0,12	2,118	0,07	2,176	0,00	3rd injection
00:01:55	2,179	0,14	2,118	0,07	2,176	0,00	3rd injection
00:01:56	2,18	0,15	2,119	0,08	2,177	0,01	3rd injection
00:01:57	2,182	0,16	2,119	0,08	2,177	0,01	3rd injection
00:01:58	2,184	0,18	2,119	0,08	2,177	0,01	3rd injection
00:01:59	2,186	0,20	2,12	0,08	2,178	0,02	3rd injection
00:02:00	2,187	0,20	2,12	0,08	2,178	0,02	3rd injection
00:02:01	2,189	0,22	2,121	0,09	2,179	0,02	3rd injection
00:02:02	2,191	0,24	2,122	0,10	2,179	0,02	3rd injection
00:02:03	2,193	0,25	2,122	0,10	2,18	0,03	3rd injection
00:02:04	2,195	0,27	2,124	0,12	2,18	0,03	3rd injection
00:02:05	2,197	0,29	2,125	0,13	2,181	0,04	3rd injection
00:02:06	2,199	0,30	2,126	0,13	2,182	0,05	3rd injection

00:02:07	2,201	0,32	2,128	0,15	2,182	0,05	3rd injection
00:02:08	2,204	0,34	2,131	0,17	2,183	0,06	3rd injection
00:02:09	2,206	0,36	2,134	0,20	2,183	0,06	3rd injection
00:02:10	2,209	0,39	2,137	0,23	2,184	0,07	3rd injection
00:02:11	2,211	0,40	2,14	0,25	2,185	0,07	3rd injection
00:02:12	2,214	0,43	2,143	0,27	2,186	0,08	3rd injection
00:02:13	2,217	0,45	2,146	0,30	2,188	0,10	3rd injection
00:02:14	2,22	0,48	2,149	0,33	2,191	0,12	3rd injection
00:02:15	2,222	0,49	2,152	0,35	2,195	0,16	3rd injection
00:02:16	2,225	0,52	2,155	0,37	2,198	0,18	3rd injection
00:02:17	2,228	0,54	2,158	0,40	2,202	0,21	3rd injection
00:02:18	2,23	0,56	2,161	0,43	2,206	0,25	3rd injection
00:02:19	2,233	0,58	2,163	0,44	2,21	0,28	3rd injection
00:02:20	2,235	0,60	2,166	0,47	2,213	0,31	3rd injection
00:02:21	2,237	0,61	2,169	0,49	2,217	0,34	3rd injection
00:02:22	2,24	0,64	2,171	0,51	2,22	0,36	3rd injection
00:02:23	2,242	0,66	2,173	0,53	2,223	0,39	3rd injection
00:02:24	2,244	0,67	2,175	0,54	2,227	0,42	3rd injection
00:02:25	2,245	0,68	2,177	0,56	2,23	0,45	3rd injection
00:02:26	2,247	0,70	2,179	0,57	2,233	0,47	3rd injection
00:02:27	2,249	0,71	2,181	0,59	2,236	0,50	3rd injection
00:02:28	2,25	0,72	2,183	0,61	2,24	0,53	3rd injection
00:02:29	2,252	0,74	2,184	0,62	2,243	0,55	3rd injection
00:02:30	2,253	0,75	2,186	0,63	2,247	0,59	3rd injection
00:02:31	2,254	0,75	2,187	0,64	2,251	0,62	3rd injection
00:02:32	2,255	0,76	2,189	0,66	2,255	0,65	3rd injection
00:02:33	2,256	0,77	2,19	0,67	2,259	0,69	3rd injection
00:02:34	2,256	0,77	2,193	0,69	2,262	0,71	3rd injection
00:02:35	2,257	0,78	2,194	0,70	2,265	0,74	3rd injection
00:02:36	2,257	0,78	2,195	0,71	2,267	0,75	3rd injection
00:02:37	2,258	0,79	2,196	0,72	2,269	0,77	3rd injection
00:02:38	2,258	0,79	2,197	0,73	2,27	0,78	3rd injection
00:02:39	2,258	0,79	2,198	0,73	2,271	0,79	3rd injection

00:02:40	2,258	0,79	2,199	0,74	2,271	0,79	3rd injection
00:02:41	2,258	0,79	2,199	0,74	2,272	0,79	3rd injection
00:02:42	2,258	0,79	2,199	0,74	2,273	0,80	3rd injection
00:02:43	2,258	0,79	2,2	0,75	2,274	0,81	3rd injection
00:02:44	2,259	0,80	2,2	0,75	2,274	0,81	3rd injection
00:02:45	2,26	0,80	2,2	0,75	2,275	0,82	3rd injection
00:02:46	2,261	0,81	2,2	0,75	2,276	0,83	3rd injection
00:02:47	2,261	0,81	2,2	0,75	2,276	0,83	3rd injection
00:02:48	2,262	0,82	2,2	0,75	2,276	0,83	3rd injection
00:02:49	2,263	0,83	2,2	0,75	2,277	0,83	3rd injection
00:02:50	2,264	0,84	2,201	0,76	2,277	0,83	3rd injection
00:02:51	2,265	0,84	2,201	0,76	2,278	0,84	3rd injection
00:02:52	2,265	0,84	2,202	0,77	2,278	0,84	3rd injection
00:02:53	2,265	0,84	2,202	0,77	2,278	0,84	3rd injection
00:02:54	2,266	0,85	2,202	0,77	2,278	0,84	3rd injection
00:02:55	2,267	0,86	2,203	0,77	2,278	0,84	3rd injection
00:02:56	2,267	0,86	2,203	0,77	2,278	0,84	3rd injection
00:02:57	2,268	0,87	2,204	0,78	2,278	0,84	3rd injection
00:02:58	2,268	0,87	2,204	0,78	2,278	0,84	3rd injection
00:02:59	2,268	0,87	2,204	0,78	2,278	0,84	3rd injection
00:03:00	2,268	0,87	2,204	0,78	2,278	0,84	3rd injection
00:03:01	2,269	0,88	2,205	0,79	2,278	0,84	3rd injection
00:03:02	2,269	0,88	2,205	0,79	2,278	0,84	3rd injection
00:03:03	2,269	0,88	2,205	0,79	2,278	0,84	3rd injection
00:03:04	2,269	0,88	2,206	0,80	2,278	0,84	3rd injection
00:03:05	2,269	0,88	2,206	0,80	2,278	0,84	3rd injection
00:03:06	2,269	0,88	2,206	0,80	2,278	0,84	3rd injection
00:03:07	2,269	0,88	2,206	0,80	2,278	0,84	3rd injection
00:03:08	2,268	0,87	2,207	0,81	2,278	0,84	3rd injection
00:03:09	2,268	0,87	2,208	0,82	2,278	0,84	3rd injection
00:03:10	2,268	0,87	2,209	0,83	2,278	0,84	3rd injection
00:03:11	2,268	0,87	2,209	0,83	2,278	0,84	3rd injection
00:03:12	2,268	0,87	2,21	0,83	2,278	0,84	3rd injection

00:03:13	2,268	0,87	2,211	0,84	2,278	0,84	3rd injection
00:03:14	2,268	0,87	2,212	0,85	2,278	0,84	3rd injection
00:03:15	2,269	0,88	2,212	0,85	2,278	0,84	3rd injection
00:03:16	2,269	0,88	2,214	0,87	2,278	0,84	3rd injection
00:03:17	2,269	0,88	2,214	0,87	2,278	0,84	3rd injection
00:03:18	2,27	0,89	2,215	0,87	2,279	0,85	3rd injection
00:03:19	2,271	0,89	2,215	0,87	2,279	0,85	3rd injection
00:03:20	2,271	0,89	2,216	0,88	2,279	0,85	3rd injection
00:03:21	2,272	0,90	2,216	0,88	2,28	0,86	3rd injection
00:03:22	2,272	0,90	2,217	0,89	2,28	0,86	3rd injection
00:03:23	2,272	0,90	2,217	0,89	2,28	0,86	3rd injection
00:03:24	2,273	0,91	2,217	0,89	2,281	0,87	3rd injection
00:03:25	2,273	0,91	2,218	0,90	2,281	0,87	3rd injection
00:03:26	2,274	0,92	2,218	0,90	2,281	0,87	3rd injection
00:03:27	2,274	0,92	2,218	0,90	2,282	0,88	3rd injection
00:03:28	2,274	0,92	2,219	0,91	2,282	0,88	3rd injection
00:03:29	2,274	0,92	2,219	0,91	2,282	0,88	3rd injection
00:03:30	2,274	0,92	2,219	0,91	2,283	0,88	3rd injection
00:03:31	2,274	0,92	2,219	0,91	2,283	0,88	3rd injection
00:03:32	2,274	0,92	2,22	0,92	2,284	0,89	3rd injection
00:03:33	2,275	0,93	2,22	0,92	2,284	0,89	3rd injection
00:03:34	2,275	0,93	2,22	0,92	2,284	0,89	3rd injection
00:03:35	2,275	0,93	2,22	0,92	2,284	0,89	3rd injection
00:03:36	2,275	0,93	2,221	0,93	2,285	0,90	3rd injection
00:03:37	2,275	0,93	2,221	0,93	2,285	0,90	3rd injection
00:03:38	2,275	0,93	2,221	0,93	2,285	0,90	3rd injection
00:03:39	2,275	0,93	2,221	0,93	2,285	0,90	3rd injection
00:03:40	2,275	0,93	2,221	0,93	2,285	0,90	3rd injection
00:03:41	2,275	0,93	2,221	0,93	2,286	0,91	3rd injection
00:03:42	2,275	0,93	2,221	0,93	2,286	0,91	3rd injection
00:03:43	2,275	0,93	2,221	0,93	2,286	0,91	3rd injection
00:03:44	2,275	0,93	2,221	0,93	2,286	0,91	3rd injection
00:03:45	2,274	0,92	2,221	0,93	2,286	0,91	3rd injection

00:03:46	2,275	0,93	2,222	0,93	2,287	0,92	3rd injection
00:03:47	2,275	0,93	2,222	0,93	2,287	0,92	3rd injection
00:03:48	2,275	0,93	2,222	0,93	2,287	0,92	3rd injection
00:03:49	2,275	0,93	2,222	0,93	2,287	0,92	3rd injection
00:03:50	2,276	0,93	2,222	0,93	2,287	0,92	3rd injection
00:03:51	2,276	0,93	2,221	0,93	2,287	0,92	3rd injection
00:03:52	2,277	0,94	2,221	0,93	2,287	0,92	3rd injection
00:03:53	2,277	0,94	2,221	0,93	2,287	0,92	3rd injection
00:03:54	2,278	0,95	2,222	0,93	2,288	0,93	3rd injection
00:03:55	2,278	0,95	2,222	0,93	2,288	0,93	3rd injection
00:03:56	2,278	0,95	2,222	0,93	2,288	0,93	3rd injection
00:03:57	2,279	0,96	2,222	0,93	2,288	0,93	3rd injection
00:03:58	2,279	0,96	2,222	0,93	2,288	0,93	3rd injection
00:03:59	2,279	0,96	2,223	0,94	2,288	0,93	3rd injection
00:04:00	2,279	0,96	2,223	0,94	2,288	0,93	3rd injection
00:04:01	2,279	0,96	2,223	0,94	2,288	0,93	3rd injection
00:04:02	2,279	0,96	2,224	0,95	2,288	0,93	3rd injection
00:04:03	2,279	0,96	2,224	0,95	2,288	0,93	3rd injection
00:04:04	2,279	0,96	2,224	0,95	2,288	0,93	3rd injection
00:04:05	2,279	0,96	2,224	0,95	2,288	0,93	3rd injection
00:04:06	2,279	0,96	2,224	0,95	2,288	0,93	3rd injection
00:04:07	2,279	0,96	2,224	0,95	2,288	0,93	3rd injection
00:04:08	2,279	0,96	2,224	0,95	2,288	0,93	3rd injection
00:04:09	2,279	0,96	2,225	0,96	2,288	0,93	3rd injection
00:04:10	2,28	0,97	2,225	0,96	2,288	0,93	3rd injection
00:04:11	2,28	0,97	2,225	0,96	2,289	0,93	3rd injection
00:04:12	2,279	0,96	2,225	0,96	2,289	0,93	3rd injection
00:04:13	2,279	0,96	2,225	0,96	2,289	0,93	3rd injection
00:04:14	2,279	0,96	2,225	0,96	2,289	0,93	3rd injection
00:04:15	2,279	0,96	2,225	0,96	2,289	0,93	3rd injection
00:04:16	2,279	0,96	2,225	0,96	2,289	0,93	3rd injection
00:04:17	2,279	0,96	2,225	0,96	2,29	0,94	3rd injection
00:04:18	2,28	0,97	2,225	0,96	2,29	0,94	3rd injection

00:04:19	2,28	0,97	2,225	0,96	2,29	0,94	3rd injection
00:04:20	2,28	0,97	2,225	0,96	2,29	0,94	3rd injection
00:04:21	2,28	0,97	2,225	0,96	2,29	0,94	3rd injection
00:04:22	2,28	0,97	2,226	0,97	2,29	0,94	3rd injection
00:04:23	2,28	0,97	2,226	0,97	2,291	0,95	3rd injection
00:04:24	2,281	0,98	2,226	0,97	2,291	0,95	3rd injection
00:04:25	2,281	0,98	2,226	0,97	2,291	0,95	3rd injection
00:04:26	2,281	0,98	2,226	0,97	2,291	0,95	3rd injection
00:04:27	2,282	0,98	2,226	0,97	2,291	0,95	3rd injection
00:04:28	2,282	0,98	2,227	0,97	2,292	0,96	3rd injection
00:04:29	2,282	0,98	2,227	0,97	2,292	0,96	3rd injection
00:04:30	2,282	0,98	2,227	0,97	2,292	0,96	3rd injection
00:04:31	2,282	0,98	2,226	0,97	2,293	0,97	3rd injection
00:04:32	2,282	0,98	2,226	0,97	2,293	0,97	3rd injection
00:04:33	2,281	0,98	2,226	0,97	2,293	0,97	3rd injection
00:04:34	2,282	0,98	2,226	0,97	2,293	0,97	3rd injection
00:04:35	2,282	0,98	2,226	0,97	2,293	0,97	3rd injection
00:04:36	2,281	0,98	2,226	0,97	2,294	0,98	3rd injection
00:04:37	2,282	0,98	2,227	0,97	2,294	0,98	3rd injection
00:04:38	2,282	0,98	2,227	0,97	2,293	0,97	3rd injection
00:04:39	2,282	0,98	2,227	0,97	2,293	0,97	3rd injection
00:04:40	2,283	0,99	2,227	0,97	2,293	0,97	3rd injection
00:04:41	2,283	0,99	2,227	0,97	2,293	0,97	3rd injection
00:04:42	2,283	0,99	2,227	0,97	2,293	0,97	3rd injection
00:04:43	2,283	0,99	2,227	0,97	2,293	0,97	3rd injection
00:04:44	2,283	0,99	2,226	0,97	2,293	0,97	3rd injection
00:04:45	2,283	0,99	2,226	0,97	2,293	0,97	3rd injection
00:04:46	2,283	0,99	2,226	0,97	2,293	0,97	3rd injection
00:04:47	2,283	0,99	2,226	0,97	2,293	0,97	3rd injection
00:04:48	2,283	0,99	2,226	0,97	2,293	0,97	3rd injection
00:04:49	2,282	0,98	2,226	0,97	2,293	0,97	3rd injection
00:04:50	2,282	0,98	2,226	0,97	2,293	0,97	3rd injection
00:04:51	2,282	0,98	2,226	0,97	2,292	0,96	3rd injection

00:04:52	2,281	0,98	2,226	0,97	2,292	0,96	3rd injection
00:04:53	2,281	0,98	2,226	0,97	2,292	0,96	3rd injection
00:04:54	2,281	0,98	2,226	0,97	2,292	0,96	3rd injection
00:04:55	2,281	0,98	2,226	0,97	2,292	0,96	3rd injection
00:04:56	2,28	0,97	2,226	0,97	2,292	0,96	3rd injection
00:04:57	2,28	0,97	2,226	0,97	2,293	0,97	3rd injection
00:04:58	2,28	0,97	2,226	0,97	2,293	0,97	3rd injection
00:04:59	2,28	0,97	2,226	0,97	2,293	0,97	3rd injection
00:05:00	2,28	0,97	2,226	0,97	2,293	0,97	3rd injection
00:05:01	2,281	0,98	2,226	0,97	2,293	0,97	3rd injection
00:05:02	2,281	0,98	2,226	0,97	2,293	0,97	3rd injection
00:05:03	2,281	0,98	2,226	0,97	2,293	0,97	3rd injection
00:05:04	2,281	0,98	2,226	0,97	2,293	0,97	3rd injection
00:05:05	2,281	0,98	2,226	0,97	2,294	0,98	3rd injection
00:05:06	2,281	0,98	2,225	0,96	2,294	0,98	3rd injection
00:05:07	2,281	0,98	2,225	0,96	2,293	0,97	3rd injection
00:05:08	2,281	0,98	2,226	0,97	2,294	0,98	3rd injection
00:05:09	2,281	0,98	2,226	0,97	2,293	0,97	3rd injection
00:05:10	2,281	0,98	2,225	0,96	2,293	0,97	3rd injection
00:05:11	2,281	0,98	2,225	0,96	2,293	0,97	3rd injection
00:05:12	2,281	0,98	2,225	0,96	2,293	0,97	3rd injection
00:05:13	2,281	0,98	2,225	0,96	2,293	0,97	3rd injection
00:05:14	2,281	0,98	2,225	0,96	2,293	0,97	3rd injection
00:05:15	2,281	0,98	2,225	0,96	2,293	0,97	3rd injection
00:05:16	2,281	0,98	2,225	0,96	2,293	0,97	3rd injection
00:05:17	2,281	0,98	2,225	0,96	2,293	0,97	3rd injection
00:05:18	2,281	0,98	2,225	0,96	2,293	0,97	3rd injection
00:05:19	2,281	0,98	2,225	0,96	2,293	0,97	3rd injection
00:05:20	2,28	0,97	2,225	0,96	2,293	0,97	3rd injection
00:05:21	2,28	0,97	2,225	0,96	2,293	0,97	3rd injection
00:05:22	2,28	0,97	2,225	0,96	2,293	0,97	3rd injection
00:05:23	2,28	0,97	2,225	0,96	2,293	0,97	3rd injection
00:05:24	2,28	0,97	2,225	0,96	2,293	0,97	3rd injection

00:05:25	2,281	0,98	2,225	0,96	2,293	0,97	3rd injection
00:05:26	2,281	0,98	2,225	0,96	2,293	0,97	3rd injection
00:05:27	2,281	0,98	2,225	0,96	2,293	0,97	3rd injection
00:05:28	2,281	0,98	2,225	0,96	2,292	0,96	3rd injection
00:05:29	2,281	0,98	2,225	0,96	2,292	0,96	3rd injection
00:05:30	2,281	0,98	2,226	0,97	2,292	0,96	3rd injection
00:05:31	2,281	0,98	2,226	0,97	2,292	0,96	3rd injection
00:05:32	2,281	0,98	2,226	0,97	2,292	0,96	3rd injection
00:05:33	2,281	0,98	2,227	0,97	2,292	0,96	3rd injection
00:05:34	2,281	0,98	2,227	0,97	2,292	0,96	3rd injection
00:05:35	2,281	0,98	2,228	0,98	2,292	0,96	3rd injection
00:05:36	2,281	0,98	2,228	0,98	2,292	0,96	3rd injection
00:05:37	2,281	0,98	2,228	0,98	2,292	0,96	3rd injection
00:05:38	2,281	0,98	2,228	0,98	2,292	0,96	3rd injection
00:05:39	2,281	0,98	2,228	0,98	2,292	0,96	3rd injection
00:05:40	2,282	0,98	2,228	0,98	2,293	0,97	3rd injection
00:05:41	2,282	0,98	2,228	0,98	2,293	0,97	3rd injection
00:05:42	2,282	0,98	2,227	0,97	2,293	0,97	3rd injection
00:05:43	2,283	0,99	2,227	0,97	2,293	0,97	3rd injection
00:05:44	2,283	0,99	2,226	0,97	2,293	0,97	3rd injection
00:05:45	2,283	0,99	2,226	0,97	2,293	0,97	3rd injection
00:05:46	2,284	1,00	2,226	0,97	2,293	0,97	3rd injection
00:05:47	2,283	0,99	2,226	0,97	2,293	0,97	3rd injection
00:05:48	2,283	0,99	2,225	0,96	2,293	0,97	3rd injection
00:05:49	2,283	0,99	2,225	0,96	2,293	0,97	3rd injection
00:05:50	2,283	0,99	2,225	0,96	2,293	0,97	3rd injection
00:05:51	2,282	0,98	2,225	0,96	2,293	0,97	3rd injection
00:05:52	2,282	0,98	2,226	0,97	2,293	0,97	3rd injection
00:05:53	2,281	0,98	2,226	0,97	2,293	0,97	3rd injection
00:05:54	2,281	0,98	2,226	0,97	2,293	0,97	3rd injection
00:05:55	2,281	0,98	2,226	0,97	2,293	0,97	3rd injection
00:05:56	2,281	0,98	2,226	0,97	2,293	0,97	3rd injection
00:05:57	2,281	0,98	2,227	0,97	2,293	0,97	3rd injection

00:05:58	2,281	0,98	2,227	0,97	2,293	0,97	3rd injection
00:05:59	2,281	0,98	2,227	0,97	2,293	0,97	3rd injection
00:06:00	2,281	0,98	2,227	0,97	2,293	0,97	3rd injection
00:06:01	2,281	0,98	2,227	0,97	2,293	0,97	3rd injection
00:06:02	2,281	0,98	2,227	0,97	2,293	0,97	3rd injection
00:06:03	2,281	0,98	2,227	0,97	2,293	0,97	3rd injection
00:06:04	2,281	0,98	2,227	0,97	2,293	0,97	3rd injection
00:06:05	2,281	0,98	2,227	0,97	2,293	0,97	3rd injection
00:06:06	2,282	0,98	2,227	0,97	2,293	0,97	3rd injection
00:06:07	2,282	0,98	2,227	0,97	2,293	0,97	3rd injection
00:06:08	2,282	0,98	2,227	0,97	2,293	0,97	3rd injection
00:06:09	2,282	0,98	2,227	0,97	2,293	0,97	3rd injection
00:06:10	2,283	0,99	2,228	0,98	2,293	0,97	3rd injection
00:06:11	2,283	0,99	2,228	0,98	2,293	0,97	3rd injection
00:06:12	2,283	0,99	2,228	0,98	2,293	0,97	3rd injection
00:06:13	2,283	0,99	2,228	0,98	2,293	0,97	3rd injection
00:06:14	2,283	0,99	2,228	0,98	2,293	0,97	3rd injection
00:06:15	2,283	0,99	2,228	0,98	2,293	0,97	3rd injection
00:06:16	2,283	0,99	2,228	0,98	2,293	0,97	3rd injection
00:06:17	2,283	0,99	2,228	0,98	2,293	0,97	3rd injection
00:06:18	2,283	0,99	2,228	0,98	2,293	0,97	3rd injection
00:06:19	2,282	0,98	2,228	0,98	2,294	0,98	3rd injection
00:06:20	2,282	0,98	2,228	0,98	2,294	0,98	3rd injection
00:06:21	2,282	0,98	2,229	0,99	2,294	0,98	3rd injection
00:06:22	2,282	0,98	2,229	0,99	2,293	0,97	3rd injection
00:06:23	2,282	0,98	2,229	0,99	2,293	0,97	3rd injection
00:06:24	2,282	0,98	2,229	0,99	2,293	0,97	3rd injection
00:06:25	2,282	0,98	2,229	0,99	2,293	0,97	3rd injection
00:06:26	2,282	0,98	2,229	0,99	2,293	0,97	3rd injection
00:06:27	2,282	0,98	2,23	1,00	2,293	0,97	3rd injection
00:06:28	2,282	0,98	2,23	1,00	2,293	0,97	3rd injection
00:06:29	2,282	0,98	2,23	1,00	2,293	0,97	3rd injection
00:06:30	2,282	0,98	2,23	1,00	2,293	0,97	3rd injection

00:06:31	2,282	0,98	2,23	1,00	2,292	0,96	3rd injection
00:06:32	2,282	0,98	2,23	1,00	2,292	0,96	3rd injection
00:06:33	2,282	0,98	2,23	1,00	2,292	0,96	3rd injection
00:06:34	2,282	0,98	2,23	1,00	2,292	0,96	3rd injection
00:06:35	2,282	0,98	2,23	1,00	2,292	0,96	3rd injection
00:06:36	2,282	0,98	2,23	1,00	2,292	0,96	3rd injection
00:06:37	2,282	0,98	2,23	1,00	2,292	0,96	3rd injection
00:06:38	2,282	0,98	2,229	0,99	2,292	0,96	3rd injection
00:06:39	2,282	0,98	2,229	0,99	2,293	0,97	3rd injection
00:06:40	2,282	0,98	2,229	0,99	2,293	0,97	3rd injection
00:06:41	2,282	0,98	2,228	0,98	2,293	0,97	3rd injection
00:06:42	2,282	0,98	2,228	0,98	2,293	0,97	3rd injection
00:06:43	2,282	0,98	2,228	0,98	2,293	0,97	3rd injection
00:06:44	2,283	0,99	2,227	0,97	2,293	0,97	3rd injection
00:06:45	2,283	0,99	2,227	0,97	2,293	0,97	3rd injection
00:06:46	2,283	0,99	2,227	0,97	2,293	0,97	3rd injection
00:06:47	2,283	0,99	2,227	0,97	2,293	0,97	3rd injection
00:06:48	2,283	0,99	2,226	0,97	2,293	0,97	3rd injection
00:06:49	2,283	0,99	2,227	0,97	2,293	0,97	3rd injection
00:06:50	2,283	0,99	2,227	0,97	2,293	0,97	3rd injection
00:06:51	2,283	0,99	2,227	0,97	2,293	0,97	3rd injection
00:06:52	2,283	0,99	2,227	0,97	2,293	0,97	3rd injection
00:06:53	2,283	0,99	2,227	0,97	2,293	0,97	3rd injection
00:06:54	2,282	0,98	2,228	0,98	2,293	0,97	3rd injection
00:06:55	2,282	0,98	2,228	0,98	2,293	0,97	3rd injection
00:06:56	2,282	0,98	2,228	0,98	2,293	0,97	3rd injection
00:06:57	2,282	0,98	2,228	0,98	2,293	0,97	3rd injection
00:06:58	2,282	0,98	2,229	0,99	2,294	0,98	3rd injection
00:06:59	2,282	0,98	2,229	0,99	2,294	0,98	3rd injection
00:07:00	2,281	0,98	2,228	0,98	2,294	0,98	3rd injection
00:07:01	2,281	0,98	2,228	0,98	2,293	0,97	3rd injection
00:07:02	2,281	0,98	2,228	0,98	2,293	0,97	3rd injection
00:07:03	2,28	0,97	2,228	0,98	2,293	0,97	3rd injection

00:07:04	2,28	0,97	2,228	0,98	2,293	0,97	3rd injection
00:07:05	2,28	0,97	2,227	0,97	2,293	0,97	3rd injection
00:07:06	2,28	0,97	2,227	0,97	2,293	0,97	3rd injection
00:07:07	2,28	0,97	2,227	0,97	2,293	0,97	3rd injection
00:07:08	2,28	0,97	2,227	0,97	2,293	0,97	3rd injection
00:07:09	2,281	0,98	2,227	0,97	2,293	0,97	3rd injection
00:07:10	2,281	0,98	2,227	0,97	2,293	0,97	3rd injection
00:07:11	2,281	0,98	2,227	0,97	2,294	0,98	3rd injection
00:07:12	2,281	0,98	2,227	0,97	2,294	0,98	3rd injection
00:07:13	2,282	0,98	2,227	0,97	2,294	0,98	3rd injection
00:07:14	2,282	0,98	2,227	0,97	2,294	0,98	3rd injection
00:07:15	2,282	0,98	2,227	0,97	2,294	0,98	3rd injection
00:07:16	2,282	0,98	2,227	0,97	2,294	0,98	3rd injection
00:07:17	2,282	0,98	2,227	0,97	2,295	0,98	3rd injection
00:07:18	2,282	0,98	2,227	0,97	2,295	0,98	3rd injection
00:07:19	2,282	0,98	2,227	0,97	2,295	0,98	3rd injection
00:07:20	2,282	0,98	2,227	0,97	2,295	0,98	3rd injection
00:07:21	2,282	0,98	2,227	0,97	2,296	0,99	3rd injection
00:07:22	2,282	0,98	2,227	0,97	2,296	0,99	3rd injection
00:07:23	2,281	0,98	2,227	0,97	2,296	0,99	3rd injection
00:07:24	2,281	0,98	2,227	0,97	2,296	0,99	3rd injection
00:07:25	2,281	0,98	2,227	0,97	2,297	1,00	3rd injection
00:07:26	2,281	0,98	2,227	0,97	2,297	1,00	3rd injection
00:07:27	2,281	0,98	2,227	0,97	2,296	0,99	3rd injection
00:07:28	2,281	0,98	2,227	0,97	2,296	0,99	3rd injection
00:07:29	2,281	0,98	2,227	0,97	2,296	0,99	3rd injection
00:07:30	2,281	0,98	2,228	0,98	2,296	0,99	3rd injection
00:07:31	2,281	0,98	2,228	0,98	2,295	0,98	3rd injection
00:07:32	2,281	0,98	2,228	0,98	2,295	0,98	3rd injection
00:07:33	2,281	0,98	2,228	0,98	2,295	0,98	3rd injection
00:07:34	2,281	0,98	2,228	0,98	2,295	0,98	3rd injection
00:07:35	2,281	0,98	2,228	0,98	2,294	0,98	3rd injection
00:07:36	2,281	0,98	2,228	0,98	2,294	0,98	3rd injection

00:07:37	2,281	0,98	2,229	0,99	2,294	0,98	3rd injection
00:07:38	2,281	0,98	2,229	0,99	2,294	0,98	3rd injection
00:07:39	2,281	0,98	2,229	0,99	2,294	0,98	3rd injection
00:07:40	2,281	0,98	2,229	0,99	2,294	0,98	3rd injection
00:07:41	2,281	0,98	2,229	0,99	2,294	0,98	3rd injection
00:07:42	2,281	0,98	2,229	0,99	2,294	0,98	3rd injection
00:07:43	2,281	0,98	2,229	0,99	2,294	0,98	3rd injection
00:07:44	2,281	0,98	2,229	0,99	2,294	0,98	3rd injection
00:07:45	2,281	0,98	2,229	0,99	2,294	0,98	3rd injection
00:07:46	2,281	0,98	2,229	0,99	2,294	0,98	3rd injection
00:07:47	2,28	0,97	2,228	0,98	2,294	0,98	3rd injection
00:07:48	2,28	0,97	2,228	0,98	2,294	0,98	3rd injection
00:07:49	2,28	0,97	2,228	0,98	2,295	0,98	3rd injection
00:07:50	2,28	0,97	2,228	0,98	2,295	0,98	3rd injection
00:07:51	2,28	0,97	2,228	0,98	2,295	0,98	3rd injection
00:07:52	2,28	0,97	2,228	0,98	2,295	0,98	3rd injection
00:07:53	2,28	0,97	2,227	0,97	2,295	0,98	3rd injection
00:07:54	2,279	0,96	2,227	0,97	2,295	0,98	3rd injection
00:07:55	2,279	0,96	2,227	0,97	2,295	0,98	3rd injection
00:07:56	2,279	0,96	2,227	0,97	2,295	0,98	3rd injection
00:07:57	2,279	0,96	2,227	0,97	2,295	0,98	3rd injection
00:07:58	2,279	0,96	2,227	0,97	2,295	0,98	3rd injection
00:07:59	2,279	0,96	2,227	0,97	2,295	0,98	3rd injection
00:08:00	2,279	0,96	2,227	0,97	2,295	0,98	3rd injection
00:08:01	2,279	0,96	2,227	0,97	2,295	0,98	3rd injection
00:08:02	2,279	0,96	2,227	0,97	2,295	0,98	3rd injection
00:08:03	2,279	0,96	2,227	0,97	2,295	0,98	3rd injection
00:08:04	2,279	0,96	2,227	0,97	2,294	0,98	3rd injection
00:08:05	2,279	0,96	2,227	0,97	2,294	0,98	3rd injection
00:08:06	2,279	0,96	2,227	0,97	2,294	0,98	3rd injection
00:08:07	2,279	0,96	2,227	0,97	2,294	0,98	3rd injection
00:08:08	2,279	0,96	2,226	0,97	2,294	0,98	3rd injection
00:08:09	2,279	0,96	2,226	0,97	2,293	0,97	3rd injection

00:08:10	2,28	0,97	2,226	0,97	2,293	0,97	3rd injection
00:08:11	2,28	0,97	2,226	0,97	2,293	0,97	3rd injection
00:08:12	2,28	0,97	2,227	0,97	2,293	0,97	3rd injection
00:08:13	2,28	0,97	2,227	0,97	2,293	0,97	3rd injection
00:08:14	2,28	0,97	2,227	0,97	2,292	0,96	3rd injection
00:08:15	2,28	0,97	2,227	0,97	2,292	0,96	3rd injection
00:08:16	2,28	0,97	2,228	0,98	2,292	0,96	3rd injection
00:08:17	2,28	0,97	2,228	0,98	2,292	0,96	3rd injection
00:08:18	2,28	0,97	2,228	0,98	2,292	0,96	3rd injection
00:08:19	2,28	0,97	2,228	0,98	2,292	0,96	3rd injection
00:08:20	2,28	0,97	2,229	0,99	2,292	0,96	3rd injection
00:08:21	2,28	0,97	2,229	0,99	2,292	0,96	3rd injection
00:08:22	2,28	0,97	2,229	0,99	2,292	0,96	3rd injection
00:08:23	2,28	0,97	2,23	1,00	2,292	0,96	3rd injection
00:08:24	2,28	0,97	2,23	1,00	2,292	0,96	3rd injection
00:08:25	2,28	0,97	2,229	0,99	2,292	0,96	3rd injection
00:08:26	2,281	0,98	2,229	0,99	2,292	0,96	3rd injection
00:08:27	2,281	0,98	2,229	0,99	2,292	0,96	3rd injection
00:08:28	2,281	0,98	2,229	0,99	2,292	0,96	3rd injection
00:08:29	2,281	0,98	2,229	0,99	2,293	0,97	3rd injection
00:08:30	2,282	0,98	2,229	0,99	2,293	0,97	3rd injection
00:08:31	2,282	0,98	2,229	0,99	2,293	0,97	3rd injection
00:08:32	2,282	0,98	2,229	0,99	2,293	0,97	3rd injection
00:08:33	2,282	0,98	2,229	0,99	2,293	0,97	3rd injection
00:08:34	2,282	0,98	2,228	0,98	2,293	0,97	3rd injection
00:08:35	2,282	0,98	2,228	0,98	2,294	0,98	3rd injection
00:08:36	2,283	0,99	2,228	0,98	2,294	0,98	3rd injection
00:08:37	2,282	0,98	2,228	0,98	2,294	0,98	3rd injection
00:08:38	2,282	0,98	2,228	0,98	2,294	0,98	3rd injection
00:08:39	2,282	0,98	2,228	0,98	2,294	0,98	3rd injection
00:08:40	2,282	0,98	2,228	0,98	2,295	0,98	3rd injection
00:08:41	2,282	0,98	2,228	0,98	2,295	0,98	3rd injection
00:08:42	2,282	0,98	2,228	0,98	2,295	0,98	3rd injection

00:08:43	2,282	0,98	2,228	0,98	2,295	0,98	3rd injection
00:08:44	2,282	0,98	2,228	0,98	2,295	0,98	3rd injection
00:08:45	2,282	0,98	2,228	0,98	2,295	0,98	3rd injection
00:08:46	2,282	0,98	2,228	0,98	2,295	0,98	3rd injection
00:08:47	2,281	0,98	2,228	0,98	2,295	0,98	3rd injection
00:08:48	2,281	0,98	2,227	0,97	2,295	0,98	3rd injection
00:08:49	2,281	0,98	2,227	0,97	2,295	0,98	3rd injection
00:08:50	2,281	0,98	2,227	0,97	2,294	0,98	3rd injection
00:08:51	2,281	0,98	2,227	0,97	2,294	0,98	3rd injection
00:08:52	2,281	0,98	2,228	0,98	2,294	0,98	3rd injection
00:08:53	2,28	0,97	2,228	0,98	2,294	0,98	3rd injection
00:08:54	2,28	0,97	2,228	0,98	2,294	0,98	3rd injection
00:08:55	2,28	0,97	2,228	0,98	2,294	0,98	3rd injection
00:08:56	2,28	0,97	2,228	0,98	2,294	0,98	3rd injection
00:08:57	2,28	0,97	2,228	0,98	2,294	0,98	3rd injection
00:08:58	2,281	0,98	2,229	0,99	2,294	0,98	3rd injection
00:08:59	2,281	0,98	2,229	0,99	2,293	0,97	3rd injection
00:09:00	2,282	0,98	2,229	0,99	2,293	0,97	3rd injection
00:09:01	2,282	0,98	2,229	0,99	2,293	0,97	3rd injection
00:09:02	2,282	0,98	2,229	0,99	2,293	0,97	3rd injection
00:09:03	2,283	0,99	2,229	0,99	2,293	0,97	3rd injection
00:09:04	2,283	0,99	2,23	1,00	2,292	0,96	3rd injection
00:09:05	2,283	0,99	2,23	1,00	2,292	0,96	3rd injection
00:09:06	2,284	1,00	2,229	0,99	2,293	0,97	3rd injection
00:09:07	2,284	1,00	2,229	0,99	2,293	0,97	3rd injection
00:09:08	2,283	0,99	2,229	0,99	2,293	0,97	3rd injection
00:09:09	2,283	0,99	2,229	0,99	2,293	0,97	3rd injection
00:09:10	2,283	0,99	2,229	0,99	2,293	0,97	3rd injection
00:09:11	2,283	0,99	2,229	0,99	2,294	0,98	3rd injection
00:09:12	2,282	0,98	2,228	0,98	2,294	0,98	3rd injection
00:09:13	2,282	0,98	2,228	0,98	2,294	0,98	3rd injection
00:09:14	2,281	0,98	2,228	0,98	2,294	0,98	3rd injection
00:09:15	2,281	0,98	2,228	0,98	2,294	0,98	3rd injection

00:09:16	2,28	0,97	2,228	0,98	2,294	0,98	3rd injection
00:09:17	2,28	0,97	2,228	0,98	2,294	0,98	3rd injection
00:09:18	2,28	0,97	2,229	0,99	2,294	0,98	3rd injection
00:09:19	2,28	0,97	2,229	0,99	2,294	0,98	3rd injection
00:09:20	2,28	0,97	2,229	0,99	2,294	0,98	3rd injection
00:09:21	2,28	0,97	2,229	0,99	2,294	0,98	3rd injection
00:09:22	2,28	0,97	2,229	0,99	2,293	0,97	3rd injection
00:09:23	2,279	0,96	2,229	0,99	2,293	0,97	3rd injection
00:09:24	2,279	0,96	2,228	0,98	2,293	0,97	3rd injection
00:09:25	2,279	0,96	2,228	0,98	2,293	0,97	3rd injection
00:09:26	2,28	0,97	2,228	0,98	2,293	0,97	3rd injection
00:09:27	2,279	0,96	2,228	0,98	2,293	0,97	3rd injection
00:09:28	2,279	0,96	2,228	0,98	2,293	0,97	3rd injection
00:09:29	2,279	0,96	2,228	0,98	2,293	0,97	3rd injection
00:09:30	2,279	0,96	2,228	0,98	2,293	0,97	3rd injection
00:09:31	2,279	0,96	2,227	0,97	2,294	0,98	3rd injection
00:09:32	2,279	0,96	2,227	0,97	2,294	0,98	3rd injection
00:09:33	2,279	0,96	2,227	0,97	2,293	0,97	3rd injection
00:09:34	2,28	0,97	2,227	0,97	2,294	0,98	3rd injection
00:09:35	2,28	0,97	2,227	0,97	2,294	0,98	3rd injection
00:09:36	2,28	0,97	2,227	0,97	2,294	0,98	3rd injection
00:09:37	2,28	0,97	2,227	0,97	2,294	0,98	3rd injection
00:09:38	2,28	0,97	2,227	0,97	2,294	0,98	3rd injection
00:09:39	2,28	0,97	2,227	0,97	2,293	0,97	3rd injection
00:09:40	2,28	0,97	2,227	0,97	2,293	0,97	3rd injection
00:09:41	2,28	0,97	2,227	0,97	2,293	0,97	3rd injection
00:09:42	2,281	0,98	2,227	0,97	2,293	0,97	3rd injection
00:09:43	2,281	0,98	2,227	0,97	2,293	0,97	3rd injection
00:00:00	2,284	0,01	2,23	0,01	2,295	0,03	4th injection
00:00:01	2,284	0,01	2,23	0,01	2,295	0,03	4th injection

00:00:02	2,284	0,01	2,23	0,01	2,295	0,03	4th injection
00:00:03	2,284	0,01	2,23	0,01	2,295	0,03	4th injection
00:00:04	2,284	0,01	2,23	0,01	2,295	0,03	4th injection
00:00:05	2,284	0,01	2,231	0,02	2,296	0,03	4th injection
00:00:06	2,284	0,01	2,231	0,02	2,296	0,03	4th injection
00:00:07	2,284	0,01	2,231	0,02	2,296	0,03	4th injection
00:00:08	2,284	0,01	2,231	0,02	2,296	0,03	4th injection
00:00:09	2,284	0,01	2,231	0,02	2,296	0,03	4th injection
00:00:10	2,284	0,01	2,231	0,02	2,296	0,03	4th injection
00:00:11	2,284	0,01	2,231	0,02	2,296	0,03	4th injection
00:00:12	2,284	0,01	2,231	0,02	2,296	0,03	4th injection
00:00:13	2,284	0,01	2,231	0,02	2,296	0,03	4th injection
00:00:14	2,284	0,01	2,23	0,01	2,296	0,03	4th injection
00:00:15	2,283	0,00	2,23	0,01	2,295	0,03	4th injection
00:00:16	2,284	0,01	2,23	0,01	2,295	0,03	4th injection
00:00:17	2,284	0,01	2,229	0,00	2,295	0,03	4th injection
00:00:18	2,284	0,01	2,229	0,00	2,295	0,03	4th injection
00:00:19	2,284	0,01	2,229	0,00	2,294	0,02	4th injection
00:00:20	2,284	0,01	2,229	0,00	2,294	0,02	4th injection
00:00:21	2,284	0,01	2,229	0,00	2,294	0,02	4th injection
00:00:22	2,284	0,01	2,229	0,00	2,294	0,02	4th injection
00:00:23	2,284	0,01	2,23	0,01	2,293	0,01	4th injection
00:00:24	2,284	0,01	2,23	0,01	2,293	0,01	4th injection
00:00:25	2,284	0,01	2,23	0,01	2,293	0,01	4th injection
00:00:26	2,284	0,01	2,231	0,02	2,293	0,01	4th injection
00:00:27	2,283	0,00	2,231	0,02	2,292	0,00	4th injection
00:00:28	2,283	0,00	2,232	0,03	2,292	0,00	4th injection
00:00:29	2,284	0,01	2,232	0,03	2,292	0,00	4th injection
00:00:30	2,286	0,03	2,232	0,03	2,292	0,00	4th injection
00:00:31	2,288	0,04	2,232	0,03	2,292	0,00	4th injection
00:00:32	2,29	0,06	2,232	0,03	2,292	0,00	4th injection
00:00:33	2,292	0,08	2,232	0,03	2,292	0,00	4th injection
00:00:34	2,294	0,09	2,232	0,03	2,292	0,00	4th injection

00:00:35	2,296	0,11	2,232	0,03	2,292	0,00	4th injection
00:00:36	2,298	0,13	2,232	0,03	2,292	0,00	4th injection
00:00:37	2,3	0,14	2,232	0,03	2,292	0,00	4th injection
00:00:38	2,301	0,15	2,232	0,03	2,292	0,00	4th injection
00:00:39	2,302	0,16	2,233	0,03	2,292	0,00	4th injection
00:00:40	2,302	0,16	2,233	0,03	2,292	0,00	4th injection
00:00:41	2,301	0,15	2,234	0,04	2,292	0,00	4th injection
00:00:42	2,3	0,14	2,234	0,04	2,292	0,00	4th injection
00:00:43	2,298	0,13	2,234	0,04	2,293	0,01	4th injection
00:00:44	2,297	0,12	2,235	0,05	2,293	0,01	4th injection
00:00:45	2,296	0,11	2,235	0,05	2,293	0,01	4th injection
00:00:46	2,296	0,11	2,235	0,05	2,293	0,01	4th injection
00:00:47	2,296	0,11	2,235	0,05	2,294	0,02	4th injection
00:00:48	2,297	0,12	2,235	0,05	2,295	0,03	4th injection
00:00:49	2,298	0,13	2,235	0,05	2,295	0,03	4th injection
00:00:50	2,299	0,13	2,234	0,04	2,296	0,03	4th injection
00:00:51	2,301	0,15	2,234	0,04	2,298	0,05	4th injection
00:00:52	2,303	0,17	2,234	0,04	2,299	0,06	4th injection
00:00:53	2,306	0,19	2,234	0,04	2,301	0,08	4th injection
00:00:54	2,309	0,22	2,235	0,05	2,303	0,09	4th injection
00:00:55	2,312	0,24	2,236	0,06	2,304	0,10	4th injection
00:00:56	2,316	0,28	2,238	0,08	2,306	0,12	4th injection
00:00:57	2,319	0,30	2,24	0,09	2,308	0,13	4th injection
00:00:58	2,323	0,34	2,242	0,11	2,309	0,14	4th injection
00:00:59	2,326	0,36	2,244	0,13	2,31	0,15	4th injection
00:01:00	2,33	0,39	2,246	0,15	2,311	0,16	4th injection
00:01:01	2,333	0,42	2,248	0,16	2,312	0,17	4th injection
00:01:02	2,336	0,45	2,251	0,19	2,313	0,18	4th injection
00:01:03	2,339	0,47	2,253	0,21	2,314	0,18	4th injection
00:01:04	2,342	0,50	2,254	0,21	2,315	0,19	4th injection
00:01:05	2,344	0,51	2,256	0,23	2,316	0,20	4th injection
00:01:06	2,347	0,54	2,258	0,25	2,316	0,20	4th injection
00:01:07	2,349	0,55	2,261	0,27	2,317	0,21	4th injection

00:01:08	2,35	0,56	2,263	0,29	2,318	0,22	4th injection
00:01:09	2,351	0,57	2,266	0,32	2,319	0,23	4th injection
00:01:10	2,352	0,58	2,269	0,34	2,32	0,23	4th injection
00:01:11	2,353	0,59	2,272	0,37	2,321	0,24	4th injection
00:01:12	2,354	0,60	2,275	0,39	2,322	0,25	4th injection
00:01:13	2,354	0,60	2,282	0,45	2,324	0,27	4th injection
00:01:14	2,355	0,61	2,286	0,49	2,325	0,28	4th injection
00:01:15	2,356	0,61	2,288	0,50	2,327	0,29	4th injection
00:01:16	2,357	0,62	2,291	0,53	2,329	0,31	4th injection
00:01:17	2,358	0,63	2,293	0,55	2,331	0,33	4th injection
00:01:18	2,359	0,64	2,295	0,56	2,333	0,34	4th injection
00:01:19	2,361	0,66	2,297	0,58	2,336	0,37	4th injection
00:01:20	2,363	0,67	2,298	0,59	2,338	0,38	4th injection
00:01:21	2,364	0,68	2,3	0,61	2,34	0,40	4th injection
00:01:22	2,366	0,70	2,301	0,62	2,342	0,42	4th injection
00:01:23	2,37	0,73	2,303	0,63	2,344	0,43	4th injection
00:01:24	2,372	0,75	2,304	0,64	2,346	0,45	4th injection
00:01:25	2,374	0,76	2,305	0,65	2,348	0,47	4th injection
00:01:26	2,375	0,77	2,307	0,67	2,35	0,48	4th injection
00:01:27	2,377	0,79	2,308	0,68	2,351	0,49	4th injection
00:01:28	2,378	0,80	2,309	0,68	2,352	0,50	4th injection
00:01:29	2,379	0,81	2,311	0,70	2,353	0,51	4th injection
00:01:30	2,38	0,82	2,312	0,71	2,353	0,51	4th injection
00:01:31	2,381	0,82	2,313	0,72	2,354	0,52	4th injection
00:01:32	2,382	0,83	2,314	0,73	2,354	0,52	4th injection
00:01:33	2,382	0,83	2,315	0,74	2,354	0,52	4th injection
00:01:34	2,383	0,84	2,316	0,74	2,354	0,52	4th injection
00:01:35	2,384	0,85	2,317	0,75	2,354	0,52	4th injection
00:01:36	2,384	0,85	2,318	0,76	2,354	0,52	4th injection
00:01:37	2,384	0,85	2,319	0,77	2,354	0,52	4th injection
00:01:38	2,385	0,86	2,319	0,77	2,353	0,51	4th injection
00:01:39	2,385	0,86	2,32	0,78	2,353	0,51	4th injection
00:01:40	2,385	0,86	2,32	0,78	2,352	0,50	4th injection

00:01:41	2,385	0,86	2,32	0,78	2,352	0,50	4th injection
00:01:42	2,385	0,86	2,32	0,78	2,352	0,50	4th injection
00:01:43	2,384	0,85	2,319	0,77	2,352	0,50	4th injection
00:01:44	2,384	0,85	2,319	0,77	2,352	0,50	4th injection
00:01:45	2,384	0,85	2,318	0,76	2,352	0,50	4th injection
00:01:46	2,384	0,85	2,317	0,75	2,352	0,50	4th injection
00:01:47	2,384	0,85	2,316	0,74	2,352	0,50	4th injection
00:01:48	2,384	0,85	2,315	0,74	2,353	0,51	4th injection
00:01:49	2,384	0,85	2,314	0,73	2,353	0,51	4th injection
00:01:50	2,384	0,85	2,314	0,73	2,353	0,51	4th injection
00:01:51	2,384	0,85	2,313	0,72	2,353	0,51	4th injection
00:01:52	2,384	0,85	2,312	0,71	2,354	0,52	4th injection
00:01:53	2,384	0,85	2,312	0,71	2,355	0,53	4th injection
00:01:54	2,384	0,85	2,311	0,70	2,357	0,54	4th injection
00:01:55	2,385	0,86	2,311	0,70	2,358	0,55	4th injection
00:01:56	2,385	0,86	2,31	0,69	2,36	0,57	4th injection
00:01:57	2,385	0,86	2,31	0,69	2,363	0,59	4th injection
00:01:58	2,385	0,86	2,31	0,69	2,363	0,59	4th injection
00:01:59	2,385	0,86	2,31	0,69	2,366	0,62	4th injection
00:02:00	2,385	0,86	2,31	0,69	2,369	0,64	4th injection
00:02:01	2,385	0,86	2,31	0,69	2,374	0,68	4th injection
00:02:02	2,385	0,86	2,311	0,70	2,377	0,71	4th injection
00:02:03	2,386	0,87	2,311	0,70	2,379	0,73	4th injection
00:02:04	2,386	0,87	2,312	0,71	2,381	0,74	4th injection
00:02:05	2,386	0,87	2,312	0,71	2,383	0,76	4th injection
00:02:06	2,386	0,87	2,313	0,72	2,384	0,77	4th injection
00:02:07	2,386	0,87	2,314	0,73	2,385	0,77	4th injection
00:02:08	2,387	0,87	2,315	0,74	2,386	0,78	4th injection
00:02:09	2,387	0,87	2,316	0,74	2,387	0,79	4th injection
00:02:10	2,387	0,87	2,317	0,75	2,388	0,80	4th injection
00:02:11	2,387	0,87	2,318	0,76	2,389	0,81	4th injection
00:02:12	2,387	0,87	2,319	0,77	2,389	0,81	4th injection
00:02:13	2,387	0,87	2,32	0,78	2,389	0,81	4th injection

00:02:14	2,388	0,88	2,32	0,78	2,39	0,82	4th injection
00:02:15	2,388	0,88	2,322	0,79	2,39	0,82	4th injection
00:02:16	2,388	0,88	2,323	0,80	2,39	0,82	4th injection
00:02:17	2,388	0,88	2,324	0,81	2,391	0,83	4th injection
00:02:18	2,388	0,88	2,325	0,82	2,391	0,83	4th injection
00:02:19	2,388	0,88	2,325	0,82	2,392	0,83	4th injection
00:02:20	2,389	0,89	2,326	0,83	2,393	0,84	4th injection
00:02:21	2,389	0,89	2,327	0,84	2,394	0,85	4th injection
00:02:22	2,389	0,89	2,328	0,85	2,394	0,85	4th injection
00:02:23	2,39	0,90	2,329	0,85	2,395	0,86	4th injection
00:02:24	2,39	0,90	2,33	0,86	2,396	0,87	4th injection
00:02:25	2,391	0,91	2,331	0,87	2,397	0,87	4th injection
00:02:26	2,391	0,91	2,331	0,87	2,398	0,88	4th injection
00:02:27	2,391	0,91	2,331	0,87	2,399	0,89	4th injection
00:02:28	2,392	0,92	2,332	0,88	2,399	0,89	4th injection
00:02:29	2,392	0,92	2,332	0,88	2,4	0,90	4th injection
00:02:30	2,392	0,92	2,332	0,88	2,4	0,90	4th injection
00:02:31	2,393	0,92	2,332	0,88	2,4	0,90	4th injection
00:02:32	2,393	0,92	2,332	0,88	2,4	0,90	4th injection
00:02:33	2,394	0,93	2,332	0,88	2,4	0,90	4th injection
00:02:34	2,394	0,93	2,333	0,89	2,4	0,90	4th injection
00:02:35	2,394	0,93	2,333	0,89	2,4	0,90	4th injection
00:02:36	2,394	0,93	2,333	0,89	2,4	0,90	4th injection
00:02:37	2,394	0,93	2,333	0,89	2,4	0,90	4th injection
00:02:38	2,395	0,94	2,333	0,89	2,4	0,90	4th injection
00:02:39	2,395	0,94	2,334	0,90	2,4	0,90	4th injection
00:02:40	2,395	0,94	2,334	0,90	2,4	0,90	4th injection
00:02:41	2,395	0,94	2,334	0,90	2,401	0,91	4th injection
00:02:42	2,395	0,94	2,334	0,90	2,401	0,91	4th injection
00:02:43	2,395	0,94	2,335	0,91	2,401	0,91	4th injection
00:02:44	2,395	0,94	2,335	0,91	2,402	0,92	4th injection
00:02:45	2,395	0,94	2,335	0,91	2,402	0,92	4th injection
00:02:46	2,395	0,94	2,335	0,91	2,402	0,92	4th injection

00:02:47	2,395	0,94	2,335	0,91	2,402	0,92	4th injection
00:02:48	2,395	0,94	2,335	0,91	2,403	0,93	4th injection
00:02:49	2,395	0,94	2,335	0,91	2,403	0,93	4th injection
00:02:50	2,394	0,93	2,335	0,91	2,403	0,93	4th injection
00:02:51	2,394	0,93	2,335	0,91	2,403	0,93	4th injection
00:02:52	2,394	0,93	2,335	0,91	2,403	0,93	4th injection
00:02:53	2,394	0,93	2,335	0,91	2,402	0,92	4th injection
00:02:54	2,394	0,93	2,335	0,91	2,402	0,92	4th injection
00:02:55	2,394	0,93	2,335	0,91	2,402	0,92	4th injection
00:02:56	2,394	0,93	2,335	0,91	2,402	0,92	4th injection
00:02:57	2,394	0,93	2,335	0,91	2,402	0,92	4th injection
00:02:58	2,395	0,94	2,335	0,91	2,402	0,92	4th injection
00:02:59	2,395	0,94	2,334	0,90	2,403	0,93	4th injection
00:03:00	2,395	0,94	2,334	0,90	2,403	0,93	4th injection
00:03:01	2,396	0,95	2,334	0,90	2,403	0,93	4th injection
00:03:02	2,396	0,95	2,334	0,90	2,403	0,93	4th injection
00:03:03	2,396	0,95	2,334	0,90	2,404	0,93	4th injection
00:03:04	2,396	0,95	2,334	0,90	2,404	0,93	4th injection
00:03:05	2,396	0,95	2,334	0,90	2,404	0,93	4th injection
00:03:06	2,397	0,96	2,334	0,90	2,404	0,93	4th injection
00:03:07	2,397	0,96	2,335	0,91	2,404	0,93	4th injection
00:03:08	2,397	0,96	2,335	0,91	2,404	0,93	4th injection
00:03:09	2,397	0,96	2,335	0,91	2,404	0,93	4th injection
00:03:10	2,398	0,97	2,335	0,91	2,404	0,93	4th injection
00:03:11	2,398	0,97	2,335	0,91	2,404	0,93	4th injection
00:03:12	2,398	0,97	2,335	0,91	2,404	0,93	4th injection
00:03:13	2,399	0,97	2,335	0,91	2,403	0,93	4th injection
00:03:14	2,399	0,97	2,336	0,91	2,403	0,93	4th injection
00:03:15	2,399	0,97	2,336	0,91	2,403	0,93	4th injection
00:03:16	2,399	0,97	2,337	0,92	2,403	0,93	4th injection
00:03:17	2,399	0,97	2,337	0,92	2,403	0,93	4th injection
00:03:18	2,399	0,97	2,338	0,93	2,404	0,93	4th injection
00:03:19	2,399	0,97	2,338	0,93	2,404	0,93	4th injection

00:03:20	2,399	0,97	2,339	0,94	2,404	0,93	4th injection
00:03:21	2,399	0,97	2,339	0,94	2,404	0,93	4th injection
00:03:22	2,399	0,97	2,34	0,95	2,404	0,93	4th injection
00:03:23	2,399	0,97	2,34	0,95	2,405	0,94	4th injection
00:03:24	2,399	0,97	2,341	0,96	2,405	0,94	4th injection
00:03:25	2,399	0,97	2,342	0,97	2,405	0,94	4th injection
00:03:26	2,399	0,97	2,342	0,97	2,406	0,95	4th injection
00:03:27	2,399	0,97	2,342	0,97	2,406	0,95	4th injection
00:03:28	2,399	0,97	2,343	0,97	2,406	0,95	4th injection
00:03:29	2,399	0,97	2,343	0,97	2,407	0,96	4th injection
00:03:30	2,4	0,98	2,343	0,97	2,407	0,96	4th injection
00:03:31	2,4	0,98	2,343	0,97	2,407	0,96	4th injection
00:03:32	2,4	0,98	2,343	0,97	2,408	0,97	4th injection
00:03:33	2,4	0,98	2,343	0,97	2,408	0,97	4th injection
00:03:34	2,4	0,98	2,343	0,97	2,408	0,97	4th injection
00:03:35	2,4	0,98	2,343	0,97	2,408	0,97	4th injection
00:03:36	2,4	0,98	2,343	0,97	2,408	0,97	4th injection
00:03:37	2,4	0,98	2,343	0,97	2,408	0,97	4th injection
00:03:38	2,4	0,98	2,343	0,97	2,408	0,97	4th injection
00:03:39	2,4	0,98	2,343	0,97	2,409	0,97	4th injection
00:03:40	2,4	0,98	2,343	0,97	2,409	0,97	4th injection
00:03:41	2,399	0,97	2,343	0,97	2,409	0,97	4th injection
00:03:42	2,399	0,97	2,344	0,98	2,409	0,97	4th injection
00:03:43	2,399	0,97	2,344	0,98	2,41	0,98	4th injection
00:03:44	2,399	0,97	2,344	0,98	2,41	0,98	4th injection
00:03:45	2,399	0,97	2,344	0,98	2,41	0,98	4th injection
00:03:46	2,4	0,98	2,344	0,98	2,411	0,99	4th injection
00:03:47	2,4	0,98	2,344	0,98	2,411	0,99	4th injection
00:03:48	2,4	0,98	2,344	0,98	2,411	0,99	4th injection
00:03:49	2,4	0,98	2,344	0,98	2,411	0,99	4th injection
00:03:50	2,4	0,98	2,344	0,98	2,411	0,99	4th injection
00:03:51	2,4	0,98	2,344	0,98	2,411	0,99	4th injection
00:03:52	2,4	0,98	2,343	0,97	2,411	0,99	4th injection

00:03:53	2,4	0,98	2,343	0,97	2,41	0,98	4th injection
00:03:54	2,4	0,98	2,343	0,97	2,41	0,98	4th injection
00:03:55	2,399	0,97	2,343	0,97	2,409	0,97	4th injection
00:03:56	2,399	0,97	2,343	0,97	2,409	0,97	4th injection
00:03:57	2,399	0,97	2,343	0,97	2,409	0,97	4th injection
00:03:58	2,399	0,97	2,343	0,97	2,409	0,97	4th injection
00:03:59	2,399	0,97	2,344	0,98	2,408	0,97	4th injection
00:04:00	2,399	0,97	2,344	0,98	2,408	0,97	4th injection
00:04:01	2,399	0,97	2,344	0,98	2,408	0,97	4th injection
00:04:02	2,399	0,97	2,344	0,98	2,408	0,97	4th injection
00:04:03	2,399	0,97	2,344	0,98	2,408	0,97	4th injection
00:04:04	2,399	0,97	2,344	0,98	2,408	0,97	4th injection
00:04:05	2,399	0,97	2,344	0,98	2,408	0,97	4th injection
00:04:06	2,399	0,97	2,344	0,98	2,408	0,97	4th injection
00:04:07	2,399	0,97	2,344	0,98	2,408	0,97	4th injection
00:04:08	2,399	0,97	2,344	0,98	2,408	0,97	4th injection
00:04:09	2,399	0,97	2,344	0,98	2,408	0,97	4th injection
00:04:10	2,398	0,97	2,344	0,98	2,407	0,96	4th injection
00:04:11	2,398	0,97	2,344	0,98	2,407	0,96	4th injection
00:04:12	2,398	0,97	2,344	0,98	2,407	0,96	4th injection
00:04:13	2,398	0,97	2,344	0,98	2,407	0,96	4th injection
00:04:14	2,398	0,97	2,344	0,98	2,407	0,96	4th injection
00:04:15	2,398	0,97	2,344	0,98	2,407	0,96	4th injection
00:04:16	2,398	0,97	2,344	0,98	2,407	0,96	4th injection
00:04:17	2,399	0,97	2,343	0,97	2,407	0,96	4th injection
00:04:18	2,399	0,97	2,343	0,97	2,407	0,96	4th injection
00:04:19	2,399	0,97	2,343	0,97	2,407	0,96	4th injection
00:04:20	2,4	0,98	2,343	0,97	2,407	0,96	4th injection
00:04:21	2,4	0,98	2,342	0,97	2,407	0,96	4th injection
00:04:22	2,4	0,98	2,342	0,97	2,407	0,96	4th injection
00:04:23	2,399	0,97	2,342	0,97	2,407	0,96	4th injection
00:04:24	2,399	0,97	2,341	0,96	2,408	0,97	4th injection
00:04:25	2,399	0,97	2,341	0,96	2,408	0,97	4th injection

00:04:26	2,399	0,97	2,341	0,96	2,408	0,97	4th injection
00:04:27	2,399	0,97	2,341	0,96	2,408	0,97	4th injection
00:04:28	2,399	0,97	2,341	0,96	2,408	0,97	4th injection
00:04:29	2,399	0,97	2,341	0,96	2,408	0,97	4th injection
00:04:30	2,399	0,97	2,342	0,97	2,408	0,97	4th injection
00:04:31	2,398	0,97	2,341	0,96	2,408	0,97	4th injection
00:04:32	2,399	0,97	2,341	0,96	2,408	0,97	4th injection
00:04:33	2,399	0,97	2,341	0,96	2,409	0,97	4th injection
00:04:34	2,399	0,97	2,341	0,96	2,409	0,97	4th injection
00:04:35	2,399	0,97	2,341	0,96	2,409	0,97	4th injection
00:04:36	2,399	0,97	2,341	0,96	2,409	0,97	4th injection
00:04:37	2,399	0,97	2,341	0,96	2,409	0,97	4th injection
00:04:38	2,399	0,97	2,341	0,96	2,409	0,97	4th injection
00:04:39	2,399	0,97	2,341	0,96	2,409	0,97	4th injection
00:04:40	2,4	0,98	2,341	0,96	2,409	0,97	4th injection
00:04:41	2,4	0,98	2,341	0,96	2,409	0,97	4th injection
00:04:42	2,4	0,98	2,341	0,96	2,409	0,97	4th injection
00:04:43	2,4	0,98	2,341	0,96	2,409	0,97	4th injection
00:04:44	2,4	0,98	2,341	0,96	2,409	0,97	4th injection
00:04:45	2,401	0,99	2,341	0,96	2,409	0,97	4th injection
00:04:46	2,401	0,99	2,342	0,97	2,409	0,97	4th injection
00:04:47	2,401	0,99	2,342	0,97	2,409	0,97	4th injection
00:04:48	2,401	0,99	2,342	0,97	2,409	0,97	4th injection
00:04:49	2,401	0,99	2,342	0,97	2,409	0,97	4th injection
00:04:50	2,401	0,99	2,342	0,97	2,409	0,97	4th injection
00:04:51	2,401	0,99	2,343	0,97	2,409	0,97	4th injection
00:04:52	2,402	1,00	2,343	0,97	2,409	0,97	4th injection
00:04:53	2,402	1,00	2,343	0,97	2,409	0,97	4th injection
00:04:54	2,402	1,00	2,343	0,97	2,408	0,97	4th injection
00:04:55	2,402	1,00	2,344	0,98	2,408	0,97	4th injection
00:04:56	2,402	1,00	2,344	0,98	2,408	0,97	4th injection
00:04:57	2,402	1,00	2,344	0,98	2,408	0,97	4th injection
00:04:58	2,402	1,00	2,344	0,98	2,408	0,97	4th injection

00:04:59	2,402	1,00	2,344	0,98	2,408	0,97	4th injection
00:05:00	2,402	1,00	2,344	0,98	2,408	0,97	4th injection
00:05:01	2,402	1,00	2,344	0,98	2,408	0,97	4th injection
00:05:02	2,402	1,00	2,344	0,98	2,409	0,97	4th injection
00:05:03	2,402	1,00	2,343	0,97	2,409	0,97	4th injection
00:05:04	2,402	1,00	2,343	0,97	2,409	0,97	4th injection
00:05:05	2,402	1,00	2,343	0,97	2,409	0,97	4th injection
00:05:06	2,402	1,00	2,343	0,97	2,41	0,98	4th injection
00:05:07	2,402	1,00	2,343	0,97	2,41	0,98	4th injection
00:05:08	2,402	1,00	2,343	0,97	2,41	0,98	4th injection
00:05:09	2,402	1,00	2,343	0,97	2,41	0,98	4th injection
00:05:10	2,402	1,00	2,343	0,97	2,409	0,97	4th injection
00:05:11	2,401	0,99	2,343	0,97	2,409	0,97	4th injection
00:05:12	2,401	0,99	2,343	0,97	2,409	0,97	4th injection
00:05:13	2,401	0,99	2,344	0,98	2,408	0,97	4th injection
00:05:14	2,4	0,98	2,344	0,98	2,408	0,97	4th injection
00:05:15	2,399	0,97	2,344	0,98	2,408	0,97	4th injection
00:05:16	2,399	0,97	2,344	0,98	2,408	0,97	4th injection
00:05:17	2,398	0,97	2,344	0,98	2,408	0,97	4th injection
00:05:18	2,398	0,97	2,344	0,98	2,408	0,97	4th injection
00:05:19	2,397	0,96	2,344	0,98	2,408	0,97	4th injection
00:05:20	2,397	0,96	2,344	0,98	2,408	0,97	4th injection
00:05:21	2,397	0,96	2,344	0,98	2,408	0,97	4th injection
00:05:22	2,397	0,96	2,344	0,98	2,408	0,97	4th injection
00:05:23	2,397	0,96	2,344	0,98	2,409	0,97	4th injection
00:05:24	2,397	0,96	2,344	0,98	2,409	0,97	4th injection
00:05:25	2,398	0,97	2,344	0,98	2,41	0,98	4th injection
00:05:26	2,398	0,97	2,344	0,98	2,41	0,98	4th injection
00:05:27	2,399	0,97	2,344	0,98	2,41	0,98	4th injection
00:05:28	2,399	0,97	2,344	0,98	2,41	0,98	4th injection
00:05:29	2,4	0,98	2,344	0,98	2,41	0,98	4th injection
00:05:30	2,4	0,98	2,344	0,98	2,411	0,99	4th injection
00:05:31	2,4	0,98	2,344	0,98	2,411	0,99	4th injection

00:05:32	2,4	0,98	2,344	0,98	2,41	0,98	4th injection
00:05:33	2,4	0,98	2,344	0,98	2,41	0,98	4th injection
00:05:34	2,4	0,98	2,344	0,98	2,41	0,98	4th injection
00:05:35	2,4	0,98	2,344	0,98	2,41	0,98	4th injection
00:05:36	2,399	0,97	2,343	0,97	2,41	0,98	4th injection
00:05:37	2,399	0,97	2,343	0,97	2,41	0,98	4th injection
00:05:38	2,399	0,97	2,343	0,97	2,41	0,98	4th injection
00:05:39	2,399	0,97	2,343	0,97	2,41	0,98	4th injection
00:05:40	2,399	0,97	2,343	0,97	2,41	0,98	4th injection
00:05:41	2,399	0,97	2,342	0,97	2,41	0,98	4th injection
00:05:42	2,398	0,97	2,342	0,97	2,41	0,98	4th injection
00:05:43	2,398	0,97	2,342	0,97	2,41	0,98	4th injection
00:05:44	2,398	0,97	2,342	0,97	2,41	0,98	4th injection
00:05:45	2,398	0,97	2,342	0,97	2,41	0,98	4th injection
00:05:46	2,399	0,97	2,342	0,97	2,41	0,98	4th injection
00:05:47	2,399	0,97	2,342	0,97	2,41	0,98	4th injection
00:05:48	2,399	0,97	2,342	0,97	2,409	0,97	4th injection
00:05:49	2,399	0,97	2,342	0,97	2,409	0,97	4th injection
00:05:50	2,4	0,98	2,343	0,97	2,409	0,97	4th injection
00:05:51	2,4	0,98	2,343	0,97	2,409	0,97	4th injection
00:05:52	2,4	0,98	2,343	0,97	2,409	0,97	4th injection
00:05:53	2,4	0,98	2,343	0,97	2,409	0,97	4th injection
00:05:54	2,401	0,99	2,344	0,98	2,409	0,97	4th injection
00:05:55	2,401	0,99	2,344	0,98	2,409	0,97	4th injection
00:05:56	2,401	0,99	2,344	0,98	2,409	0,97	4th injection
00:05:57	2,401	0,99	2,345	0,99	2,41	0,98	4th injection
00:05:58	2,402	1,00	2,345	0,99	2,409	0,97	4th injection
00:05:59	2,402	1,00	2,345	0,99	2,409	0,97	4th injection
00:06:00	2,402	1,00	2,345	0,99	2,41	0,98	4th injection
00:06:01	2,402	1,00	2,344	0,98	2,41	0,98	4th injection
00:06:02	2,401	0,99	2,344	0,98	2,41	0,98	4th injection
00:06:03	2,401	0,99	2,344	0,98	2,41	0,98	4th injection
00:06:04	2,401	0,99	2,344	0,98	2,41	0,98	4th injection

00:06:05	2,401	0,99	2,344	0,98	2,41	0,98	4th injection
00:06:06	2,401	0,99	2,344	0,98	2,41	0,98	4th injection
00:06:07	2,401	0,99	2,344	0,98	2,41	0,98	4th injection
00:06:08	2,4	0,98	2,344	0,98	2,41	0,98	4th injection
00:06:09	2,4	0,98	2,344	0,98	2,41	0,98	4th injection
00:06:10	2,401	0,99	2,344	0,98	2,41	0,98	4th injection
00:06:11	2,401	0,99	2,343	0,97	2,41	0,98	4th injection
00:06:12	2,401	0,99	2,343	0,97	2,41	0,98	4th injection
00:06:13	2,402	1,00	2,343	0,97	2,41	0,98	4th injection
00:06:14	2,402	1,00	2,343	0,97	2,41	0,98	4th injection
00:06:15	2,402	1,00	2,344	0,98	2,41	0,98	4th injection
00:06:16	2,402	1,00	2,344	0,98	2,41	0,98	4th injection
00:06:17	2,402	1,00	2,344	0,98	2,41	0,98	4th injection
00:06:18	2,402	1,00	2,344	0,98	2,41	0,98	4th injection
00:06:19	2,402	1,00	2,344	0,98	2,41	0,98	4th injection
00:06:20	2,402	1,00	2,344	0,98	2,41	0,98	4th injection
00:06:21	2,402	1,00	2,344	0,98	2,41	0,98	4th injection
00:06:22	2,402	1,00	2,344	0,98	2,41	0,98	4th injection
00:06:23	2,402	1,00	2,344	0,98	2,41	0,98	4th injection
00:06:24	2,402	1,00	2,344	0,98	2,41	0,98	4th injection
00:06:25	2,402	1,00	2,344	0,98	2,411	0,99	4th injection
00:06:26	2,402	1,00	2,344	0,98	2,411	0,99	4th injection
00:06:27	2,402	1,00	2,344	0,98	2,411	0,99	4th injection
00:06:28	2,402	1,00	2,344	0,98	2,411	0,99	4th injection
00:06:29	2,401	0,99	2,344	0,98	2,411	0,99	4th injection
00:06:30	2,401	0,99	2,344	0,98	2,411	0,99	4th injection
00:06:31	2,401	0,99	2,344	0,98	2,411	0,99	4th injection
00:06:32	2,401	0,99	2,344	0,98	2,411	0,99	4th injection
00:06:33	2,401	0,99	2,344	0,98	2,412	1,00	4th injection
00:06:34	2,401	0,99	2,344	0,98	2,412	1,00	4th injection
00:06:35	2,401	0,99	2,344	0,98	2,412	1,00	4th injection
00:06:36	2,401	0,99	2,344	0,98	2,412	1,00	4th injection
00:06:37	2,401	0,99	2,345	0,99	2,412	1,00	4th injection

00:06:38	2,401	0,99	2,345	0,99	2,412	1,00	4th injection
00:06:39	2,401	0,99	2,345	0,99	2,412	1,00	4th injection
00:06:40	2,401	0,99	2,345	0,99	2,412	1,00	4th injection
00:06:41	2,401	0,99	2,345	0,99	2,412	1,00	4th injection
00:06:42	2,4	0,98	2,345	0,99	2,411	0,99	4th injection
00:06:43	2,4	0,98	2,345	0,99	2,411	0,99	4th injection
00:06:44	2,4	0,98	2,345	0,99	2,411	0,99	4th injection
00:06:45	2,4	0,98	2,345	0,99	2,411	0,99	4th injection
00:06:46	2,4	0,98	2,345	0,99	2,411	0,99	4th injection
00:06:47	2,4	0,98	2,345	0,99	2,411	0,99	4th injection
00:06:48	2,399	0,97	2,345	0,99	2,411	0,99	4th injection
00:06:49	2,399	0,97	2,346	1,00	2,411	0,99	4th injection
00:06:50	2,399	0,97	2,346	1,00	2,411	0,99	4th injection
00:06:51	2,399	0,97	2,346	1,00	2,411	0,99	4th injection
00:06:52	2,399	0,97	2,346	1,00	2,411	0,99	4th injection
00:06:53	2,4	0,98	2,346	1,00	2,411	0,99	4th injection
00:06:54	2,4	0,98	2,346	1,00	2,411	0,99	4th injection
00:06:55	2,4	0,98	2,346	1,00	2,411	0,99	4th injection
00:06:56	2,4	0,98	2,346	1,00	2,41	0,98	4th injection
00:06:57	2,4	0,98	2,346	1,00	2,41	0,98	4th injection
00:06:58	2,4	0,98	2,345	0,99	2,41	0,98	4th injection
00:06:59	2,4	0,98	2,345	0,99	2,41	0,98	4th injection
00:07:00	2,4	0,98	2,345	0,99	2,41	0,98	4th injection
00:07:01	2,4	0,98	2,345	0,99	2,41	0,98	4th injection
00:07:02	2,399	0,97	2,345	0,99	2,409	0,97	4th injection
00:07:03	2,399	0,97	2,345	0,99	2,409	0,97	4th injection
00:07:04	2,399	0,97	2,345	0,99	2,409	0,97	4th injection
00:07:05	2,399	0,97	2,344	0,98	2,41	0,98	4th injection
00:07:06	2,399	0,97	2,344	0,98	2,41	0,98	4th injection
00:07:07	2,399	0,97	2,344	0,98	2,41	0,98	4th injection
00:07:08	2,399	0,97	2,344	0,98	2,409	0,97	4th injection
00:07:09	2,399	0,97	2,344	0,98	2,409	0,97	4th injection
00:07:10	2,399	0,97	2,344	0,98	2,409	0,97	4th injection

00:07:11	2,399	0,97	2,344	0,98	2,409	0,97	4th injection
00:07:12	2,4	0,98	2,344	0,98	2,409	0,97	4th injection
00:07:13	2,4	0,98	2,344	0,98	2,41	0,98	4th injection
00:07:14	2,4	0,98	2,344	0,98	2,41	0,98	4th injection
00:07:15	2,4	0,98	2,345	0,99	2,41	0,98	4th injection
00:07:16	2,4	0,98	2,345	0,99	2,41	0,98	4th injection
00:07:17	2,4	0,98	2,345	0,99	2,41	0,98	4th injection
00:07:18	2,401	0,99	2,345	0,99	2,41	0,98	4th injection
00:07:19	2,401	0,99	2,345	0,99	2,411	0,99	4th injection
00:07:20	2,401	0,99	2,345	0,99	2,411	0,99	4th injection
00:07:21	2,4	0,98	2,345	0,99	2,411	0,99	4th injection
00:07:22	2,4	0,98	2,345	0,99	2,41	0,98	4th injection
00:07:23	2,4	0,98	2,345	0,99	2,41	0,98	4th injection
00:07:24	2,4	0,98	2,344	0,98	2,41	0,98	4th injection
00:07:25	2,399	0,97	2,344	0,98	2,409	0,97	4th injection
00:07:26	2,399	0,97	2,344	0,98	2,409	0,97	4th injection
00:07:27	2,4	0,98	2,344	0,98	2,408	0,97	4th injection
00:07:28	2,4	0,98	2,344	0,98	2,408	0,97	4th injection
00:07:29	2,4	0,98	2,344	0,98	2,408	0,97	4th injection
00:07:30	2,4	0,98	2,344	0,98	2,408	0,97	4th injection
00:07:31	2,4	0,98	2,344	0,98	2,407	0,96	4th injection
00:07:32	2,4	0,98	2,344	0,98	2,407	0,96	4th injection
00:07:33	2,4	0,98	2,344	0,98	2,408	0,97	4th injection
00:07:34	2,4	0,98	2,344	0,98	2,408	0,97	4th injection
00:07:35	2,4	0,98	2,344	0,98	2,408	0,97	4th injection
00:07:36	2,399	0,97	2,344	0,98	2,408	0,97	4th injection
00:07:37	2,399	0,97	2,345	0,99	2,408	0,97	4th injection
00:07:38	2,399	0,97	2,345	0,99	2,408	0,97	4th injection
00:07:39	2,399	0,97	2,345	0,99	2,409	0,97	4th injection
00:07:40	2,399	0,97	2,345	0,99	2,409	0,97	4th injection
00:07:41	2,398	0,97	2,345	0,99	2,409	0,97	4th injection
00:07:42	2,398	0,97	2,345	0,99	2,409	0,97	4th injection
00:07:43	2,398	0,97	2,346	1,00	2,409	0,97	4th injection

00:07:44	2,398	0,97	2,346	1,00	2,409	0,97	4th injection
00:07:45	2,398	0,97	2,346	1,00	2,409	0,97	4th injection
00:07:46	2,398	0,97	2,346	1,00	2,409	0,97	4th injection
00:07:47	2,398	0,97	2,346	1,00	2,409	0,97	4th injection
00:07:48	2,398	0,97	2,345	0,99	2,409	0,97	4th injection
00:07:49	2,398	0,97	2,345	0,99	2,409	0,97	4th injection
00:07:50	2,399	0,97	2,345	0,99	2,409	0,97	4th injection
00:07:51	2,399	0,97	2,344	0,98	2,409	0,97	4th injection
00:07:52	2,399	0,97	2,344	0,98	2,409	0,97	4th injection
00:07:53	2,399	0,97	2,344	0,98	2,409	0,97	4th injection
00:07:54	2,399	0,97	2,344	0,98	2,409	0,97	4th injection
00:07:55	2,399	0,97	2,344	0,98	2,409	0,97	4th injection
00:07:56	2,399	0,97	2,344	0,98	2,409	0,97	4th injection
00:07:57	2,399	0,97	2,344	0,98	2,409	0,97	4th injection
00:07:58	2,399	0,97	2,344	0,98	2,409	0,97	4th injection
00:07:59	2,399	0,97	2,344	0,98	2,409	0,97	4th injection
00:08:00	2,399	0,97	2,344	0,98	2,409	0,97	4th injection
00:08:01	2,399	0,97	2,344	0,98	2,409	0,97	4th injection
00:08:02	2,399	0,97	2,344	0,98	2,409	0,97	4th injection
00:08:03	2,399	0,97	2,344	0,98	2,41	0,98	4th injection
00:08:04	2,399	0,97	2,344	0,98	2,41	0,98	4th injection
00:08:05	2,4	0,98	2,344	0,98	2,41	0,98	4th injection
00:08:06	2,4	0,98	2,344	0,98	2,41	0,98	4th injection
00:08:07	2,4	0,98	2,344	0,98	2,41	0,98	4th injection
00:08:08	2,399	0,97	2,345	0,99	2,41	0,98	4th injection
00:08:09	2,399	0,97	2,345	0,99	2,411	0,99	4th injection
00:08:10	2,399	0,97	2,345	0,99	2,411	0,99	4th injection
00:08:11	2,399	0,97	2,345	0,99	2,411	0,99	4th injection
00:08:12	2,399	0,97	2,345	0,99	2,411	0,99	4th injection
00:08:13	2,399	0,97	2,345	0,99	2,411	0,99	4th injection
00:08:14	2,399	0,97	2,345	0,99	2,411	0,99	4th injection
00:08:15	2,399	0,97	2,345	0,99	2,411	0,99	4th injection
00:08:16	2,399	0,97	2,344	0,98	2,411	0,99	4th injection

00:08:17	2,399	0,97	2,344	0,98	2,411	0,99	4th injection
00:08:18	2,399	0,97	2,344	0,98	2,411	0,99	4th injection
00:08:19	2,399	0,97	2,344	0,98	2,411	0,99	4th injection
00:08:20	2,4	0,98	2,344	0,98	2,41	0,98	4th injection
00:08:21	2,4	0,98	2,344	0,98	2,41	0,98	4th injection
00:08:22	2,4	0,98	2,345	0,99	2,41	0,98	4th injection
00:08:23	2,4	0,98	2,345	0,99	2,409	0,97	4th injection
00:08:24	2,401	0,99	2,345	0,99	2,409	0,97	4th injection
00:08:25	2,401	0,99	2,345	0,99	2,409	0,97	4th injection
00:08:26	2,401	0,99	2,344	0,98	2,409	0,97	4th injection
00:08:27	2,401	0,99	2,344	0,98	2,408	0,97	4th injection
00:08:28	2,401	0,99	2,344	0,98	2,408	0,97	4th injection
00:08:29	2,4	0,98	2,344	0,98	2,408	0,97	4th injection
00:08:30	2,4	0,98	2,344	0,98	2,408	0,97	4th injection
00:08:31	2,399	0,97	2,344	0,98	2,408	0,97	4th injection
00:08:32	2,399	0,97	2,344	0,98	2,408	0,97	4th injection
00:08:33	2,398	0,97	2,343	0,97	2,408	0,97	4th injection
00:08:34	2,398	0,97	2,343	0,97	2,409	0,97	4th injection
00:08:35	2,398	0,97	2,343	0,97	2,409	0,97	4th injection
00:08:36	2,398	0,97	2,343	0,97	2,409	0,97	4th injection
00:08:37	2,398	0,97	2,343	0,97	2,409	0,97	4th injection
00:08:38	2,398	0,97	2,343	0,97	2,409	0,97	4th injection
00:08:39	2,398	0,97	2,343	0,97	2,41	0,98	4th injection
00:08:40	2,398	0,97	2,343	0,97	2,41	0,98	4th injection
00:08:41	2,398	0,97	2,344	0,98	2,41	0,98	4th injection
00:08:42	2,399	0,97	2,344	0,98	2,41	0,98	4th injection
00:08:43	2,399	0,97	2,344	0,98	2,41	0,98	4th injection
00:08:44	2,399	0,97	2,344	0,98	2,41	0,98	4th injection
00:08:45	2,399	0,97	2,344	0,98	2,41	0,98	4th injection
00:08:46	2,399	0,97	2,344	0,98	2,41	0,98	4th injection
00:08:47	2,399	0,97	2,345	0,99	2,41	0,98	4th injection
00:08:48	2,398	0,97	2,345	0,99	2,41	0,98	4th injection
00:08:49	2,399	0,97	2,345	0,99	2,409	0,97	4th injection

00:08:50	2,399	0,97	2,345	0,99	2,409	0,97	4th injection
00:08:51	2,399	0,97	2,345	0,99	2,409	0,97	4th injection
00:08:52	2,399	0,97	2,346	1,00	2,409	0,97	4th injection
00:08:53	2,398	0,97	2,346	1,00	2,409	0,97	4th injection
00:08:54	2,398	0,97	2,346	1,00	2,409	0,97	4th injection
00:08:55	2,399	0,97	2,346	1,00	2,409	0,97	4th injection
00:08:56	2,399	0,97	2,346	1,00	2,409	0,97	4th injection
00:08:57	2,399	0,97	2,345	0,99	2,409	0,97	4th injection
00:08:58	2,399	0,97	2,345	0,99	2,409	0,97	4th injection
00:08:59	2,4	0,98	2,345	0,99	2,409	0,97	4th injection
00:09:00	2,4	0,98	2,345	0,99	2,409	0,97	4th injection
00:09:01	2,4	0,98	2,345	0,99	2,409	0,97	4th injection
00:09:02	2,4	0,98	2,344	0,98	2,409	0,97	4th injection
00:09:03	2,4	0,98	2,344	0,98	2,409	0,97	4th injection
00:09:04	2,4	0,98	2,344	0,98	2,409	0,97	4th injection
00:09:05	2,4	0,98	2,344	0,98	2,409	0,97	4th injection
00:09:06	2,4	0,98	2,344	0,98	2,409	0,97	4th injection
00:09:07	2,399	0,97	2,344	0,98	2,409	0,97	4th injection
00:09:08	2,399	0,97	2,344	0,98	2,409	0,97	4th injection
00:09:09	2,399	0,97	2,344	0,98	2,408	0,97	4th injection
00:09:10	2,398	0,97	2,344	0,98	2,408	0,97	4th injection
00:09:11	2,398	0,97	2,344	0,98	2,408	0,97	4th injection
00:09:12	2,398	0,97	2,344	0,98	2,408	0,97	4th injection
00:09:13	2,398	0,97	2,344	0,98	2,408	0,97	4th injection
00:09:14	2,398	0,97	2,344	0,98	2,408	0,97	4th injection
00:09:15	2,398	0,97	2,344	0,98	2,408	0,97	4th injection
00:09:16	2,398	0,97	2,344	0,98	2,408	0,97	4th injection
00:09:17	2,398	0,97	2,344	0,98	2,408	0,97	4th injection
00:09:18	2,398	0,97	2,344	0,98	2,409	0,97	4th injection
00:09:19	2,398	0,97	2,343	0,97	2,409	0,97	4th injection
00:09:20	2,398	0,97	2,343	0,97	2,409	0,97	4th injection
00:09:21	2,398	0,97	2,343	0,97	2,41	0,98	4th injection
00:09:22	2,398	0,97	2,343	0,97	2,41	0,98	4th injection

00:09:23	2,398	0,97	2,343	0,97	2,41	0,98	4th injection
00:09:24	2,398	0,97	2,344	0,98	2,41	0,98	4th injection
00:09:25	2,398	0,97	2,344	0,98	2,41	0,98	4th injection
00:09:26	2,398	0,97	2,344	0,98	2,411	0,99	4th injection
00:09:27	2,398	0,97	2,343	0,97	2,411	0,99	4th injection
00:09:28	2,398	0,97	2,343	0,97	2,411	0,99	4th injection
00:09:29	2,398	0,97	2,343	0,97	2,411	0,99	4th injection
00:09:30	2,398	0,97	2,343	0,97	2,411	0,99	4th injection
00:09:31	2,398	0,97	2,343	0,97	2,411	0,99	4th injection
00:09:32	2,398	0,97	2,343	0,97	2,411	0,99	4th injection
00:09:33	2,398	0,97	2,342	0,97	2,411	0,99	4th injection
00:09:34	2,398	0,97	2,342	0,97	2,411	0,99	4th injection
00:09:35	2,398	0,97	2,342	0,97	2,411	0,99	4th injection
00:09:36	2,399	0,97	2,342	0,97	2,411	0,99	4th injection
00:09:37	2,399	0,97	2,342	0,97	2,411	0,99	4th injection
00:09:38	2,399	0,97	2,343	0,97	2,411	0,99	4th injection
00:09:39	2,399	0,97	2,343	0,97	2,41	0,98	4th injection
00:09:40	2,399	0,97	2,343	0,97	2,41	0,98	4th injection
00:09:41	2,399	0,97	2,343	0,97	2,41	0,98	4th injection
00:09:42	2,399	0,97	2,344	0,98	2,41	0,98	4th injection
00:09:43	2,399	0,97	2,344	0,98	2,409	0,97	4th injection
00:09:44	2,398	0,97	2,344	0,98	2,409	0,97	4th injection
00:09:45	2,398	0,97	2,345	0,99	2,41	0,98	4th injection
00:09:46	2,398	0,97	2,345	0,99	2,41	0,98	4th injection
00:09:47	2,398	0,97	2,345	0,99	2,41	0,98	4th injection
00:09:48	2,398	0,97	2,345	0,99	2,41	0,98	4th injection
00:09:49	2,398	0,97	2,345	0,99	2,41	0,98	4th injection
00:09:50	2,398	0,97	2,345	0,99	2,411	0,99	4th injection
00:09:51	2,398	0,97	2,345	0,99	2,411	0,99	4th injection
00:09:52	2,398	0,97	2,345	0,99	2,411	0,99	4th injection
00:09:53	2,398	0,97	2,345	0,99	2,411	0,99	4th injection
00:09:54	2,398	0,97	2,346	1,00	2,411	0,99	4th injection
00:09:55	2,399	0,97	2,346	1,00	2,411	0,99	4th injection

00:09:56	2,399	0,97	2,346	1,00	2,411	0,99	4th injection
00:09:57	2,399	0,97	2,346	1,00	2,411	0,99	4th injection
00:09:58	2,399	0,97	2,346	1,00	2,411	0,99	4th injection
00:09:59	2,399	0,97	2,346	1,00	2,411	0,99	4th injection
00:10:00	2,399	0,97	2,346	1,00	2,411	0,99	4th injection
00:10:01	2,399	0,97	2,346	1,00	2,411	0,99	4th injection
00:10:02	2,398	0,97	2,345	0,99	2,41	0,98	4th injection
00:10:03	2,398	0,97	2,345	0,99	2,41	0,98	4th injection
00:10:04	2,398	0,97	2,345	0,99	2,409	0,97	4th injection
00:10:05	2,398	0,97	2,345	0,99	2,409	0,97	4th injection
00:10:06	2,398	0,97	2,345	0,99	2,409	0,97	4th injection
00:10:07	2,398	0,97	2,346	1,00	2,408	0,97	4th injection
00:10:08	2,398	0,97	2,346	1,00	2,408	0,97	4th injection
00:10:09	2,398	0,97	2,346	1,00	2,408	0,97	4th injection
00:10:10	2,398	0,97	2,346	1,00	2,408	0,97	4th injection
00:10:11	2,398	0,97	2,345	0,99	2,408	0,97	4th injection
00:10:12	2,398	0,97	2,345	0,99	2,409	0,97	4th injection
00:10:13	2,398	0,97	2,345	0,99	2,409	0,97	4th injection
00:10:14	2,399	0,97	2,345	0,99	2,409	0,97	4th injection
00:10:15	2,399	0,97	2,345	0,99	2,409	0,97	4th injection
00:10:16	2,399	0,97	2,345	0,99	2,41	0,98	4th injection
00:10:17	2,399	0,97	2,345	0,99	2,41	0,98	4th injection
00:10:18	2,399	0,97	2,345	0,99	2,41	0,98	4th injection
00:10:19	2,399	0,97	2,345	0,99	2,41	0,98	4th injection
00:10:20	2,399	0,97	2,345	0,99	2,41	0,98	4th injection
00:10:21	2,4	0,98	2,345	0,99	2,41	0,98	4th injection
00:10:22	2,4	0,98	2,345	0,99	2,41	0,98	4th injection
00:10:23	2,4	0,98	2,345	0,99	2,409	0,97	4th injection
00:10:24	2,4	0,98	2,344	0,98	2,409	0,97	4th injection
00:10:25	2,4	0,98	2,344	0,98	2,409	0,97	4th injection
00:10:26	2,4	0,98	2,344	0,98	2,409	0,97	4th injection
00:10:27	2,401	0,99	2,344	0,98	2,409	0,97	4th injection
00:10:28	2,401	0,99	2,344	0,98	2,409	0,97	4th injection

00:10:29	2,401	0,99	2,344	0,98	2,409	0,97	4th injection
00:10:30	2,401	0,99	2,344	0,98	2,409	0,97	4th injection
00:10:31	2,401	0,99	2,344	0,98	2,409	0,97	4th injection
00:10:32	2,401	0,99	2,345	0,99	2,409	0,97	4th injection
00:10:33	2,4	0,98	2,345	0,99	2,409	0,97	4th injection
00:10:34	2,4	0,98	2,345	0,99	2,409	0,97	4th injection
00:10:35	2,4	0,98	2,345	0,99	2,409	0,97	4th injection
00:10:36	2,4	0,98	2,345	0,99	2,409	0,97	4th injection
00:10:37	2,4	0,98	2,345	0,99	2,409	0,97	4th injection
00:10:38	2,4	0,98	2,345	0,99	2,409	0,97	4th injection
00:10:39	2,4	0,98	2,345	0,99	2,409	0,97	4th injection
00:10:40	2,4	0,98	2,345	0,99	2,409	0,97	4th injection
00:10:41	2,399	0,97	2,345	0,99	2,409	0,97	4th injection
00:10:42	2,399	0,97	2,345	0,99	2,409	0,97	4th injection
00:10:43	2,399	0,97	2,345	0,99	2,409	0,97	4th injection
00:10:44	2,399	0,97	2,345	0,99	2,409	0,97	4th injection
00:10:45	2,399	0,97	2,345	0,99	2,409	0,97	4th injection
00:10:46	2,399	0,97	2,344	0,98	2,409	0,97	4th injection
00:10:47	2,399	0,97	2,345	0,99	2,409	0,97	4th injection
00:10:48	2,4	0,98	2,345	0,99	2,409	0,97	4th injection
00:10:49	2,4	0,98	2,345	0,99	2,409	0,97	4th injection
00:10:50	2,4	0,98	2,345	0,99	2,409	0,97	4th injection
00:10:51	2,4	0,98	2,345	0,99	2,41	0,98	4th injection
00:10:52	2,4	0,98	2,346	1,00	2,41	0,98	4th injection
00:10:53	2,401	0,99	2,346	1,00	2,41	0,98	4th injection
00:10:54	2,401	0,99	2,346	1,00	2,41	0,98	4th injection
00:10:55	2,401	0,99	2,346	1,00	2,41	0,98	4th injection
00:10:56	2,402	1,00	2,346	1,00	2,41	0,98	4th injection
00:10:57	2,402	1,00	2,346	1,00	2,41	0,98	4th injection
00:10:58	2,402	1,00	2,346	1,00	2,41	0,98	4th injection
00:10:59	2,401	0,99	2,346	1,00	2,41	0,98	4th injection
00:11:00	2,401	0,99	2,345	0,99	2,41	0,98	4th injection
00:11:01	2,401	0,99	2,345	0,99	2,41	0,98	4th injection

00:11:02	2,4	0,98	2,345	0,99	2,41	0,98	4th injection
00:11:03	2,4	0,98	2,345	0,99	2,409	0,97	4th injection
00:11:04	2,4	0,98	2,345	0,99	2,409	0,97	4th injection
00:11:05	2,4	0,98	2,345	0,99	2,409	0,97	4th injection
00:11:06	2,4	0,98	2,345	0,99	2,409	0,97	4th injection
00:11:07	2,4	0,98	2,345	0,99	2,409	0,97	4th injection
00:11:08	2,4	0,98	2,345	0,99	2,409	0,97	4th injection
00:11:09	2,4	0,98	2,346	1,00	2,409	0,97	4th injection
00:11:10	2,4	0,98	2,346	1,00	2,409	0,97	4th injection
00:11:11	2,4	0,98	2,346	1,00	2,409	0,97	4th injection
00:11:12	2,401	0,99	2,346	1,00	2,409	0,97	4th injection
00:11:13	2,401	0,99	2,346	1,00	2,409	0,97	4th injection
00:11:14	2,401	0,99	2,345	0,99	2,409	0,97	4th injection
00:11:15	2,401	0,99	2,345	0,99	2,409	0,97	4th injection
00:11:16	2,402	1,00	2,345	0,99	2,409	0,97	4th injection
00:11:17	2,402	1,00	2,345	0,99	2,409	0,97	4th injection
00:11:18	2,402	1,00	2,345	0,99	2,409	0,97	4th injection
00:11:19	2,401	0,99	2,345	0,99	2,409	0,97	4th injection
00:11:20	2,401	0,99	2,345	0,99	2,409	0,97	4th injection
00:11:21	2,4	0,98	2,344	0,98	2,409	0,97	4th injection
00:11:22	2,4	0,98	2,344	0,98	2,409	0,97	4th injection
00:11:23	2,399	0,97	2,344	0,98	2,408	0,97	4th injection
00:11:24	2,399	0,97	2,343	0,97	2,408	0,97	4th injection
00:11:25	2,398	0,97	2,343	0,97	2,408	0,97	4th injection
00:11:26	2,398	0,97	2,343	0,97	2,408	0,97	4th injection
00:11:27	2,398	0,97	2,343	0,97	2,408	0,97	4th injection
00:11:28	2,399	0,97	2,342	0,97	2,408	0,97	4th injection
00:11:29	2,399	0,97	2,342	0,97	2,408	0,97	4th injection
00:11:30	2,4	0,98	2,342	0,97	2,409	0,97	4th injection
00:11:31	2,4	0,98	2,342	0,97	2,409	0,97	4th injection
00:11:32	2,4	0,98	2,342	0,97	2,409	0,97	4th injection
00:11:33	2,401	0,99	2,343	0,97	2,409	0,97	4th injection
00:11:34	2,401	0,99	2,343	0,97	2,409	0,97	4th injection

00:11:35	2,401	0,99	2,343	0,97	2,409	0,97	4th injection
00:11:36	2,401	0,99	2,343	0,97	2,409	0,97	4th injection
00:11:37	2,401	0,99	2,343	0,97	2,409	0,97	4th injection
00:11:38	2,401	0,99	2,344	0,98	2,409	0,97	4th injection
00:11:39	2,401	0,99	2,344	0,98	2,409	0,97	4th injection
00:11:40	2,4	0,98	2,344	0,98	2,409	0,97	4th injection
00:11:41	2,4	0,98	2,344	0,98	2,409	0,97	4th injection
00:11:42	2,4	0,98	2,344	0,98	2,409	0,97	4th injection
00:11:43	2,399	0,97	2,344	0,98	2,409	0,97	4th injection
00:11:44	2,399	0,97	2,344	0,98	2,409	0,97	4th injection
00:11:45	2,399	0,97	2,344	0,98	2,41	0,98	4th injection
00:11:46	2,398	0,97	2,344	0,98	2,41	0,98	4th injection
00:11:47	2,398	0,97	2,343	0,97	2,41	0,98	4th injection
00:11:48	2,398	0,97	2,343	0,97	2,41	0,98	4th injection
00:11:49	2,398	0,97	2,343	0,97	2,41	0,98	4th injection
00:11:50	2,398	0,97	2,343	0,97	2,41	0,98	4th injection
00:11:51	2,398	0,97	2,343	0,97	2,411	0,99	4th injection
00:11:52	2,398	0,97	2,343	0,97	2,411	0,99	4th injection
00:11:53	2,399	0,97	2,343	0,97	2,411	0,99	4th injection
00:11:54	2,399	0,97	2,344	0,98	2,411	0,99	4th injection
00:11:55	2,399	0,97	2,344	0,98	2,411	0,99	4th injection
00:11:56	2,399	0,97	2,344	0,98	2,411	0,99	4th injection
00:11:57	2,399	0,97	2,344	0,98	2,411	0,99	4th injection
00:11:58	2,4	0,98	2,344	0,98	2,411	0,99	4th injection
00:11:59	2,4	0,98	2,345	0,99	2,411	0,99	4th injection
00:12:00	2,4	0,98	2,345	0,99	2,411	0,99	4th injection
00:12:01	2,4	0,98	2,345	0,99	2,411	0,99	4th injection
00:12:02	2,4	0,98	2,345	0,99	2,411	0,99	4th injection
00:12:03	2,401	0,99	2,345	0,99	2,411	0,99	4th injection
00:12:04	2,401	0,99	2,345	0,99	2,411	0,99	4th injection
00:12:05	2,401	0,99	2,344	0,98	2,41	0,98	4th injection
00:12:06	2,402	1,00	2,344	0,98	2,41	0,98	4th injection
00:12:07	2,402	1,00	2,344	0,98	2,41	0,98	4th injection

00:12:08	2,402	1,00	2,344	0,98	2,41	0,98	4th injection
00:12:09	2,402	1,00	2,344	0,98	2,409	0,97	4th injection
00:12:10	2,402	1,00	2,344	0,98	2,409	0,97	4th injection
00:12:11	2,402	1,00	2,344	0,98	2,409	0,97	4th injection
00:12:12	2,402	1,00	2,344	0,98	2,409	0,97	4th injection
00:12:13	2,401	0,99	2,344	0,98	2,409	0,97	4th injection
00:12:14	2,401	0,99	2,344	0,98	2,409	0,97	4th injection
00:12:15	2,401	0,99	2,344	0,98	2,409	0,97	4th injection
00:12:16	2,401	0,99	2,344	0,98	2,41	0,98	4th injection
00:12:17	2,4	0,98	2,344	0,98	2,41	0,98	4th injection
00:12:18	2,4	0,98	2,344	0,98	2,41	0,98	4th injection
00:12:19	2,4	0,98	2,343	0,97	2,41	0,98	4th injection
00:12:20	2,4	0,98	2,343	0,97	2,41	0,98	4th injection
00:12:21	2,4	0,98	2,343	0,97	2,41	0,98	4th injection
00:12:22	2,4	0,98	2,343	0,97	2,411	0,99	4th injection
00:12:23	2,4	0,98	2,343	0,97	2,411	0,99	4th injection
00:12:24	2,399	0,97	2,343	0,97	2,411	0,99	4th injection
00:12:25	2,399	0,97	2,343	0,97	2,411	0,99	4th injection
00:12:26	2,398	0,97	2,343	0,97	2,411	0,99	4th injection
00:12:27	2,398	0,97	2,343	0,97	2,412	1,00	4th injection
00:12:28	2,398	0,97	2,343	0,97	2,412	1,00	4th injection
00:12:29	2,398	0,97	2,344	0,98	2,412	1,00	4th injection
00:12:30	2,398	0,97	2,344	0,98	2,412	1,00	4th injection
00:12:31	2,398	0,97	2,344	0,98	2,412	1,00	4th injection
00:12:32	2,398	0,97	2,344	0,98	2,412	1,00	4th injection
00:12:33	2,398	0,97	2,344	0,98	2,411	0,99	4th injection
00:12:34	2,398	0,97	2,344	0,98	2,411	0,99	4th injection
00:12:35	2,398	0,97	2,344	0,98	2,411	0,99	4th injection
00:12:36	2,398	0,97	2,343	0,97	2,411	0,99	4th injection
00:12:37	2,397	0,96	2,343	0,97	2,411	0,99	4th injection
00:00:00	2,397	0,01	2,343	0,00	2,411	0,03	5th injection
00:00:01	2,397	0,01	2,343	0,00	2,411	0,03	5th injection
00:00:02	2,397	0,01	2,343	0,00	2,411	0,03	5th injection

00:00:03	2,396	0,00	2,343	0,00	2,411	0,03	5th injection
00:00:04	2,396	0,00	2,343	0,00	2,411	0,03	5th injection
00:00:05	2,396	0,00	2,343	0,00	2,41	0,02	5th injection
00:00:06	2,396	0,00	2,343	0,00	2,41	0,02	5th injection
00:00:07	2,396	0,00	2,343	0,00	2,41	0,02	5th injection
00:00:08	2,396	0,00	2,343	0,00	2,41	0,02	5th injection
00:00:09	2,396	0,00	2,343	0,00	2,41	0,02	5th injection
00:00:10	2,396	0,00	2,343	0,00	2,409	0,01	5th injection
00:00:11	2,397	0,01	2,343	0,00	2,409	0,01	5th injection
00:00:12	2,397	0,01	2,343	0,00	2,409	0,01	5th injection
00:00:13	2,397	0,01	2,343	0,00	2,409	0,01	5th injection
00:00:14	2,398	0,02	2,343	0,00	2,408	0,00	5th injection
00:00:15	2,398	0,02	2,343	0,00	2,408	0,00	5th injection
00:00:16	2,398	0,02	2,343	0,00	2,408	0,00	5th injection
00:00:17	2,398	0,02	2,343	0,00	2,408	0,00	5th injection
00:00:18	2,398	0,02	2,343	0,00	2,408	0,00	5th injection
00:00:19	2,398	0,02	2,344	0,01	2,408	0,00	5th injection
00:00:20	2,398	0,02	2,344	0,01	2,408	0,00	5th injection
00:00:21	2,398	0,02	2,344	0,01	2,408	0,00	5th injection
00:00:22	2,398	0,02	2,344	0,01	2,408	0,00	5th injection
00:00:23	2,398	0,02	2,344	0,01	2,408	0,00	5th injection
00:00:24	2,398	0,02	2,344	0,01	2,408	0,00	5th injection
00:00:25	2,398	0,02	2,344	0,01	2,408	0,00	5th injection
00:00:26	2,398	0,02	2,344	0,01	2,408	0,00	5th injection
00:00:27	2,398	0,02	2,344	0,01	2,408	0,00	5th injection
00:00:28	2,398	0,02	2,344	0,01	2,408	0,00	5th injection
00:00:29	2,398	0,02	2,344	0,01	2,408	0,00	5th injection
00:00:30	2,398	0,02	2,344	0,01	2,408	0,00	5th injection
00:00:31	2,398	0,02	2,344	0,01	2,408	0,00	5th injection
00:00:32	2,398	0,02	2,344	0,01	2,408	0,00	5th injection
00:00:33	2,398	0,02	2,343	0,00	2,408	0,00	5th injection
00:00:34	2,398	0,02	2,344	0,01	2,408	0,00	5th injection
00:00:35	2,397	0,01	2,344	0,01	2,408	0,00	5th injection

00:00:36	2,397	0,01	2,344	0,01	2,409	0,01	5th injection
00:00:37	2,397	0,01	2,345	0,02	2,409	0,01	5th injection
00:00:38	2,397	0,01	2,345	0,02	2,409	0,01	5th injection
00:00:39	2,397	0,01	2,345	0,02	2,409	0,01	5th injection
00:00:40	2,397	0,01	2,345	0,02	2,409	0,01	5th injection
00:00:41	2,397	0,01	2,345	0,02	2,409	0,01	5th injection
00:00:42	2,397	0,01	2,345	0,02	2,409	0,01	5th injection
00:00:43	2,397	0,01	2,345	0,02	2,409	0,01	5th injection
00:00:44	2,398	0,02	2,345	0,02	2,408	0,00	5th injection
00:00:45	2,398	0,02	2,345	0,02	2,409	0,01	5th injection
00:00:46	2,399	0,02	2,345	0,02	2,408	0,00	5th injection
00:00:47	2,4	0,03	2,344	0,01	2,408	0,00	5th injection
00:00:48	2,402	0,05	2,344	0,01	2,408	0,00	5th injection
00:00:49	2,404	0,07	2,344	0,01	2,408	0,00	5th injection
00:00:50	2,407	0,09	2,344	0,01	2,408	0,00	5th injection
00:00:51	2,409	0,11	2,344	0,01	2,409	0,01	5th injection
00:00:52	2,411	0,12	2,344	0,01	2,409	0,01	5th injection
00:00:53	2,414	0,15	2,344	0,01	2,409	0,01	5th injection
00:00:54	2,415	0,16	2,344	0,01	2,409	0,01	5th injection
00:00:55	2,417	0,17	2,345	0,02	2,409	0,01	5th injection
00:00:56	2,418	0,18	2,346	0,03	2,409	0,01	5th injection
00:00:57	2,418	0,18	2,346	0,03	2,41	0,02	5th injection
00:00:58	2,418	0,18	2,347	0,03	2,41	0,02	5th injection
00:00:59	2,417	0,17	2,348	0,04	2,41	0,02	5th injection
00:01:00	2,416	0,16	2,349	0,05	2,41	0,02	5th injection
00:01:01	2,415	0,16	2,35	0,06	2,41	0,02	5th injection
00:01:02	2,414	0,15	2,35	0,06	2,41	0,02	5th injection
00:01:03	2,414	0,15	2,351	0,07	2,41	0,02	5th injection
00:01:04	2,414	0,15	2,352	0,08	2,411	0,03	5th injection
00:01:05	2,414	0,15	2,352	0,08	2,41	0,02	5th injection
00:01:06	2,415	0,16	2,352	0,08	2,41	0,02	5th injection
00:01:07	2,416	0,16	2,353	0,08	2,41	0,02	5th injection
00:01:08	2,418	0,18	2,353	0,08	2,41	0,02	5th injection

00:01:09	2,421	0,20	2,354	0,09	2,41	0,02	5th injection
00:01:10	2,422	0,21	2,355	0,10	2,41	0,02	5th injection
00:01:11	2,424	0,23	2,356	0,11	2,41	0,02	5th injection
00:01:12	2,425	0,24	2,357	0,12	2,41	0,02	5th injection
00:01:13	2,427	0,25	2,358	0,13	2,41	0,02	5th injection
00:01:14	2,428	0,26	2,36	0,14	2,41	0,02	5th injection
00:01:15	2,429	0,27	2,361	0,15	2,411	0,03	5th injection
00:01:16	2,431	0,29	2,363	0,17	2,411	0,03	5th injection
00:01:17	2,432	0,30	2,364	0,18	2,411	0,03	5th injection
00:01:18	2,435	0,32	2,366	0,19	2,412	0,03	5th injection
00:01:19	2,437	0,34	2,367	0,20	2,412	0,03	5th injection
00:01:20	2,44	0,36	2,369	0,22	2,413	0,04	5th injection
00:01:21	2,443	0,39	2,371	0,24	2,413	0,04	5th injection
00:01:22	2,447	0,42	2,373	0,25	2,413	0,04	5th injection
00:01:23	2,451	0,45	2,374	0,26	2,414	0,05	5th injection
00:01:24	2,455	0,48	2,376	0,28	2,414	0,05	5th injection
00:01:25	2,459	0,52	2,377	0,29	2,414	0,05	5th injection
00:01:26	2,462	0,54	2,378	0,29	2,415	0,06	5th injection
00:01:27	2,465	0,57	2,379	0,30	2,416	0,07	5th injection
00:01:28	2,469	0,60	2,38	0,31	2,417	0,07	5th injection
00:01:29	2,471	0,61	2,38	0,31	2,418	0,08	5th injection
00:01:30	2,474	0,64	2,38	0,31	2,42	0,10	5th injection
00:01:31	2,476	0,66	2,38	0,31	2,422	0,12	5th injection
00:01:32	2,477	0,66	2,38	0,31	2,424	0,13	5th injection
00:01:33	2,479	0,68	2,379	0,30	2,426	0,15	5th injection
00:01:34	2,48	0,69	2,378	0,29	2,43	0,18	5th injection
00:01:35	2,481	0,70	2,377	0,29	2,433	0,21	5th injection
00:01:36	2,483	0,71	2,377	0,29	2,438	0,25	5th injection
00:01:37	2,485	0,73	2,376	0,28	2,443	0,29	5th injection
00:01:38	2,486	0,74	2,376	0,28	2,449	0,34	5th injection
00:01:39	2,488	0,75	2,376	0,28	2,454	0,38	5th injection
00:01:40	2,489	0,76	2,376	0,28	2,46	0,43	5th injection
00:01:41	2,491	0,78	2,377	0,29	2,465	0,47	5th injection

00:01:42	2,492	0,79	2,377	0,29	2,47	0,52	5th injection
00:01:43	2,494	0,80	2,379	0,30	2,475	0,56	5th injection
00:01:44	2,495	0,81	2,381	0,32	2,479	0,59	5th injection
00:01:45	2,497	0,83	2,383	0,34	2,482	0,62	5th injection
00:01:46	2,498	0,84	2,385	0,35	2,484	0,63	5th injection
00:01:47	2,498	0,84	2,387	0,37	2,486	0,65	5th injection
00:01:48	2,499	0,84	2,389	0,39	2,487	0,66	5th injection
00:01:49	2,499	0,84	2,392	0,41	2,487	0,66	5th injection
00:01:50	2,499	0,84	2,394	0,43	2,487	0,66	5th injection
00:01:51	2,499	0,84	2,397	0,45	2,487	0,66	5th injection
00:01:52	2,499	0,84	2,399	0,47	2,488	0,67	5th injection
00:01:53	2,499	0,84	2,401	0,49	2,488	0,67	5th injection
00:01:54	2,498	0,84	2,403	0,50	2,488	0,67	5th injection
00:01:55	2,498	0,84	2,405	0,52	2,488	0,67	5th injection
00:01:56	2,498	0,84	2,407	0,54	2,488	0,67	5th injection
00:01:57	2,498	0,84	2,409	0,55	2,488	0,67	5th injection
00:01:58	2,498	0,84	2,412	0,58	2,488	0,67	5th injection
00:01:59	2,498	0,84	2,414	0,60	2,488	0,67	5th injection
00:02:00	2,499	0,84	2,417	0,62	2,487	0,66	5th injection
00:02:01	2,499	0,84	2,419	0,64	2,487	0,66	5th injection
00:02:02	2,499	0,84	2,422	0,66	2,487	0,66	5th injection
00:02:03	2,499	0,84	2,425	0,69	2,487	0,66	5th injection
00:02:04	2,499	0,84	2,428	0,71	2,487	0,66	5th injection
00:02:05	2,499	0,84	2,431	0,74	2,487	0,66	5th injection
00:02:06	2,499	0,84	2,433	0,76	2,488	0,67	5th injection
00:02:07	2,499	0,84	2,434	0,76	2,488	0,67	5th injection
00:02:08	2,5	0,85	2,435	0,77	2,488	0,67	5th injection
00:02:09	2,5	0,85	2,436	0,78	2,489	0,67	5th injection
00:02:10	2,5	0,85	2,437	0,79	2,489	0,67	5th injection
00:02:11	2,5	0,85	2,437	0,79	2,49	0,68	5th injection
00:02:12	2,5	0,85	2,437	0,79	2,49	0,68	5th injection
00:02:13	2,5	0,85	2,438	0,80	2,491	0,69	5th injection
00:02:14	2,501	0,86	2,438	0,80	2,491	0,69	5th injection

00:02:15	2,501	0,86	2,438	0,80	2,491	0,69	5th injection
00:02:16	2,501	0,86	2,438	0,80	2,491	0,69	5th injection
00:02:17	2,501	0,86	2,439	0,81	2,492	0,70	5th injection
00:02:18	2,502	0,87	2,44	0,82	2,492	0,70	5th injection
00:02:19	2,502	0,87	2,441	0,82	2,493	0,71	5th injection
00:02:20	2,503	0,88	2,441	0,82	2,493	0,71	5th injection
00:02:21	2,503	0,88	2,442	0,83	2,494	0,72	5th injection
00:02:22	2,503	0,88	2,443	0,84	2,494	0,72	5th injection
00:02:23	2,503	0,88	2,443	0,84	2,495	0,73	5th injection
00:02:24	2,504	0,89	2,444	0,85	2,495	0,73	5th injection
00:02:25	2,504	0,89	2,444	0,85	2,496	0,73	5th injection
00:02:26	2,505	0,89	2,444	0,85	2,496	0,73	5th injection
00:02:27	2,505	0,89	2,444	0,85	2,497	0,74	5th injection
00:02:28	2,505	0,89	2,444	0,85	2,497	0,74	5th injection
00:02:29	2,505	0,89	2,444	0,85	2,498	0,75	5th injection
00:02:30	2,505	0,89	2,444	0,85	2,498	0,75	5th injection
00:02:31	2,504	0,89	2,443	0,84	2,498	0,75	5th injection
00:02:32	2,504	0,89	2,443	0,84	2,499	0,76	5th injection
00:02:33	2,504	0,89	2,443	0,84	2,499	0,76	5th injection
00:02:34	2,504	0,89	2,443	0,84	2,499	0,76	5th injection
00:02:35	2,504	0,89	2,443	0,84	2,499	0,76	5th injection
00:02:36	2,503	0,88	2,443	0,84	2,499	0,76	5th injection
00:02:37	2,503	0,88	2,443	0,84	2,499	0,76	5th injection
00:02:38	2,503	0,88	2,444	0,85	2,5	0,77	5th injection
00:02:39	2,504	0,89	2,444	0,85	2,5	0,77	5th injection
00:02:40	2,504	0,89	2,444	0,85	2,5	0,77	5th injection
00:02:41	2,505	0,89	2,444	0,85	2,5	0,77	5th injection
00:02:42	2,505	0,89	2,444	0,85	2,501	0,77	5th injection
00:02:43	2,506	0,90	2,445	0,86	2,501	0,77	5th injection
00:02:44	2,506	0,90	2,445	0,86	2,502	0,78	5th injection
00:02:45	2,506	0,90	2,445	0,86	2,503	0,79	5th injection
00:02:46	2,507	0,91	2,445	0,86	2,503	0,79	5th injection
00:02:47	2,507	0,91	2,445	0,86	2,504	0,80	5th injection

00:02:48	2,507	0,91	2,444	0,85	2,504	0,80	5th injection
00:02:49	2,508	0,92	2,444	0,85	2,504	0,80	5th injection
00:02:50	2,508	0,92	2,444	0,85	2,505	0,81	5th injection
00:02:51	2,508	0,92	2,444	0,85	2,505	0,81	5th injection
00:02:52	2,508	0,92	2,444	0,85	2,505	0,81	5th injection
00:02:53	2,509	0,93	2,444	0,85	2,505	0,81	5th injection
00:02:54	2,509	0,93	2,444	0,85	2,505	0,81	5th injection
00:02:55	2,51	0,93	2,444	0,85	2,505	0,81	5th injection
00:02:56	2,51	0,93	2,444	0,85	2,505	0,81	5th injection
00:02:57	2,511	0,94	2,444	0,85	2,505	0,81	5th injection
00:02:58	2,511	0,94	2,444	0,85	2,506	0,82	5th injection
00:02:59	2,512	0,95	2,444	0,85	2,506	0,82	5th injection
00:03:00	2,512	0,95	2,444	0,85	2,506	0,82	5th injection
00:03:01	2,513	0,96	2,445	0,86	2,506	0,82	5th injection
00:03:02	2,513	0,96	2,445	0,86	2,506	0,82	5th injection
00:03:03	2,513	0,96	2,445	0,86	2,506	0,82	5th injection
00:03:04	2,513	0,96	2,446	0,87	2,506	0,82	5th injection
00:03:05	2,513	0,96	2,447	0,87	2,506	0,82	5th injection
00:03:06	2,513	0,96	2,448	0,88	2,506	0,82	5th injection
00:03:07	2,513	0,96	2,448	0,88	2,506	0,82	5th injection
00:03:08	2,512	0,95	2,449	0,89	2,507	0,83	5th injection
00:03:09	2,512	0,95	2,45	0,90	2,507	0,83	5th injection
00:03:10	2,512	0,95	2,45	0,90	2,507	0,83	5th injection
00:03:11	2,512	0,95	2,451	0,91	2,507	0,83	5th injection
00:03:12	2,512	0,95	2,451	0,91	2,507	0,83	5th injection
00:03:13	2,512	0,95	2,451	0,91	2,507	0,83	5th injection
00:03:14	2,512	0,95	2,451	0,91	2,508	0,83	5th injection
00:03:15	2,512	0,95	2,452	0,92	2,508	0,83	5th injection
00:03:16	2,512	0,95	2,452	0,92	2,508	0,83	5th injection
00:03:17	2,512	0,95	2,452	0,92	2,509	0,84	5th injection
00:03:18	2,512	0,95	2,452	0,92	2,509	0,84	5th injection
00:03:19	2,512	0,95	2,453	0,92	2,509	0,84	5th injection
00:03:20	2,512	0,95	2,453	0,92	2,51	0,85	5th injection

00:03:21	2,512	0,95	2,453	0,92	2,51	0,85	5th injection
00:03:22	2,512	0,95	2,454	0,93	2,511	0,86	5th injection
00:03:23	2,512	0,95	2,454	0,93	2,511	0,86	5th injection
00:03:24	2,512	0,95	2,455	0,94	2,512	0,87	5th injection
00:03:25	2,512	0,95	2,455	0,94	2,512	0,87	5th injection
00:03:26	2,512	0,95	2,455	0,94	2,513	0,87	5th injection
00:03:27	2,512	0,95	2,455	0,94	2,513	0,87	5th injection
00:03:28	2,512	0,95	2,455	0,94	2,513	0,87	5th injection
00:03:29	2,511	0,94	2,455	0,94	2,513	0,87	5th injection
00:03:30	2,511	0,94	2,455	0,94	2,513	0,87	5th injection
00:03:31	2,511	0,94	2,456	0,95	2,514	0,88	5th injection
00:03:32	2,511	0,94	2,456	0,95	2,514	0,88	5th injection
00:03:33	2,51	0,93	2,456	0,95	2,514	0,88	5th injection
00:03:34	2,51	0,93	2,456	0,95	2,515	0,89	5th injection
00:03:35	2,509	0,93	2,456	0,95	2,515	0,89	5th injection
00:03:36	2,509	0,93	2,457	0,96	2,516	0,90	5th injection
00:03:37	2,509	0,93	2,457	0,96	2,516	0,90	5th injection
00:03:38	2,508	0,92	2,457	0,96	2,516	0,90	5th injection
00:03:39	2,508	0,92	2,458	0,97	2,516	0,90	5th injection
00:03:40	2,508	0,92	2,458	0,97	2,516	0,90	5th injection
00:03:41	2,508	0,92	2,458	0,97	2,516	0,90	5th injection
00:03:42	2,508	0,92	2,458	0,97	2,516	0,90	5th injection
00:03:43	2,508	0,92	2,458	0,97	2,517	0,91	5th injection
00:03:44	2,509	0,93	2,457	0,96	2,517	0,91	5th injection
00:03:45	2,509	0,93	2,457	0,96	2,518	0,92	5th injection
00:03:46	2,509	0,93	2,457	0,96	2,518	0,92	5th injection
00:03:47	2,51	0,93	2,457	0,96	2,518	0,92	5th injection
00:03:48	2,51	0,93	2,457	0,96	2,519	0,93	5th injection
00:03:49	2,51	0,93	2,457	0,96	2,519	0,93	5th injection
00:03:50	2,511	0,94	2,457	0,96	2,52	0,93	5th injection
00:03:51	2,511	0,94	2,457	0,96	2,52	0,93	5th injection
00:03:52	2,511	0,94	2,457	0,96	2,52	0,93	5th injection
00:03:53	2,512	0,95	2,457	0,96	2,521	0,94	5th injection

00:03:54	2,512	0,95	2,458	0,97	2,521	0,94	5th injection
00:03:55	2,513	0,96	2,458	0,97	2,521	0,94	5th injection
00:03:56	2,512	0,95	2,458	0,97	2,521	0,94	5th injection
00:03:57	2,512	0,95	2,458	0,97	2,521	0,94	5th injection
00:03:58	2,512	0,95	2,458	0,97	2,521	0,94	5th injection
00:03:59	2,512	0,95	2,458	0,97	2,521	0,94	5th injection
00:04:00	2,512	0,95	2,458	0,97	2,522	0,95	5th injection
00:04:01	2,512	0,95	2,458	0,97	2,522	0,95	5th injection
00:04:02	2,512	0,95	2,458	0,97	2,522	0,95	5th injection
00:04:03	2,512	0,95	2,457	0,96	2,522	0,95	5th injection
00:04:04	2,512	0,95	2,457	0,96	2,522	0,95	5th injection
00:04:05	2,512	0,95	2,457	0,96	2,522	0,95	5th injection
00:04:06	2,512	0,95	2,456	0,95	2,522	0,95	5th injection
00:04:07	2,512	0,95	2,456	0,95	2,522	0,95	5th injection
00:04:08	2,512	0,95	2,456	0,95	2,522	0,95	5th injection
00:04:09	2,512	0,95	2,455	0,94	2,522	0,95	5th injection
00:04:10	2,512	0,95	2,455	0,94	2,522	0,95	5th injection
00:04:11	2,512	0,95	2,455	0,94	2,522	0,95	5th injection
00:04:12	2,512	0,95	2,455	0,94	2,523	0,96	5th injection
00:04:13	2,512	0,95	2,455	0,94	2,522	0,95	5th injection
00:04:14	2,512	0,95	2,455	0,94	2,522	0,95	5th injection
00:04:15	2,512	0,95	2,455	0,94	2,522	0,95	5th injection
00:04:16	2,512	0,95	2,455	0,94	2,522	0,95	5th injection
00:04:17	2,512	0,95	2,455	0,94	2,522	0,95	5th injection
00:04:18	2,512	0,95	2,456	0,95	2,522	0,95	5th injection
00:04:19	2,512	0,95	2,456	0,95	2,522	0,95	5th injection
00:04:20	2,512	0,95	2,456	0,95	2,522	0,95	5th injection
00:04:21	2,511	0,94	2,456	0,95	2,523	0,96	5th injection
00:04:22	2,511	0,94	2,456	0,95	2,523	0,96	5th injection
00:04:23	2,511	0,94	2,456	0,95	2,522	0,95	5th injection
00:04:24	2,511	0,94	2,455	0,94	2,522	0,95	5th injection
00:04:25	2,511	0,94	2,455	0,94	2,522	0,95	5th injection
00:04:26	2,511	0,94	2,455	0,94	2,521	0,94	5th injection

00:04:27	2,511	0,94	2,455	0,94	2,521	0,94	5th injection
00:04:28	2,511	0,94	2,456	0,95	2,521	0,94	5th injection
00:04:29	2,512	0,95	2,456	0,95	2,521	0,94	5th injection
00:04:30	2,512	0,95	2,456	0,95	2,521	0,94	5th injection
00:04:31	2,512	0,95	2,456	0,95	2,521	0,94	5th injection
00:04:32	2,513	0,96	2,457	0,96	2,521	0,94	5th injection
00:04:33	2,513	0,96	2,457	0,96	2,521	0,94	5th injection
00:04:34	2,514	0,97	2,457	0,96	2,522	0,95	5th injection
00:04:35	2,514	0,97	2,457	0,96	2,522	0,95	5th injection
00:04:36	2,514	0,97	2,458	0,97	2,523	0,96	5th injection
00:04:37	2,514	0,97	2,458	0,97	2,523	0,96	5th injection
00:04:38	2,514	0,97	2,458	0,97	2,524	0,97	5th injection
00:04:39	2,513	0,96	2,458	0,97	2,524	0,97	5th injection
00:04:40	2,513	0,96	2,458	0,97	2,524	0,97	5th injection
00:04:41	2,513	0,96	2,458	0,97	2,524	0,97	5th injection
00:04:42	2,513	0,96	2,458	0,97	2,525	0,97	5th injection
00:04:43	2,513	0,96	2,458	0,97	2,525	0,97	5th injection
00:04:44	2,513	0,96	2,458	0,97	2,525	0,97	5th injection
00:04:45	2,512	0,95	2,458	0,97	2,525	0,97	5th injection
00:04:46	2,512	0,95	2,457	0,96	2,525	0,97	5th injection
00:04:47	2,512	0,95	2,457	0,96	2,525	0,97	5th injection
00:04:48	2,512	0,95	2,457	0,96	2,525	0,97	5th injection
00:04:49	2,512	0,95	2,457	0,96	2,525	0,97	5th injection
00:04:50	2,511	0,94	2,457	0,96	2,525	0,97	5th injection
00:04:51	2,511	0,94	2,456	0,95	2,526	0,98	5th injection
00:04:52	2,511	0,94	2,456	0,95	2,526	0,98	5th injection
00:04:53	2,51	0,93	2,456	0,95	2,526	0,98	5th injection
00:04:54	2,51	0,93	2,456	0,95	2,526	0,98	5th injection
00:04:55	2,51	0,93	2,456	0,95	2,526	0,98	5th injection
00:04:56	2,51	0,93	2,456	0,95	2,526	0,98	5th injection
00:04:57	2,51	0,93	2,456	0,95	2,526	0,98	5th injection
00:04:58	2,51	0,93	2,456	0,95	2,526	0,98	5th injection
00:04:59	2,511	0,94	2,456	0,95	2,526	0,98	5th injection

00:05:00	2,511	0,94	2,457	0,96	2,526	0,98	5th injection
00:05:01	2,512	0,95	2,457	0,96	2,526	0,98	5th injection
00:05:02	2,512	0,95	2,457	0,96	2,525	0,97	5th injection
00:05:03	2,512	0,95	2,458	0,97	2,525	0,97	5th injection
00:05:04	2,513	0,96	2,458	0,97	2,525	0,97	5th injection
00:05:05	2,513	0,96	2,458	0,97	2,525	0,97	5th injection
00:05:06	2,513	0,96	2,458	0,97	2,525	0,97	5th injection
00:05:07	2,514	0,97	2,458	0,97	2,525	0,97	5th injection
00:05:08	2,514	0,97	2,458	0,97	2,525	0,97	5th injection
00:05:09	2,515	0,98	2,458	0,97	2,525	0,97	5th injection
00:05:10	2,515	0,98	2,458	0,97	2,525	0,97	5th injection
00:05:11	2,515	0,98	2,457	0,96	2,525	0,97	5th injection
00:05:12	2,515	0,98	2,457	0,96	2,525	0,97	5th injection
00:05:13	2,515	0,98	2,457	0,96	2,525	0,97	5th injection
00:05:14	2,515	0,98	2,457	0,96	2,526	0,98	5th injection
00:05:15	2,516	0,98	2,457	0,96	2,526	0,98	5th injection
00:05:16	2,516	0,98	2,457	0,96	2,526	0,98	5th injection
00:05:17	2,516	0,98	2,457	0,96	2,525	0,97	5th injection
00:05:18	2,516	0,98	2,457	0,96	2,525	0,97	5th injection
00:05:19	2,515	0,98	2,457	0,96	2,525	0,97	5th injection
00:05:20	2,515	0,98	2,457	0,96	2,526	0,98	5th injection
00:05:21	2,515	0,98	2,457	0,96	2,526	0,98	5th injection
00:05:22	2,515	0,98	2,457	0,96	2,526	0,98	5th injection
00:05:23	2,515	0,98	2,457	0,96	2,526	0,98	5th injection
00:05:24	2,515	0,98	2,457	0,96	2,526	0,98	5th injection
00:05:25	2,514	0,97	2,457	0,96	2,526	0,98	5th injection
00:05:26	2,514	0,97	2,457	0,96	2,526	0,98	5th injection
00:05:27	2,515	0,98	2,457	0,96	2,526	0,98	5th injection
00:05:28	2,515	0,98	2,456	0,95	2,526	0,98	5th injection
00:05:29	2,515	0,98	2,456	0,95	2,526	0,98	5th injection
00:05:30	2,515	0,98	2,456	0,95	2,526	0,98	5th injection
00:05:31	2,515	0,98	2,456	0,95	2,526	0,98	5th injection
00:05:32	2,515	0,98	2,456	0,95	2,526	0,98	5th injection

00:05:33	2,515	0,98	2,456	0,95	2,526	0,98	5th injection
00:05:34	2,515	0,98	2,456	0,95	2,525	0,97	5th injection
00:05:35	2,515	0,98	2,456	0,95	2,525	0,97	5th injection
00:05:36	2,514	0,97	2,457	0,96	2,525	0,97	5th injection
00:05:37	2,514	0,97	2,457	0,96	2,525	0,97	5th injection
00:05:38	2,514	0,97	2,457	0,96	2,525	0,97	5th injection
00:05:39	2,513	0,96	2,458	0,97	2,524	0,97	5th injection
00:05:40	2,513	0,96	2,458	0,97	2,524	0,97	5th injection
00:05:41	2,513	0,96	2,458	0,97	2,523	0,96	5th injection
00:05:42	2,512	0,95	2,458	0,97	2,523	0,96	5th injection
00:05:43	2,512	0,95	2,458	0,97	2,523	0,96	5th injection
00:05:44	2,512	0,95	2,459	0,97	2,522	0,95	5th injection
00:05:45	2,511	0,94	2,459	0,97	2,522	0,95	5th injection
00:05:46	2,511	0,94	2,459	0,97	2,522	0,95	5th injection
00:05:47	2,511	0,94	2,459	0,97	2,522	0,95	5th injection
00:05:48	2,511	0,94	2,459	0,97	2,522	0,95	5th injection
00:05:49	2,51	0,93	2,458	0,97	2,523	0,96	5th injection
00:05:50	2,51	0,93	2,458	0,97	2,523	0,96	5th injection
00:05:51	2,51	0,93	2,458	0,97	2,523	0,96	5th injection
00:05:52	2,51	0,93	2,458	0,97	2,523	0,96	5th injection
00:05:53	2,51	0,93	2,458	0,97	2,524	0,97	5th injection
00:05:54	2,51	0,93	2,458	0,97	2,524	0,97	5th injection
00:05:55	2,51	0,93	2,458	0,97	2,524	0,97	5th injection
00:05:56	2,51	0,93	2,459	0,97	2,524	0,97	5th injection
00:05:57	2,511	0,94	2,459	0,97	2,524	0,97	5th injection
00:05:58	2,511	0,94	2,459	0,97	2,525	0,97	5th injection
00:05:59	2,511	0,94	2,459	0,97	2,525	0,97	5th injection
00:06:00	2,512	0,95	2,459	0,97	2,525	0,97	5th injection
00:06:01	2,513	0,96	2,459	0,97	2,525	0,97	5th injection
00:06:02	2,513	0,96	2,459	0,97	2,525	0,97	5th injection
00:06:03	2,513	0,96	2,459	0,97	2,525	0,97	5th injection
00:06:04	2,513	0,96	2,458	0,97	2,525	0,97	5th injection
00:06:05	2,513	0,96	2,458	0,97	2,525	0,97	5th injection

00:06:06	2,513	0,96	2,457	0,96	2,525	0,97	5th injection
00:06:07	2,513	0,96	2,457	0,96	2,525	0,97	5th injection
00:06:08	2,512	0,95	2,457	0,96	2,525	0,97	5th injection
00:06:09	2,512	0,95	2,457	0,96	2,525	0,97	5th injection
00:06:10	2,511	0,94	2,457	0,96	2,525	0,97	5th injection
00:06:11	2,511	0,94	2,456	0,95	2,524	0,97	5th injection
00:06:12	2,51	0,93	2,456	0,95	2,524	0,97	5th injection
00:06:13	2,51	0,93	2,456	0,95	2,524	0,97	5th injection
00:06:14	2,51	0,93	2,456	0,95	2,525	0,97	5th injection
00:06:15	2,509	0,93	2,457	0,96	2,525	0,97	5th injection
00:06:16	2,509	0,93	2,457	0,96	2,525	0,97	5th injection
00:06:17	2,51	0,93	2,457	0,96	2,525	0,97	5th injection
00:06:18	2,51	0,93	2,457	0,96	2,525	0,97	5th injection
00:06:19	2,51	0,93	2,457	0,96	2,525	0,97	5th injection
00:06:20	2,51	0,93	2,458	0,97	2,525	0,97	5th injection
00:06:21	2,51	0,93	2,458	0,97	2,525	0,97	5th injection
00:06:22	2,51	0,93	2,458	0,97	2,525	0,97	5th injection
00:06:23	2,51	0,93	2,458	0,97	2,526	0,98	5th injection
00:06:24	2,511	0,94	2,459	0,97	2,526	0,98	5th injection
00:06:25	2,511	0,94	2,459	0,97	2,526	0,98	5th injection
00:06:26	2,511	0,94	2,459	0,97	2,526	0,98	5th injection
00:06:27	2,511	0,94	2,459	0,97	2,526	0,98	5th injection
00:06:28	2,511	0,94	2,46	0,98	2,526	0,98	5th injection
00:06:29	2,512	0,95	2,46	0,98	2,526	0,98	5th injection
00:06:30	2,512	0,95	2,46	0,98	2,526	0,98	5th injection
00:06:31	2,512	0,95	2,46	0,98	2,526	0,98	5th injection
00:06:32	2,512	0,95	2,46	0,98	2,526	0,98	5th injection
00:06:33	2,512	0,95	2,46	0,98	2,526	0,98	5th injection
00:06:34	2,512	0,95	2,46	0,98	2,525	0,97	5th injection
00:06:35	2,513	0,96	2,46	0,98	2,525	0,97	5th injection
00:06:36	2,513	0,96	2,46	0,98	2,524	0,97	5th injection
00:06:37	2,513	0,96	2,46	0,98	2,523	0,96	5th injection
00:06:38	2,513	0,96	2,46	0,98	2,523	0,96	5th injection

00:06:39	2,513	0,96	2,46	0,98	2,523	0,96	5th injection
00:06:40	2,513	0,96	2,46	0,98	2,523	0,96	5th injection
00:06:41	2,514	0,97	2,46	0,98	2,523	0,96	5th injection
00:06:42	2,514	0,97	2,46	0,98	2,523	0,96	5th injection
00:06:43	2,514	0,97	2,46	0,98	2,523	0,96	5th injection
00:06:44	2,514	0,97	2,46	0,98	2,523	0,96	5th injection
00:06:45	2,514	0,97	2,46	0,98	2,523	0,96	5th injection
00:06:46	2,513	0,96	2,46	0,98	2,524	0,97	5th injection
00:06:47	2,513	0,96	2,46	0,98	2,524	0,97	5th injection
00:06:48	2,513	0,96	2,46	0,98	2,524	0,97	5th injection
00:06:49	2,513	0,96	2,46	0,98	2,524	0,97	5th injection
00:06:50	2,513	0,96	2,459	0,97	2,524	0,97	5th injection
00:06:51	2,513	0,96	2,459	0,97	2,524	0,97	5th injection
00:06:52	2,512	0,95	2,459	0,97	2,524	0,97	5th injection
00:06:53	2,512	0,95	2,459	0,97	2,524	0,97	5th injection
00:06:54	2,512	0,95	2,459	0,97	2,524	0,97	5th injection
00:06:55	2,512	0,95	2,459	0,97	2,524	0,97	5th injection
00:06:56	2,512	0,95	2,458	0,97	2,524	0,97	5th injection
00:06:57	2,512	0,95	2,459	0,97	2,524	0,97	5th injection
00:06:58	2,511	0,94	2,458	0,97	2,524	0,97	5th injection
00:06:59	2,512	0,95	2,458	0,97	2,524	0,97	5th injection
00:07:00	2,512	0,95	2,458	0,97	2,524	0,97	5th injection
00:07:01	2,512	0,95	2,458	0,97	2,524	0,97	5th injection
00:07:02	2,512	0,95	2,458	0,97	2,524	0,97	5th injection
00:07:03	2,512	0,95	2,458	0,97	2,524	0,97	5th injection
00:07:04	2,512	0,95	2,458	0,97	2,524	0,97	5th injection
00:07:05	2,512	0,95	2,458	0,97	2,525	0,97	5th injection
00:07:06	2,512	0,95	2,458	0,97	2,525	0,97	5th injection
00:07:07	2,512	0,95	2,458	0,97	2,525	0,97	5th injection
00:07:08	2,512	0,95	2,458	0,97	2,525	0,97	5th injection
00:07:09	2,513	0,96	2,458	0,97	2,525	0,97	5th injection
00:07:10	2,513	0,96	2,458	0,97	2,525	0,97	5th injection
00:07:11	2,513	0,96	2,458	0,97	2,525	0,97	5th injection

00:07:12	2,514	0,97	2,458	0,97	2,525	0,97	5th injection
00:07:13	2,514	0,97	2,458	0,97	2,525	0,97	5th injection
00:07:14	2,514	0,97	2,457	0,96	2,525	0,97	5th injection
00:07:15	2,514	0,97	2,457	0,96	2,525	0,97	5th injection
00:07:16	2,514	0,97	2,457	0,96	2,525	0,97	5th injection
00:07:17	2,514	0,97	2,457	0,96	2,525	0,97	5th injection
00:07:18	2,514	0,97	2,457	0,96	2,525	0,97	5th injection
00:07:19	2,514	0,97	2,457	0,96	2,526	0,98	5th injection
00:07:20	2,514	0,97	2,457	0,96	2,526	0,98	5th injection
00:07:21	2,513	0,96	2,456	0,95	2,526	0,98	5th injection
00:07:22	2,513	0,96	2,456	0,95	2,526	0,98	5th injection
00:07:23	2,513	0,96	2,456	0,95	2,526	0,98	5th injection
00:07:24	2,512	0,95	2,456	0,95	2,526	0,98	5th injection
00:07:25	2,512	0,95	2,456	0,95	2,526	0,98	5th injection
00:07:26	2,512	0,95	2,456	0,95	2,526	0,98	5th injection
00:07:27	2,512	0,95	2,456	0,95	2,527	0,99	5th injection
00:07:28	2,513	0,96	2,456	0,95	2,527	0,99	5th injection
00:07:29	2,513	0,96	2,456	0,95	2,527	0,99	5th injection
00:07:30	2,513	0,96	2,456	0,95	2,527	0,99	5th injection
00:07:31	2,513	0,96	2,456	0,95	2,527	0,99	5th injection
00:07:32	2,513	0,96	2,456	0,95	2,527	0,99	5th injection
00:07:33	2,514	0,97	2,456	0,95	2,527	0,99	5th injection
00:07:34	2,514	0,97	2,457	0,96	2,527	0,99	5th injection
00:07:35	2,514	0,97	2,457	0,96	2,527	0,99	5th injection
00:07:36	2,514	0,97	2,457	0,96	2,527	0,99	5th injection
00:07:37	2,514	0,97	2,457	0,96	2,526	0,98	5th injection
00:07:38	2,514	0,97	2,458	0,97	2,525	0,97	5th injection
00:07:39	2,514	0,97	2,458	0,97	2,525	0,97	5th injection
00:07:40	2,514	0,97	2,458	0,97	2,524	0,97	5th injection
00:07:41	2,514	0,97	2,459	0,97	2,524	0,97	5th injection
00:07:42	2,513	0,96	2,459	0,97	2,523	0,96	5th injection
00:07:43	2,513	0,96	2,459	0,97	2,523	0,96	5th injection
00:07:44	2,513	0,96	2,459	0,97	2,523	0,96	5th injection

00:07:45	2,513	0,96	2,459	0,97	2,523	0,96	5th injection
00:07:46	2,513	0,96	2,459	0,97	2,522	0,95	5th injection
00:07:47	2,513	0,96	2,459	0,97	2,523	0,96	5th injection
00:07:48	2,513	0,96	2,459	0,97	2,523	0,96	5th injection
00:07:49	2,513	0,96	2,459	0,97	2,523	0,96	5th injection
00:07:50	2,514	0,97	2,458	0,97	2,524	0,97	5th injection
00:07:51	2,514	0,97	2,458	0,97	2,524	0,97	5th injection
00:07:52	2,514	0,97	2,458	0,97	2,524	0,97	5th injection
00:07:53	2,514	0,97	2,457	0,96	2,524	0,97	5th injection
00:07:54	2,514	0,97	2,457	0,96	2,524	0,97	5th injection
00:07:55	2,514	0,97	2,457	0,96	2,524	0,97	5th injection
00:07:56	2,514	0,97	2,456	0,95	2,524	0,97	5th injection
00:07:57	2,514	0,97	2,456	0,95	2,524	0,97	5th injection
00:07:58	2,513	0,96	2,456	0,95	2,524	0,97	5th injection
00:07:59	2,513	0,96	2,457	0,96	2,524	0,97	5th injection
00:08:00	2,513	0,96	2,457	0,96	2,524	0,97	5th injection
00:08:01	2,512	0,95	2,457	0,96	2,524	0,97	5th injection
00:08:02	2,512	0,95	2,458	0,97	2,524	0,97	5th injection
00:08:03	2,512	0,95	2,458	0,97	2,524	0,97	5th injection
00:08:04	2,512	0,95	2,458	0,97	2,524	0,97	5th injection
00:08:05	2,512	0,95	2,458	0,97	2,524	0,97	5th injection
00:08:06	2,512	0,95	2,459	0,97	2,525	0,97	5th injection
00:08:07	2,512	0,95	2,459	0,97	2,525	0,97	5th injection
00:08:08	2,511	0,94	2,459	0,97	2,525	0,97	5th injection
00:08:09	2,512	0,95	2,459	0,97	2,525	0,97	5th injection
00:08:10	2,512	0,95	2,459	0,97	2,525	0,97	5th injection
00:08:11	2,512	0,95	2,459	0,97	2,525	0,97	5th injection
00:08:12	2,512	0,95	2,458	0,97	2,524	0,97	5th injection
00:08:13	2,512	0,95	2,458	0,97	2,524	0,97	5th injection
00:08:14	2,512	0,95	2,458	0,97	2,525	0,97	5th injection
00:08:15	2,512	0,95	2,458	0,97	2,524	0,97	5th injection
00:08:16	2,512	0,95	2,458	0,97	2,524	0,97	5th injection
00:08:17	2,512	0,95	2,457	0,96	2,524	0,97	5th injection

00:08:18	2,512	0,95	2,457	0,96	2,524	0,97	5th injection
00:08:19	2,512	0,95	2,457	0,96	2,524	0,97	5th injection
00:08:20	2,513	0,96	2,457	0,96	2,525	0,97	5th injection
00:08:21	2,513	0,96	2,457	0,96	2,525	0,97	5th injection
00:08:22	2,512	0,95	2,457	0,96	2,525	0,97	5th injection
00:08:23	2,512	0,95	2,457	0,96	2,525	0,97	5th injection
00:08:24	2,512	0,95	2,457	0,96	2,525	0,97	5th injection
00:08:25	2,512	0,95	2,457	0,96	2,525	0,97	5th injection
00:08:26	2,512	0,95	2,457	0,96	2,526	0,98	5th injection
00:08:27	2,512	0,95	2,458	0,97	2,526	0,98	5th injection
00:08:28	2,513	0,96	2,458	0,97	2,526	0,98	5th injection
00:08:29	2,513	0,96	2,458	0,97	2,526	0,98	5th injection
00:08:30	2,513	0,96	2,458	0,97	2,526	0,98	5th injection
00:08:31	2,513	0,96	2,458	0,97	2,526	0,98	5th injection
00:08:32	2,514	0,97	2,458	0,97	2,527	0,99	5th injection
00:08:33	2,514	0,97	2,458	0,97	2,526	0,98	5th injection
00:08:34	2,514	0,97	2,459	0,97	2,526	0,98	5th injection
00:08:35	2,514	0,97	2,458	0,97	2,526	0,98	5th injection
00:08:36	2,514	0,97	2,458	0,97	2,526	0,98	5th injection
00:08:37	2,513	0,96	2,458	0,97	2,526	0,98	5th injection
00:08:38	2,513	0,96	2,458	0,97	2,525	0,97	5th injection
00:08:39	2,512	0,95	2,458	0,97	2,525	0,97	5th injection
00:08:40	2,512	0,95	2,458	0,97	2,525	0,97	5th injection
00:08:41	2,511	0,94	2,458	0,97	2,524	0,97	5th injection
00:08:42	2,511	0,94	2,458	0,97	2,524	0,97	5th injection
00:08:43	2,51	0,93	2,458	0,97	2,524	0,97	5th injection
00:08:44	2,51	0,93	2,458	0,97	2,524	0,97	5th injection
00:08:45	2,51	0,93	2,458	0,97	2,524	0,97	5th injection
00:08:46	2,51	0,93	2,458	0,97	2,524	0,97	5th injection
00:08:47	2,51	0,93	2,458	0,97	2,524	0,97	5th injection
00:08:48	2,51	0,93	2,458	0,97	2,524	0,97	5th injection
00:08:49	2,51	0,93	2,458	0,97	2,524	0,97	5th injection
00:08:50	2,51	0,93	2,458	0,97	2,524	0,97	5th injection

00:08:51	2,51	0,93	2,458	0,97	2,524	0,97	5th injection
00:08:52	2,51	0,93	2,458	0,97	2,525	0,97	5th injection
00:08:53	2,51	0,93	2,458	0,97	2,525	0,97	5th injection
00:08:54	2,51	0,93	2,458	0,97	2,525	0,97	5th injection
00:08:55	2,51	0,93	2,458	0,97	2,525	0,97	5th injection
00:08:56	2,509	0,93	2,458	0,97	2,525	0,97	5th injection
00:08:57	2,509	0,93	2,458	0,97	2,525	0,97	5th injection
00:08:58	2,509	0,93	2,458	0,97	2,525	0,97	5th injection
00:08:59	2,509	0,93	2,458	0,97	2,525	0,97	5th injection
00:09:00	2,509	0,93	2,458	0,97	2,525	0,97	5th injection
00:09:01	2,509	0,93	2,458	0,97	2,526	0,98	5th injection
00:09:02	2,509	0,93	2,458	0,97	2,526	0,98	5th injection
00:09:03	2,509	0,93	2,458	0,97	2,526	0,98	5th injection
00:09:04	2,509	0,93	2,458	0,97	2,526	0,98	5th injection
00:09:05	2,509	0,93	2,458	0,97	2,526	0,98	5th injection
00:09:06	2,51	0,93	2,458	0,97	2,526	0,98	5th injection
00:09:07	2,51	0,93	2,458	0,97	2,526	0,98	5th injection
00:09:08	2,51	0,93	2,458	0,97	2,526	0,98	5th injection
00:09:09	2,51	0,93	2,458	0,97	2,526	0,98	5th injection
00:09:10	2,51	0,93	2,458	0,97	2,526	0,98	5th injection
00:09:11	2,511	0,94	2,458	0,97	2,526	0,98	5th injection
00:09:12	2,511	0,94	2,458	0,97	2,526	0,98	5th injection
00:09:13	2,511	0,94	2,458	0,97	2,526	0,98	5th injection
00:09:14	2,511	0,94	2,457	0,96	2,525	0,97	5th injection
00:09:15	2,511	0,94	2,457	0,96	2,525	0,97	5th injection
00:09:16	2,511	0,94	2,457	0,96	2,525	0,97	5th injection
00:09:17	2,511	0,94	2,457	0,96	2,525	0,97	5th injection
00:09:18	2,511	0,94	2,456	0,95	2,525	0,97	5th injection
00:09:19	2,511	0,94	2,456	0,95	2,524	0,97	5th injection
00:09:20	2,512	0,95	2,457	0,96	2,524	0,97	5th injection
00:09:21	2,512	0,95	2,457	0,96	2,524	0,97	5th injection
00:09:22	2,512	0,95	2,457	0,96	2,525	0,97	5th injection
00:09:23	2,512	0,95	2,457	0,96	2,525	0,97	5th injection

00:09:24	2,512	0,95	2,458	0,97	2,525	0,97	5th injection
00:09:25	2,512	0,95	2,458	0,97	2,525	0,97	5th injection
00:09:26	2,511	0,94	2,459	0,97	2,525	0,97	5th injection
00:09:27	2,511	0,94	2,459	0,97	2,526	0,98	5th injection
00:09:28	2,511	0,94	2,459	0,97	2,526	0,98	5th injection
00:09:29	2,511	0,94	2,459	0,97	2,526	0,98	5th injection
00:09:30	2,51	0,93	2,459	0,97	2,526	0,98	5th injection
00:09:31	2,51	0,93	2,459	0,97	2,527	0,99	5th injection
00:09:32	2,509	0,93	2,459	0,97	2,527	0,99	5th injection
00:09:33	2,509	0,93	2,458	0,97	2,527	0,99	5th injection
00:09:34	2,509	0,93	2,458	0,97	2,527	0,99	5th injection
00:09:35	2,509	0,93	2,458	0,97	2,527	0,99	5th injection
00:09:36	2,509	0,93	2,458	0,97	2,526	0,98	5th injection
00:09:37	2,509	0,93	2,457	0,96	2,526	0,98	5th injection
00:09:38	2,509	0,93	2,457	0,96	2,526	0,98	5th injection
00:09:39	2,509	0,93	2,457	0,96	2,526	0,98	5th injection
00:09:40	2,51	0,93	2,457	0,96	2,526	0,98	5th injection
00:09:41	2,51	0,93	2,457	0,96	2,526	0,98	5th injection
00:09:42	2,511	0,94	2,457	0,96	2,526	0,98	5th injection
00:09:43	2,511	0,94	2,457	0,96	2,525	0,97	5th injection
00:09:44	2,512	0,95	2,457	0,96	2,525	0,97	5th injection
00:09:45	2,512	0,95	2,458	0,97	2,525	0,97	5th injection
00:09:46	2,512	0,95	2,458	0,97	2,525	0,97	5th injection
00:09:47	2,512	0,95	2,458	0,97	2,525	0,97	5th injection
00:09:48	2,512	0,95	2,458	0,97	2,525	0,97	5th injection
00:09:49	2,512	0,95	2,459	0,97	2,525	0,97	5th injection
00:09:50	2,512	0,95	2,459	0,97	2,525	0,97	5th injection
00:09:51	2,511	0,94	2,459	0,97	2,525	0,97	5th injection
00:09:52	2,511	0,94	2,459	0,97	2,524	0,97	5th injection
00:09:53	2,51	0,93	2,458	0,97	2,524	0,97	5th injection
00:09:54	2,51	0,93	2,458	0,97	2,524	0,97	5th injection
00:09:55	2,51	0,93	2,458	0,97	2,524	0,97	5th injection
00:09:56	2,509	0,93	2,457	0,96	2,524	0,97	5th injection

00:09:57	2,509	0,93	2,457	0,96	2,524	0,97	5th injection
00:09:58	2,509	0,93	2,457	0,96	2,523	0,96	5th injection
00:09:59	2,509	0,93	2,456	0,95	2,523	0,96	5th injection
00:10:00	2,509	0,93	2,456	0,95	2,523	0,96	5th injection
00:10:01	2,509	0,93	2,456	0,95	2,523	0,96	5th injection
00:10:02	2,509	0,93	2,456	0,95	2,523	0,96	5th injection
00:10:03	2,509	0,93	2,456	0,95	2,523	0,96	5th injection
00:10:04	2,509	0,93	2,457	0,96	2,523	0,96	5th injection
00:10:05	2,509	0,93	2,457	0,96	2,523	0,96	5th injection
00:10:06	2,509	0,93	2,457	0,96	2,523	0,96	5th injection
00:10:07	2,51	0,93	2,458	0,97	2,523	0,96	5th injection
00:10:08	2,51	0,93	2,458	0,97	2,523	0,96	5th injection
00:10:09	2,511	0,94	2,458	0,97	2,524	0,97	5th injection
00:10:10	2,511	0,94	2,459	0,97	2,524	0,97	5th injection
00:10:11	2,511	0,94	2,459	0,97	2,524	0,97	5th injection
00:10:12	2,511	0,94	2,459	0,97	2,524	0,97	5th injection
00:10:13	2,511	0,94	2,459	0,97	2,525	0,97	5th injection
00:10:14	2,512	0,95	2,46	0,98	2,525	0,97	5th injection
00:10:15	2,512	0,95	2,46	0,98	2,525	0,97	5th injection
00:10:16	2,512	0,95	2,459	0,97	2,525	0,97	5th injection
00:10:17	2,512	0,95	2,459	0,97	2,525	0,97	5th injection
00:10:18	2,512	0,95	2,459	0,97	2,525	0,97	5th injection
00:10:19	2,512	0,95	2,459	0,97	2,525	0,97	5th injection
00:10:20	2,512	0,95	2,459	0,97	2,525	0,97	5th injection
00:10:21	2,512	0,95	2,458	0,97	2,524	0,97	5th injection
00:10:22	2,512	0,95	2,458	0,97	2,524	0,97	5th injection
00:10:23	2,512	0,95	2,458	0,97	2,524	0,97	5th injection
00:10:24	2,511	0,94	2,458	0,97	2,524	0,97	5th injection
00:10:25	2,511	0,94	2,458	0,97	2,524	0,97	5th injection
00:10:26	2,511	0,94	2,458	0,97	2,524	0,97	5th injection
00:10:27	2,511	0,94	2,458	0,97	2,525	0,97	5th injection
00:10:28	2,511	0,94	2,457	0,96	2,525	0,97	5th injection
00:10:29	2,511	0,94	2,457	0,96	2,525	0,97	5th injection

00:10:30	2,511	0,94	2,457	0,96	2,525	0,97	5th injection
00:10:31	2,511	0,94	2,457	0,96	2,526	0,98	5th injection
00:10:32	2,512	0,95	2,456	0,95	2,526	0,98	5th injection
00:10:33	2,512	0,95	2,455	0,94	2,526	0,98	5th injection
00:10:34	2,512	0,95	2,455	0,94	2,527	0,99	5th injection
00:10:35	2,512	0,95	2,455	0,94	2,527	0,99	5th injection
00:10:36	2,512	0,95	2,455	0,94	2,527	0,99	5th injection
00:10:37	2,512	0,95	2,455	0,94	2,526	0,98	5th injection
00:10:38	2,512	0,95	2,455	0,94	2,526	0,98	5th injection
00:10:39	2,512	0,95	2,455	0,94	2,526	0,98	5th injection
00:10:40	2,512	0,95	2,455	0,94	2,526	0,98	5th injection
00:10:41	2,511	0,94	2,455	0,94	2,526	0,98	5th injection
00:10:42	2,511	0,94	2,455	0,94	2,526	0,98	5th injection
00:10:43	2,511	0,94	2,455	0,94	2,526	0,98	5th injection
00:10:44	2,511	0,94	2,456	0,95	2,525	0,97	5th injection
00:10:45	2,511	0,94	2,456	0,95	2,525	0,97	5th injection
00:10:46	2,511	0,94	2,456	0,95	2,525	0,97	5th injection
00:10:47	2,511	0,94	2,456	0,95	2,525	0,97	5th injection
00:10:48	2,511	0,94	2,456	0,95	2,525	0,97	5th injection
00:10:49	2,511	0,94	2,456	0,95	2,525	0,97	5th injection
00:10:50	2,511	0,94	2,457	0,96	2,525	0,97	5th injection
00:10:51	2,511	0,94	2,457	0,96	2,525	0,97	5th injection
00:10:52	2,511	0,94	2,457	0,96	2,525	0,97	5th injection
00:10:53	2,511	0,94	2,458	0,97	2,526	0,98	5th injection
00:10:54	2,51	0,93	2,458	0,97	2,526	0,98	5th injection
00:10:55	2,51	0,93	2,458	0,97	2,526	0,98	5th injection
00:10:56	2,509	0,93	2,459	0,97	2,526	0,98	5th injection
00:10:57	2,509	0,93	2,459	0,97	2,526	0,98	5th injection
00:10:58	2,509	0,93	2,459	0,97	2,526	0,98	5th injection
00:10:59	2,508	0,92	2,46	0,98	2,526	0,98	5th injection
00:11:00	2,508	0,92	2,46	0,98	2,526	0,98	5th injection
00:11:01	2,508	0,92	2,46	0,98	2,526	0,98	5th injection
00:11:02	2,508	0,92	2,46	0,98	2,526	0,98	5th injection

00:11:03	2,509	0,93	2,46	0,98	2,525	0,97	5th injection
00:11:04	2,509	0,93	2,46	0,98	2,525	0,97	5th injection
00:11:05	2,51	0,93	2,46	0,98	2,525	0,97	5th injection
00:11:06	2,51	0,93	2,46	0,98	2,524	0,97	5th injection
00:11:07	2,51	0,93	2,46	0,98	2,524	0,97	5th injection
00:11:08	2,511	0,94	2,459	0,97	2,524	0,97	5th injection
00:11:09	2,511	0,94	2,459	0,97	2,523	0,96	5th injection
00:11:10	2,511	0,94	2,459	0,97	2,523	0,96	5th injection
00:11:11	2,511	0,94	2,459	0,97	2,523	0,96	5th injection
00:11:12	2,511	0,94	2,459	0,97	2,523	0,96	5th injection
00:11:13	2,511	0,94	2,459	0,97	2,523	0,96	5th injection
00:11:14	2,511	0,94	2,459	0,97	2,523	0,96	5th injection
00:11:15	2,511	0,94	2,459	0,97	2,523	0,96	5th injection
00:11:16	2,511	0,94	2,459	0,97	2,523	0,96	5th injection
00:11:17	2,51	0,93	2,459	0,97	2,524	0,97	5th injection
00:11:18	2,51	0,93	2,459	0,97	2,524	0,97	5th injection
00:11:19	2,51	0,93	2,459	0,97	2,525	0,97	5th injection
00:11:20	2,51	0,93	2,459	0,97	2,525	0,97	5th injection
00:11:21	2,51	0,93	2,459	0,97	2,525	0,97	5th injection
00:11:22	2,51	0,93	2,459	0,97	2,526	0,98	5th injection
00:11:23	2,51	0,93	2,459	0,97	2,526	0,98	5th injection
00:11:24	2,51	0,93	2,459	0,97	2,526	0,98	5th injection
00:11:25	2,511	0,94	2,459	0,97	2,527	0,99	5th injection
00:11:26	2,511	0,94	2,459	0,97	2,527	0,99	5th injection
00:11:27	2,512	0,95	2,459	0,97	2,527	0,99	5th injection
00:11:28	2,512	0,95	2,459	0,97	2,526	0,98	5th injection
00:11:29	2,512	0,95	2,458	0,97	2,526	0,98	5th injection
00:11:30	2,512	0,95	2,458	0,97	2,526	0,98	5th injection
00:11:31	2,512	0,95	2,458	0,97	2,526	0,98	5th injection
00:11:32	2,512	0,95	2,458	0,97	2,526	0,98	5th injection
00:11:33	2,512	0,95	2,458	0,97	2,526	0,98	5th injection
00:11:34	2,512	0,95	2,458	0,97	2,526	0,98	5th injection
00:11:35	2,512	0,95	2,458	0,97	2,526	0,98	5th injection

00:11:36	2,512	0,95	2,458	0,97	2,526	0,98	5th injection
00:11:37	2,512	0,95	2,458	0,97	2,526	0,98	5th injection
00:11:38	2,511	0,94	2,458	0,97	2,526	0,98	5th injection
00:11:39	2,511	0,94	2,458	0,97	2,526	0,98	5th injection
00:11:40	2,511	0,94	2,458	0,97	2,526	0,98	5th injection
00:11:41	2,511	0,94	2,459	0,97	2,526	0,98	5th injection
00:11:42	2,511	0,94	2,459	0,97	2,526	0,98	5th injection
00:11:43	2,511	0,94	2,459	0,97	2,526	0,98	5th injection
00:11:44	2,511	0,94	2,46	0,98	2,526	0,98	5th injection
00:11:45	2,511	0,94	2,46	0,98	2,526	0,98	5th injection
00:11:46	2,511	0,94	2,46	0,98	2,526	0,98	5th injection
00:11:47	2,511	0,94	2,461	0,99	2,525	0,97	5th injection
00:11:48	2,511	0,94	2,461	0,99	2,525	0,97	5th injection
00:11:49	2,511	0,94	2,461	0,99	2,525	0,97	5th injection
00:11:50	2,511	0,94	2,461	0,99	2,524	0,97	5th injection
00:11:51	2,512	0,95	2,461	0,99	2,524	0,97	5th injection
00:11:52	2,512	0,95	2,46	0,98	2,524	0,97	5th injection
00:11:53	2,511	0,94	2,46	0,98	2,524	0,97	5th injection
00:11:54	2,511	0,94	2,46	0,98	2,524	0,97	5th injection
00:11:55	2,511	0,94	2,46	0,98	2,524	0,97	5th injection
00:11:56	2,511	0,94	2,46	0,98	2,524	0,97	5th injection
00:11:57	2,511	0,94	2,46	0,98	2,524	0,97	5th injection
00:11:58	2,51	0,93	2,459	0,97	2,524	0,97	5th injection
00:11:59	2,51	0,93	2,459	0,97	2,524	0,97	5th injection
00:12:00	2,51	0,93	2,459	0,97	2,524	0,97	5th injection
00:12:01	2,509	0,93	2,459	0,97	2,524	0,97	5th injection
00:12:02	2,509	0,93	2,459	0,97	2,523	0,96	5th injection
00:12:03	2,509	0,93	2,459	0,97	2,523	0,96	5th injection
00:12:04	2,509	0,93	2,459	0,97	2,523	0,96	5th injection
00:12:05	2,509	0,93	2,46	0,98	2,523	0,96	5th injection
00:12:06	2,509	0,93	2,46	0,98	2,523	0,96	5th injection
00:12:07	2,51	0,93	2,46	0,98	2,523	0,96	5th injection
00:12:08	2,51	0,93	2,46	0,98	2,523	0,96	5th injection

00:12:09	2,51	0,93	2,459	0,97	2,523	0,96	5th injection
00:12:10	2,511	0,94	2,46	0,98	2,523	0,96	5th injection
00:12:11	2,511	0,94	2,46	0,98	2,523	0,96	5th injection
00:12:12	2,512	0,95	2,46	0,98	2,524	0,97	5th injection
00:12:13	2,512	0,95	2,46	0,98	2,524	0,97	5th injection
00:12:14	2,512	0,95	2,46	0,98	2,524	0,97	5th injection
00:12:15	2,512	0,95	2,46	0,98	2,524	0,97	5th injection
00:12:16	2,512	0,95	2,46	0,98	2,525	0,97	5th injection
00:12:17	2,512	0,95	2,46	0,98	2,525	0,97	5th injection
00:12:18	2,511	0,94	2,461	0,99	2,526	0,98	5th injection
00:12:19	2,511	0,94	2,461	0,99	2,526	0,98	5th injection
00:12:20	2,511	0,94	2,461	0,99	2,526	0,98	5th injection
00:12:21	2,511	0,94	2,461	0,99	2,526	0,98	5th injection
00:12:22	2,51	0,93	2,46	0,98	2,527	0,99	5th injection
00:12:23	2,51	0,93	2,46	0,98	2,527	0,99	5th injection
00:12:24	2,51	0,93	2,46	0,98	2,527	0,99	5th injection
00:12:25	2,51	0,93	2,46	0,98	2,527	0,99	5th injection
00:12:26	2,51	0,93	2,46	0,98	2,528	1,00	5th injection
00:12:27	2,51	0,93	2,46	0,98	2,528	1,00	5th injection
00:12:28	2,51	0,93	2,46	0,98	2,527	0,99	5th injection
00:12:29	2,51	0,93	2,459	0,97	2,527	0,99	5th injection
00:12:30	2,51	0,93	2,459	0,97	2,527	0,99	5th injection
00:12:31	2,51	0,93	2,459	0,97	2,527	0,99	5th injection
00:12:32	2,51	0,93	2,459	0,97	2,527	0,99	5th injection
00:12:33	2,51	0,93	2,459	0,97	2,527	0,99	5th injection
00:12:34	2,51	0,93	2,459	0,97	2,526	0,98	5th injection
00:12:35	2,51	0,93	2,459	0,97	2,526	0,98	5th injection
00:12:36	2,511	0,94	2,458	0,97	2,526	0,98	5th injection
00:12:37	2,511	0,94	2,458	0,97	2,526	0,98	5th injection
00:12:38	2,511	0,94	2,458	0,97	2,526	0,98	5th injection
00:12:39	2,51	0,93	2,458	0,97	2,526	0,98	5th injection
00:12:40	2,51	0,93	2,458	0,97	2,526	0,98	5th injection
00:12:41	2,51	0,93	2,458	0,97	2,526	0,98	5th injection

00:12:42	2,51	0,93	2,459	0,97	2,525	0,97	5th injection
00:12:43	2,51	0,93	2,459	0,97	2,525	0,97	5th injection
00:12:44	2,51	0,93	2,459	0,97	2,525	0,97	5th injection
00:12:45	2,511	0,94	2,458	0,97	2,525	0,97	5th injection
00:12:46	2,511	0,94	2,458	0,97	2,525	0,97	5th injection
00:12:47	2,511	0,94	2,458	0,97	2,525	0,97	5th injection
00:12:48	2,512	0,95	2,458	0,97	2,525	0,97	5th injection
00:12:49	2,512	0,95	2,458	0,97	2,525	0,97	5th injection
00:12:50	2,512	0,95	2,458	0,97	2,525	0,97	5th injection
00:12:51	2,512	0,95	2,458	0,97	2,525	0,97	5th injection
00:12:52	2,513	0,96	2,458	0,97	2,525	0,97	5th injection
00:12:53	2,513	0,96	2,458	0,97	2,525	0,97	5th injection
00:12:54	2,513	0,96	2,458	0,97	2,525	0,97	5th injection
00:12:55	2,512	0,95	2,458	0,97	2,525	0,97	5th injection
00:12:56	2,512	0,95	2,458	0,97	2,526	0,98	5th injection
00:12:57	2,512	0,95	2,458	0,97	2,526	0,98	5th injection
00:12:58	2,512	0,95	2,458	0,97	2,526	0,98	5th injection
00:12:59	2,512	0,95	2,458	0,97	2,526	0,98	5th injection
00:13:00	2,512	0,95	2,458	0,97	2,526	0,98	5th injection
00:13:01	2,512	0,95	2,458	0,97	2,526	0,98	5th injection
00:13:02	2,512	0,95	2,458	0,97	2,526	0,98	5th injection
00:13:03	2,512	0,95	2,458	0,97	2,526	0,98	5th injection
00:13:04	2,512	0,95	2,458	0,97	2,525	0,97	5th injection
00:13:05	2,512	0,95	2,458	0,97	2,525	0,97	5th injection
00:13:06	2,511	0,94	2,458	0,97	2,525	0,97	5th injection
00:13:07	2,511	0,94	2,458	0,97	2,525	0,97	5th injection
00:13:08	2,511	0,94	2,459	0,97	2,524	0,97	5th injection
00:13:09	2,511	0,94	2,459	0,97	2,524	0,97	5th injection
00:13:10	2,511	0,94	2,459	0,97	2,523	0,96	5th injection
00:13:11	2,511	0,94	2,459	0,97	2,523	0,96	5th injection
00:13:12	2,51	0,93	2,459	0,97	2,523	0,96	5th injection
00:13:13	2,51	0,93	2,459	0,97	2,523	0,96	5th injection
00:13:14	2,51	0,93	2,459	0,97	2,523	0,96	5th injection

00:13:15	2,51	0,93	2,459	0,97	2,523	0,96	5th injection
00:13:16	2,51	0,93	2,459	0,97	2,523	0,96	5th injection
00:13:17	2,51	0,93	2,459	0,97	2,524	0,97	5th injection
00:13:18	2,51	0,93	2,459	0,97	2,524	0,97	5th injection
00:13:19	2,51	0,93	2,459	0,97	2,524	0,97	5th injection
00:13:20	2,51	0,93	2,459	0,97	2,525	0,97	5th injection
00:13:21	2,51	0,93	2,459	0,97	2,525	0,97	5th injection
00:13:22	2,51	0,93	2,459	0,97	2,526	0,98	5th injection
00:13:23	2,51	0,93	2,459	0,97	2,526	0,98	5th injection
00:13:24	2,51	0,93	2,459	0,97	2,526	0,98	5th injection
00:13:25	2,51	0,93	2,459	0,97	2,527	0,99	5th injection
00:13:26	2,51	0,93	2,459	0,97	2,527	0,99	5th injection
00:13:27	2,51	0,93	2,459	0,97	2,527	0,99	5th injection
00:13:28	2,51	0,93	2,459	0,97	2,526	0,98	5th injection
00:13:29	2,51	0,93	2,459	0,97	2,526	0,98	5th injection
00:13:30	2,51	0,93	2,459	0,97	2,526	0,98	5th injection
00:13:31	2,51	0,93	2,459	0,97	2,526	0,98	5th injection
00:13:32	2,51	0,93	2,459	0,97	2,526	0,98	5th injection
00:13:33	2,51	0,93	2,459	0,97	2,526	0,98	5th injection
00:13:34	2,51	0,93	2,459	0,97	2,526	0,98	5th injection
00:13:35	2,51	0,93	2,459	0,97	2,526	0,98	5th injection
00:13:36	2,51	0,93	2,459	0,97	2,526	0,98	5th injection
00:13:37	2,51	0,93	2,459	0,97	2,526	0,98	5th injection
00:13:38	2,51	0,93	2,459	0,97	2,526	0,98	5th injection
00:13:39	2,51	0,93	2,459	0,97	2,526	0,98	5th injection
00:13:40	2,51	0,93	2,458	0,97	2,526	0,98	5th injection
00:13:41	2,51	0,93	2,458	0,97	2,526	0,98	5th injection
00:13:42	2,51	0,93	2,458	0,97	2,527	0,99	5th injection
00:13:43	2,51	0,93	2,458	0,97	2,527	0,99	5th injection
00:13:44	2,51	0,93	2,458	0,97	2,527	0,99	5th injection
00:13:45	2,51	0,93	2,458	0,97	2,527	0,99	5th injection
00:13:46	2,511	0,94	2,458	0,97	2,527	0,99	5th injection
00:13:47	2,511	0,94	2,458	0,97	2,527	0,99	5th injection

00:13:48	2,511	0,94	2,458	0,97	2,527	0,99	5th injection
00:13:49	2,511	0,94	2,458	0,97	2,527	0,99	5th injection
00:13:50	2,511	0,94	2,458	0,97	2,527	0,99	5th injection
00:13:51	2,511	0,94	2,458	0,97	2,527	0,99	5th injection
00:13:52	2,511	0,94	2,459	0,97	2,527	0,99	5th injection
00:13:53	2,511	0,94	2,459	0,97	2,527	0,99	5th injection
00:13:54	2,51	0,93	2,459	0,97	2,527	0,99	5th injection
00:13:55	2,51	0,93	2,459	0,97	2,527	0,99	5th injection
00:13:56	2,51	0,93	2,459	0,97	2,527	0,99	5th injection
00:13:57	2,51	0,93	2,459	0,97	2,527	0,99	5th injection
00:13:58	2,51	0,93	2,459	0,97	2,527	0,99	5th injection
00:13:59	2,51	0,93	2,459	0,97	2,527	0,99	5th injection
00:14:00	2,511	0,94	2,458	0,97	2,527	0,99	5th injection
00:14:01	2,511	0,94	2,458	0,97	2,527	0,99	5th injection
00:14:02	2,511	0,94	2,458	0,97	2,526	0,98	5th injection
00:14:03	2,511	0,94	2,458	0,97	2,526	0,98	5th injection
00:14:04	2,512	0,95	2,459	0,97	2,526	0,98	5th injection
00:14:05	2,512	0,95	2,459	0,97	2,526	0,98	5th injection
00:14:06	2,512	0,95	2,459	0,97	2,526	0,98	5th injection
00:14:07	2,512	0,95	2,459	0,97	2,525	0,97	5th injection
00:14:08	2,512	0,95	2,459	0,97	2,525	0,97	5th injection
00:14:09	2,512	0,95	2,459	0,97	2,524	0,97	5th injection
00:14:10	2,511	0,94	2,46	0,98	2,524	0,97	5th injection
00:14:11	2,511	0,94	2,46	0,98	2,524	0,97	5th injection
00:14:12	2,511	0,94	2,46	0,98	2,524	0,97	5th injection
00:14:13	2,51	0,93	2,461	0,99	2,524	0,97	5th injection
00:14:14	2,51	0,93	2,461	0,99	2,524	0,97	5th injection
00:14:15	2,509	0,93	2,461	0,99	2,524	0,97	5th injection
00:14:16	2,509	0,93	2,46	0,98	2,524	0,97	5th injection
00:14:17	2,509	0,93	2,46	0,98	2,524	0,97	5th injection
00:14:18	2,509	0,93	2,46	0,98	2,524	0,97	5th injection
00:14:19	2,509	0,93	2,46	0,98	2,524	0,97	5th injection
00:14:20	2,509	0,93	2,46	0,98	2,525	0,97	5th injection

00:14:21	2,509	0,93	2,46	0,98	2,525	0,97	5th injection
00:14:22	2,509	0,93	2,46	0,98	2,525	0,97	5th injection
00:14:23	2,51	0,93	2,46	0,98	2,525	0,97	5th injection
00:14:24	2,51	0,93	2,459	0,97	2,525	0,97	5th injection
00:14:25	2,51	0,93	2,459	0,97	2,525	0,97	5th injection
00:14:26	2,509	0,93	2,459	0,97	2,525	0,97	5th injection
00:14:27	2,509	0,93	2,459	0,97	2,524	0,97	5th injection
00:14:28	2,509	0,93	2,459	0,97	2,524	0,97	5th injection
00:14:29	2,509	0,93	2,46	0,98	2,524	0,97	5th injection
00:14:30	2,509	0,93	2,46	0,98	2,524	0,97	5th injection
00:14:31	2,508	0,92	2,46	0,98	2,523	0,96	5th injection
00:14:32	2,508	0,92	2,46	0,98	2,523	0,96	5th injection
00:14:33	2,508	0,92	2,46	0,98	2,523	0,96	5th injection
00:14:34	2,509	0,93	2,46	0,98	2,523	0,96	5th injection
00:14:35	2,509	0,93	2,46	0,98	2,523	0,96	5th injection
00:14:36	2,509	0,93	2,46	0,98	2,523	0,96	5th injection
00:14:37	2,509	0,93	2,46	0,98	2,524	0,97	5th injection
00:14:38	2,509	0,93	2,46	0,98	2,524	0,97	5th injection
00:14:39	2,51	0,93	2,459	0,97	2,524	0,97	5th injection
00:14:40	2,51	0,93	2,459	0,97	2,524	0,97	5th injection
00:14:41	2,51	0,93	2,459	0,97	2,524	0,97	5th injection
00:14:42	2,51	0,93	2,459	0,97	2,524	0,97	5th injection
00:14:43	2,51	0,93	2,459	0,97	2,524	0,97	5th injection
00:14:44	2,51	0,93	2,459	0,97	2,524	0,97	5th injection
00:14:45	2,51	0,93	2,459	0,97	2,525	0,97	5th injection
00:14:46	2,51	0,93	2,459	0,97	2,525	0,97	5th injection
00:14:47	2,51	0,93	2,459	0,97	2,524	0,97	5th injection
00:14:48	2,51	0,93	2,459	0,97	2,524	0,97	5th injection
00:14:49	2,51	0,93	2,459	0,97	2,524	0,97	5th injection
00:14:50	2,51	0,93	2,459	0,97	2,524	0,97	5th injection
00:14:51	2,51	0,93	2,459	0,97	2,524	0,97	5th injection
00:14:52	2,51	0,93	2,459	0,97	2,524	0,97	5th injection
00:14:53	2,51	0,93	2,459	0,97	2,524	0,97	5th injection

00:14:54	2,51	0,93	2,459	0,97	2,524	0,97	5th injection
00:14:55	2,51	0,93	2,459	0,97	2,524	0,97	5th injection
00:14:56	2,51	0,93	2,459	0,97	2,524	0,97	5th injection
00:14:57	2,51	0,93	2,459	0,97	2,524	0,97	5th injection
00:14:58	2,51	0,93	2,459	0,97	2,524	0,97	5th injection
00:14:59	2,509	0,93	2,459	0,97	2,524	0,97	5th injection
00:15:00	2,509	0,93	2,459	0,97	2,523	0,96	5th injection
00:15:01	2,509	0,93	2,46	0,98	2,523	0,96	5th injection
00:15:02	2,509	0,93	2,46	0,98	2,523	0,96	5th injection
00:15:03	2,51	0,93	2,46	0,98	2,523	0,96	5th injection
00:15:04	2,51	0,93	2,46	0,98	2,523	0,96	5th injection
00:15:05	2,51	0,93	2,46	0,98	2,524	0,97	5th injection
00:15:06	2,51	0,93	2,461	0,99	2,524	0,97	5th injection
00:15:07	2,51	0,93	2,461	0,99	2,524	0,97	5th injection
00:15:08	2,51	0,93	2,461	0,99	2,524	0,97	5th injection
00:15:09	2,51	0,93	2,461	0,99	2,524	0,97	5th injection
00:15:10	2,51	0,93	2,461	0,99	2,524	0,97	5th injection
00:15:11	2,51	0,93	2,461	0,99	2,524	0,97	5th injection
00:15:12	2,51	0,93	2,46	0,98	2,524	0,97	5th injection
00:15:13	2,51	0,93	2,46	0,98	2,524	0,97	5th injection
00:15:14	2,51	0,93	2,46	0,98	2,524	0,97	5th injection
00:15:15	2,51	0,93	2,461	0,99	2,524	0,97	5th injection
00:15:16	2,51	0,93	2,461	0,99	2,524	0,97	5th injection
00:15:17	2,51	0,93	2,461	0,99	2,524	0,97	5th injection
00:15:18	2,51	0,93	2,461	0,99	2,524	0,97	5th injection
00:15:19	2,51	0,93	2,461	0,99	2,524	0,97	5th injection
00:15:20	2,51	0,93	2,461	0,99	2,524	0,97	5th injection
00:15:21	2,509	0,93	2,461	0,99	2,524	0,97	5th injection
00:15:22	2,509	0,93	2,461	0,99	2,524	0,97	5th injection
00:15:23	2,509	0,93	2,462	1,00	2,524	0,97	5th injection
00:15:24	2,509	0,93	2,462	1,00	2,524	0,97	5th injection
00:15:25	2,509	0,93	2,462	1,00	2,525	0,97	5th injection
00:15:26	2,509	0,93	2,462	1,00	2,525	0,97	5th injection

00:15:27	2,51	0,93	2,462	1,00	2,525	0,97	5th injection
00:15:28	2,51	0,93	2,462	1,00	2,525	0,97	5th injection
00:15:29	2,51	0,93	2,462	1,00	2,525	0,97	5th injection
00:15:30	2,51	0,93	2,462	1,00	2,525	0,97	5th injection
00:15:31	2,51	0,93	2,461	0,99	2,525	0,97	5th injection
00:15:32	2,511	0,94	2,461	0,99	2,525	0,97	5th injection
00:15:33	2,511	0,94	2,461	0,99	2,525	0,97	5th injection
00:15:34	2,511	0,94	2,46	0,98	2,525	0,97	5th injection
00:15:35	2,512	0,95	2,46	0,98	2,525	0,97	5th injection
00:15:36	2,512	0,95	2,46	0,98	2,525	0,97	5th injection
00:15:37	2,512	0,95	2,46	0,98	2,525	0,97	5th injection
00:15:38	2,512	0,95	2,459	0,97	2,525	0,97	5th injection
00:15:39	2,512	0,95	2,459	0,97	2,525	0,97	5th injection
00:15:40	2,512	0,95	2,459	0,97	2,525	0,97	5th injection
00:15:41	2,512	0,95	2,459	0,97	2,525	0,97	5th injection
00:15:42	2,511	0,94	2,459	0,97	2,525	0,97	5th injection
00:15:43	2,511	0,94	2,459	0,97	2,526	0,98	5th injection
00:15:44	2,511	0,94	2,459	0,97	2,526	0,98	5th injection
00:15:45	2,511	0,94	2,459	0,97	2,526	0,98	5th injection
00:15:46	2,51	0,93	2,459	0,97	2,526	0,98	5th injection
00:15:47	2,511	0,94	2,458	0,97	2,526	0,98	5th injection
00:15:48	2,51	0,93	2,458	0,97	2,525	0,97	5th injection
00:15:49	2,511	0,94	2,458	0,97	2,526	0,98	5th injection
00:15:50	2,511	0,94	2,458	0,97	2,526	0,98	5th injection
00:15:51	2,511	0,94	2,458	0,97	2,526	0,98	5th injection
00:15:52	2,512	0,95	2,458	0,97	2,526	0,98	5th injection
00:15:53	2,512	0,95	2,458	0,97	2,525	0,97	5th injection
00:15:54	2,512	0,95	2,458	0,97	2,525	0,97	5th injection
00:15:55	2,513	0,96	2,457	0,96	2,525	0,97	5th injection
00:15:56	2,513	0,96	2,457	0,96	2,525	0,97	5th injection
00:15:57	2,513	0,96	2,457	0,96	2,525	0,97	5th injection
00:15:58	2,513	0,96	2,457	0,96	2,525	0,97	5th injection
00:15:59	2,513	0,96	2,457	0,96	2,525	0,97	5th injection

00:16:00	2,512	0,95	2,457	0,96	2,525	0,97	5th injection
00:16:01	2,512	0,95	2,457	0,96	2,525	0,97	5th injection
00:16:02	2,511	0,94	2,457	0,96	2,525	0,97	5th injection
00:16:03	2,511	0,94	2,457	0,96	2,526	0,98	5th injection
00:16:04	2,511	0,94	2,456	0,95	2,526	0,98	5th injection
00:16:05	2,511	0,94	2,456	0,95	2,526	0,98	5th injection
00:16:06	2,51	0,93	2,456	0,95	2,527	0,99	5th injection
00:16:07	2,51	0,93	2,456	0,95	2,527	0,99	5th injection
00:16:08	2,51	0,93	2,457	0,96	2,527	0,99	5th injection
00:16:09	2,51	0,93	2,457	0,96	2,527	0,99	5th injection
00:16:10	2,511	0,94	2,457	0,96	2,527	0,99	5th injection
00:16:11	2,511	0,94	2,457	0,96	2,526	0,98	5th injection
00:16:12	2,511	0,94	2,457	0,96	2,526	0,98	5th injection
00:16:13	2,511	0,94	2,457	0,96	2,525	0,97	5th injection
00:16:14	2,511	0,94	2,457	0,96	2,525	0,97	5th injection
00:16:15	2,511	0,94	2,458	0,97	2,525	0,97	5th injection
00:16:16	2,511	0,94	2,458	0,97	2,524	0,97	5th injection
00:16:17	2,511	0,94	2,458	0,97	2,524	0,97	5th injection
00:16:18	2,511	0,94	2,458	0,97	2,524	0,97	5th injection
00:16:19	2,511	0,94	2,458	0,97	2,524	0,97	5th injection
00:16:20	2,511	0,94	2,458	0,97	2,524	0,97	5th injection
00:16:21	2,511	0,94	2,458	0,97	2,524	0,97	5th injection
00:16:22	2,511	0,94	2,458	0,97	2,524	0,97	5th injection
00:16:23	2,511	0,94	2,458	0,97	2,524	0,97	5th injection
00:16:24	2,51	0,93	2,458	0,97	2,524	0,97	5th injection
00:16:25	2,51	0,93	2,458	0,97	2,524	0,97	5th injection
00:16:26	2,509	0,93	2,459	0,97	2,524	0,97	5th injection
00:16:27	2,509	0,93	2,459	0,97	2,524	0,97	5th injection
00:16:28	2,509	0,93	2,459	0,97	2,524	0,97	5th injection
00:16:29	2,509	0,93	2,459	0,97	2,524	0,97	5th injection
00:16:30	2,509	0,93	2,46	0,98	2,524	0,97	5th injection
00:16:31	2,509	0,93	2,46	0,98	2,524	0,97	5th injection
00:16:32	2,509	0,93	2,46	0,98	2,524	0,97	5th injection

00:16:33	2,509	0,93	2,461	0,99	2,524	0,97	5th injection
00:16:34	2,51	0,93	2,461	0,99	2,524	0,97	5th injection
00:16:35	2,51	0,93	2,461	0,99	2,524	0,97	5th injection
00:16:36	2,511	0,94	2,461	0,99	2,524	0,97	5th injection
00:16:37	2,512	0,95	2,461	0,99	2,524	0,97	5th injection
00:16:38	2,513	0,96	2,46	0,98	2,524	0,97	5th injection
00:16:39	2,514	0,97	2,46	0,98	2,523	0,96	5th injection
00:16:40	2,515	0,98	2,46	0,98	2,523	0,96	5th injection
00:16:41	2,516	0,98	2,46	0,98	2,523	0,96	5th injection
00:16:42	2,516	0,98	2,46	0,98	2,523	0,96	5th injection
00:16:43	2,517	0,99	2,46	0,98	2,523	0,96	5th injection
00:16:44	2,518	1,00	2,46	0,98	2,523	0,96	5th injection
00:16:45	2,518	1,00	2,46	0,98	2,523	0,96	5th injection
00:16:46	2,518	1,00	2,46	0,98	2,523	0,96	5th injection
00:16:47	2,518	1,00	2,461	0,99	2,523	0,96	5th injection
00:16:48	2,518	1,00	2,461	0,99	2,524	0,97	5th injection
00:16:49	2,518	1,00	2,461	0,99	2,524	0,97	5th injection
00:16:50	2,517	0,99	2,461	0,99	2,525	0,97	5th injection
00:16:51	2,517	0,99	2,461	0,99	2,525	0,97	5th injection
00:16:52	2,516	0,98	2,461	0,99	2,525	0,97	5th injection
00:16:53	2,516	0,98	2,461	0,99	2,525	0,97	5th injection
00:16:54	2,515	0,98	2,462	1,00	2,526	0,98	5th injection
00:16:55	2,515	0,98	2,462	1,00	2,526	0,98	5th injection
00:16:56	2,515	0,98	2,462	1,00	2,526	0,98	5th injection
00:16:57	2,515	0,98	2,462	1,00	2,526	0,98	5th injection
00:16:58	2,515	0,98	2,462	1,00	2,526	0,98	5th injection
00:16:59	2,514	0,97	2,462	1,00	2,526	0,98	5th injection
00:17:00	2,514	0,97	2,461	0,99	2,526	0,98	5th injection
00:17:01	2,514	0,97	2,461	0,99	2,526	0,98	5th injection
00:17:02	2,514	0,97	2,461	0,99	2,526	0,98	5th injection
00:17:03	2,513	0,96	2,461	0,99	2,526	0,98	5th injection
00:17:04	2,513	0,96	2,461	0,99	2,527	0,99	5th injection
00:17:05	2,512	0,95	2,461	0,99	2,527	0,99	5th injection

00:17:06	2,512	0,95	2,461	0,99	2,527	0,99	5th injection
00:17:07	2,512	0,95	2,46	0,98	2,527	0,99	5th injection
00:17:08	2,512	0,95	2,46	0,98	2,528	1,00	5th injection
00:17:09	2,511	0,94	2,46	0,98	2,528	1,00	5th injection
00:17:10	2,511	0,94	2,46	0,98	2,528	1,00	5th injection
00:17:11	2,511	0,94	2,46	0,98	2,528	1,00	5th injection
00:17:12	2,511	0,94	2,46	0,98	2,528	1,00	5th injection
00:17:13	2,512	0,95	2,46	0,98	2,528	1,00	5th injection
00:17:14	2,512	0,95	2,46	0,98	2,528	1,00	5th injection
00:17:15	2,512	0,95	2,46	0,98	2,528	1,00	5th injection
00:17:16	2,512	0,95	2,46	0,98	2,528	1,00	5th injection
00:17:17	2,512	0,95	2,46	0,98	2,528	1,00	5th injection
00:17:18	2,512	0,95	2,46	0,98	2,527	0,99	5th injection
00:00:00	2,74	0,01	2,688	0,03	2,757	0,02	6th injection
00:00:01	2,74	0,01	2,688	0,03	2,757	0,02	6th injection
00:00:02	2,74	0,01	2,688	0,03	2,757	0,02	6th injection
00:00:03	2,74	0,01	2,688	0,03	2,757	0,02	6th injection
00:00:04	2,74	0,01	2,688	0,03	2,756	0,01	6th injection
00:00:05	2,74	0,01	2,688	0,03	2,756	0,01	6th injection
00:00:06	2,74	0,01	2,688	0,03	2,756	0,01	6th injection
00:00:07	2,741	0,02	2,688	0,03	2,756	0,01	6th injection
00:00:08	2,741	0,02	2,688	0,03	2,756	0,01	6th injection
00:00:09	2,741	0,02	2,688	0,03	2,756	0,01	6th injection
00:00:10	2,741	0,02	2,688	0,03	2,756	0,01	6th injection
00:00:11	2,741	0,02	2,688	0,03	2,756	0,01	6th injection
00:00:12	2,741	0,02	2,689	0,04	2,756	0,01	6th injection
00:00:13	2,742	0,02	2,688	0,03	2,756	0,01	6th injection
00:00:14	2,742	0,02	2,688	0,03	2,756	0,01	6th injection
00:00:15	2,742	0,02	2,688	0,03	2,756	0,01	6th injection
00:00:16	2,742	0,02	2,688	0,03	2,757	0,02	6th injection
00:00:17	2,742	0,02	2,688	0,03	2,757	0,02	6th injection
00:00:18	2,743	0,03	2,688	0,03	2,757	0,02	6th injection
00:00:19	2,743	0,03	2,687	0,02	2,757	0,02	6th injection

00:00:20	2,743	0,03	2,687	0,02	2,757	0,02	6th injection
00:00:21	2,743	0,03	2,686	0,02	2,757	0,02	6th injection
00:00:22	2,743	0,03	2,686	0,02	2,757	0,02	6th injection
00:00:23	2,743	0,03	2,686	0,02	2,757	0,02	6th injection
00:00:24	2,743	0,03	2,685	0,01	2,757	0,02	6th injection
00:00:25	2,743	0,03	2,685	0,01	2,757	0,02	6th injection
00:00:26	2,743	0,03	2,685	0,01	2,757	0,02	6th injection
00:00:27	2,743	0,03	2,684	0,00	2,758	0,02	6th injection
00:00:28	2,743	0,03	2,684	0,00	2,758	0,02	6th injection
00:00:29	2,743	0,03	2,685	0,01	2,758	0,02	6th injection
00:00:30	2,743	0,03	2,685	0,01	2,758	0,02	6th injection
00:00:31	2,743	0,03	2,685	0,01	2,759	0,03	6th injection
00:00:32	2,743	0,03	2,685	0,01	2,759	0,03	6th injection
00:00:33	2,743	0,03	2,685	0,01	2,759	0,03	6th injection
00:00:34	2,743	0,03	2,686	0,02	2,759	0,03	6th injection
00:00:35	2,743	0,03	2,686	0,02	2,76	0,04	6th injection
00:00:36	2,743	0,03	2,686	0,02	2,76	0,04	6th injection
00:00:37	2,743	0,03	2,686	0,02	2,76	0,04	6th injection
00:00:38	2,743	0,03	2,686	0,02	2,76	0,04	6th injection
00:00:39	2,742	0,02	2,686	0,02	2,76	0,04	6th injection
00:00:40	2,742	0,02	2,686	0,02	2,76	0,04	6th injection
00:00:41	2,742	0,02	2,686	0,02	2,76	0,04	6th injection
00:00:42	2,742	0,02	2,686	0,02	2,76	0,04	6th injection
00:00:43	2,742	0,02	2,686	0,02	2,76	0,04	6th injection
00:00:44	2,742	0,02	2,686	0,02	2,759	0,03	6th injection
00:00:45	2,741	0,02	2,686	0,02	2,759	0,03	6th injection
00:00:46	2,741	0,02	2,687	0,02	2,759	0,03	6th injection
00:00:47	2,74	0,01	2,687	0,02	2,758	0,02	6th injection
00:00:48	2,74	0,01	2,687	0,02	2,758	0,02	6th injection
00:00:49	2,74	0,01	2,687	0,02	2,757	0,02	6th injection
00:00:50	2,739	0,00	2,687	0,02	2,757	0,02	6th injection
00:00:51	2,739	0,00	2,687	0,02	2,756	0,01	6th injection
00:00:52	2,739	0,00	2,687	0,02	2,756	0,01	6th injection

00:00:53	2,739	0,00	2,687	0,02	2,756	0,01	6th injection
00:00:54	2,739	0,00	2,687	0,02	2,756	0,01	6th injection
00:00:55	2,739	0,00	2,687	0,02	2,756	0,01	6th injection
00:00:56	2,74	0,01	2,687	0,02	2,756	0,01	6th injection
00:00:57	2,74	0,01	2,687	0,02	2,757	0,02	6th injection
00:00:58	2,74	0,01	2,687	0,02	2,757	0,02	6th injection
00:00:59	2,741	0,02	2,687	0,02	2,757	0,02	6th injection
00:01:00	2,741	0,02	2,687	0,02	2,758	0,02	6th injection
00:01:01	2,741	0,02	2,688	0,03	2,758	0,02	6th injection
00:01:02	2,741	0,02	2,687	0,02	2,758	0,02	6th injection
00:01:03	2,741	0,02	2,687	0,02	2,758	0,02	6th injection
00:01:04	2,741	0,02	2,687	0,02	2,758	0,02	6th injection
00:01:05	2,74	0,01	2,687	0,02	2,759	0,03	6th injection
00:01:06	2,74	0,01	2,686	0,02	2,759	0,03	6th injection
00:01:07	2,74	0,01	2,686	0,02	2,759	0,03	6th injection
00:01:08	2,74	0,01	2,686	0,02	2,759	0,03	6th injection
00:01:09	2,74	0,01	2,686	0,02	2,759	0,03	6th injection
00:01:10	2,74	0,01	2,685	0,01	2,759	0,03	6th injection
00:01:11	2,74	0,01	2,685	0,01	2,759	0,03	6th injection
00:01:12	2,74	0,01	2,685	0,01	2,759	0,03	6th injection
00:01:13	2,74	0,01	2,685	0,01	2,759	0,03	6th injection
00:01:14	2,74	0,01	2,685	0,01	2,759	0,03	6th injection
00:01:15	2,74	0,01	2,685	0,01	2,759	0,03	6th injection
00:01:16	2,741	0,02	2,685	0,01	2,758	0,02	6th injection
00:01:17	2,741	0,02	2,685	0,01	2,758	0,02	6th injection
00:01:18	2,741	0,02	2,685	0,01	2,758	0,02	6th injection
00:01:19	2,741	0,02	2,686	0,02	2,758	0,02	6th injection
00:01:20	2,741	0,02	2,686	0,02	2,758	0,02	6th injection
00:01:21	2,741	0,02	2,687	0,02	2,758	0,02	6th injection
00:01:22	2,741	0,02	2,687	0,02	2,758	0,02	6th injection
00:01:23	2,741	0,02	2,687	0,02	2,758	0,02	6th injection
00:01:24	2,741	0,02	2,687	0,02	2,758	0,02	6th injection
00:01:25	2,741	0,02	2,687	0,02	2,757	0,02	6th injection

00:01:26	2,741	0,02	2,687	0,02	2,757	0,02	6th injection
00:01:27	2,74	0,01	2,687	0,02	2,757	0,02	6th injection
00:01:28	2,74	0,01	2,686	0,02	2,757	0,02	6th injection
00:01:29	2,74	0,01	2,686	0,02	2,757	0,02	6th injection
00:01:30	2,74	0,01	2,686	0,02	2,757	0,02	6th injection
00:01:31	2,739	0,00	2,685	0,01	2,757	0,02	6th injection
00:01:32	2,739	0,00	2,685	0,01	2,758	0,02	6th injection
00:01:33	2,739	0,00	2,685	0,01	2,758	0,02	6th injection
00:01:34	2,74	0,01	2,686	0,02	2,758	0,02	6th injection
00:01:35	2,74	0,01	2,686	0,02	2,758	0,02	6th injection
00:01:36	2,741	0,02	2,687	0,02	2,758	0,02	6th injection
00:01:37	2,741	0,02	2,687	0,02	2,758	0,02	6th injection
00:01:38	2,742	0,02	2,688	0,03	2,758	0,02	6th injection
00:01:39	2,743	0,03	2,688	0,03	2,757	0,02	6th injection
00:01:40	2,743	0,03	2,688	0,03	2,757	0,02	6th injection
00:01:41	2,744	0,04	2,689	0,04	2,757	0,02	6th injection
00:01:42	2,744	0,04	2,689	0,04	2,756	0,01	6th injection
00:01:43	2,744	0,04	2,689	0,04	2,756	0,01	6th injection
00:01:44	2,745	0,05	2,689	0,04	2,755	0,00	6th injection
00:01:45	2,746	0,06	2,689	0,04	2,755	0,00	6th injection
00:01:46	2,748	0,07	2,689	0,04	2,755	0,00	6th injection
00:01:47	2,749	0,08	2,688	0,03	2,755	0,00	6th injection
00:01:48	2,751	0,10	2,688	0,03	2,755	0,00	6th injection
00:01:49	2,752	0,11	2,688	0,03	2,755	0,00	6th injection
00:01:50	2,753	0,12	2,687	0,02	2,756	0,01	6th injection
00:01:51	2,754	0,12	2,687	0,02	2,756	0,01	6th injection
00:01:52	2,756	0,14	2,687	0,02	2,756	0,01	6th injection
00:01:53	2,757	0,15	2,687	0,02	2,757	0,02	6th injection
00:01:54	2,758	0,16	2,687	0,02	2,757	0,02	6th injection
00:01:55	2,759	0,17	2,687	0,02	2,758	0,02	6th injection
00:01:56	2,758	0,16	2,687	0,02	2,758	0,02	6th injection
00:01:57	2,758	0,16	2,687	0,02	2,758	0,02	6th injection
00:01:58	2,759	0,17	2,688	0,03	2,758	0,02	6th injection

00:01:59	2,76	0,17	2,688	0,03	2,758	0,02	6th injection
00:02:00	2,762	0,19	2,688	0,03	2,759	0,03	6th injection
00:02:01	2,765	0,21	2,688	0,03	2,759	0,03	6th injection
00:02:02	2,768	0,24	2,688	0,03	2,759	0,03	6th injection
00:02:03	2,773	0,28	2,688	0,03	2,759	0,03	6th injection
00:02:04	2,778	0,32	2,689	0,04	2,759	0,03	6th injection
00:02:05	2,783	0,36	2,69	0,05	2,759	0,03	6th injection
00:02:06	2,789	0,41	2,692	0,07	2,759	0,03	6th injection
00:02:07	2,794	0,45	2,695	0,09	2,759	0,03	6th injection
00:02:08	2,799	0,50	2,698	0,11	2,759	0,03	6th injection
00:02:09	2,803	0,53	2,702	0,15	2,76	0,04	6th injection
00:02:10	2,807	0,56	2,707	0,19	2,76	0,04	6th injection
00:02:11	2,81	0,59	2,711	0,22	2,76	0,04	6th injection
00:02:12	2,813	0,61	2,716	0,26	2,761	0,05	6th injection
00:02:13	2,813	0,61	2,721	0,30	2,761	0,05	6th injection
00:02:14	2,813	0,61	2,726	0,34	2,762	0,05	6th injection
00:02:15	2,812	0,60	2,73	0,37	2,762	0,05	6th injection
00:02:16	2,811	0,60	2,734	0,41	2,763	0,06	6th injection
00:02:17	2,81	0,59	2,738	0,44	2,764	0,07	6th injection
00:02:18	2,81	0,59	2,741	0,46	2,765	0,08	6th injection
00:02:19	2,81	0,59	2,743	0,48	2,766	0,08	6th injection
00:02:20	2,811	0,60	2,744	0,49	2,767	0,09	6th injection
00:02:21	2,812	0,60	2,745	0,50	2,768	0,10	6th injection
00:02:22	2,814	0,62	2,746	0,50	2,77	0,12	6th injection
00:02:23	2,817	0,64	2,746	0,50	2,772	0,13	6th injection
00:02:24	2,82	0,67	2,747	0,51	2,774	0,15	6th injection
00:02:25	2,822	0,69	2,748	0,52	2,777	0,17	6th injection
00:02:26	2,826	0,72	2,749	0,53	2,779	0,18	6th injection
00:02:27	2,829	0,74	2,751	0,54	2,782	0,21	6th injection
00:02:28	2,832	0,77	2,753	0,56	2,785	0,23	6th injection
00:02:29	2,835	0,79	2,755	0,58	2,788	0,25	6th injection
00:02:30	2,838	0,82	2,757	0,59	2,791	0,28	6th injection
00:02:31	2,84	0,83	2,76	0,62	2,795	0,31	6th injection

00:02:32	2,841	0,84	2,763	0,64	2,804	0,38	6th injection
00:02:33	2,842	0,85	2,766	0,67	2,808	0,41	6th injection
00:02:34	2,842	0,85	2,769	0,69	2,812	0,44	6th injection
00:02:35	2,843	0,86	2,771	0,71	2,816	0,47	6th injection
00:02:36	2,843	0,86	2,774	0,73	2,819	0,49	6th injection
00:02:37	2,843	0,86	2,776	0,75	2,823	0,52	6th injection
00:02:38	2,842	0,85	2,778	0,76	2,826	0,55	6th injection
00:02:39	2,842	0,85	2,779	0,77	2,829	0,57	6th injection
00:02:40	2,841	0,84	2,78	0,78	2,83	0,58	6th injection
00:02:41	2,841	0,84	2,781	0,79	2,832	0,59	6th injection
00:02:42	2,841	0,84	2,782	0,80	2,833	0,60	6th injection
00:02:43	2,841	0,84	2,783	0,80	2,833	0,60	6th injection
00:02:44	2,841	0,84	2,784	0,81	2,833	0,60	6th injection
00:02:45	2,841	0,84	2,784	0,81	2,834	0,61	6th injection
00:02:46	2,841	0,84	2,784	0,81	2,834	0,61	6th injection
00:02:47	2,842	0,85	2,784	0,81	2,834	0,61	6th injection
00:02:48	2,842	0,85	2,784	0,81	2,834	0,61	6th injection
00:02:49	2,843	0,86	2,784	0,81	2,835	0,62	6th injection
00:02:50	2,843	0,86	2,784	0,81	2,835	0,62	6th injection
00:02:51	2,844	0,87	2,784	0,81	2,836	0,62	6th injection
00:02:52	2,844	0,87	2,784	0,81	2,836	0,62	6th injection
00:02:53	2,845	0,88	2,784	0,81	2,837	0,63	6th injection
00:02:54	2,846	0,88	2,783	0,80	2,837	0,63	6th injection
00:02:55	2,846	0,88	2,783	0,80	2,838	0,64	6th injection
00:02:56	2,847	0,89	2,783	0,80	2,839	0,65	6th injection
00:02:57	2,847	0,89	2,783	0,80	2,839	0,65	6th injection
00:02:58	2,847	0,89	2,783	0,80	2,84	0,65	6th injection
00:02:59	2,848	0,90	2,783	0,80	2,841	0,66	6th injection
00:03:00	2,848	0,90	2,784	0,81	2,842	0,67	6th injection
00:03:01	2,848	0,90	2,784	0,81	2,842	0,67	6th injection
00:03:02	2,848	0,90	2,785	0,82	2,843	0,68	6th injection
00:03:03	2,849	0,91	2,785	0,82	2,844	0,68	6th injection
00:03:04	2,849	0,91	2,785	0,82	2,844	0,68	6th injection

00:03:05	2,849	0,91	2,785	0,82	2,845	0,69	6th injection
00:03:06	2,849	0,91	2,785	0,82	2,845	0,69	6th injection
00:03:07	2,848	0,90	2,785	0,82	2,845	0,69	6th injection
00:03:08	2,848	0,90	2,785	0,82	2,846	0,70	6th injection
00:03:09	2,848	0,90	2,785	0,82	2,846	0,70	6th injection
00:03:10	2,848	0,90	2,785	0,82	2,847	0,71	6th injection
00:03:11	2,848	0,90	2,785	0,82	2,847	0,71	6th injection
00:03:12	2,848	0,90	2,785	0,82	2,848	0,72	6th injection
00:03:13	2,848	0,90	2,785	0,82	2,848	0,72	6th injection
00:03:14	2,848	0,90	2,785	0,82	2,849	0,72	6th injection
00:03:15	2,848	0,90	2,786	0,83	2,849	0,72	6th injection
00:03:16	2,849	0,91	2,785	0,82	2,85	0,73	6th injection
00:03:17	2,849	0,91	2,785	0,82	2,852	0,75	6th injection
00:03:18	2,85	0,92	2,785	0,82	2,854	0,76	6th injection
00:03:19	2,85	0,92	2,785	0,82	2,856	0,78	6th injection
00:03:20	2,851	0,93	2,785	0,82	2,857	0,78	6th injection
00:03:21	2,851	0,93	2,786	0,83	2,86	0,81	6th injection
00:03:22	2,852	0,93	2,786	0,83	2,862	0,82	6th injection
00:03:23	2,853	0,94	2,786	0,83	2,864	0,84	6th injection
00:03:24	2,853	0,94	2,786	0,83	2,867	0,86	6th injection
00:03:25	2,854	0,95	2,786	0,83	2,87	0,88	6th injection
00:03:26	2,854	0,95	2,786	0,83	2,873	0,91	6th injection
00:03:27	2,854	0,95	2,786	0,83	2,875	0,92	6th injection
00:03:28	2,855	0,96	2,786	0,83	2,876	0,93	6th injection
00:03:29	2,855	0,96	2,786	0,83	2,878	0,95	6th injection
00:03:30	2,855	0,96	2,786	0,83	2,88	0,96	6th injection
00:03:31	2,855	0,96	2,786	0,83	2,881	0,97	6th injection
00:03:32	2,855	0,96	2,785	0,82	2,881	0,97	6th injection
00:03:33	2,855	0,96	2,785	0,82	2,882	0,98	6th injection
00:03:34	2,855	0,96	2,784	0,81	2,882	0,98	6th injection
00:03:35	2,854	0,95	2,784	0,81	2,882	0,98	6th injection
00:03:36	2,854	0,95	2,784	0,81	2,882	0,98	6th injection
00:03:37	2,854	0,95	2,785	0,82	2,882	0,98	6th injection

00:03:38	2,854	0,95	2,785	0,82	2,882	0,98	6th injection
00:03:39	2,853	0,94	2,786	0,83	2,882	0,98	6th injection
00:03:40	2,853	0,94	2,788	0,85	2,882	0,98	6th injection
00:03:41	2,853	0,94	2,79	0,86	2,883	0,98	6th injection
00:03:42	2,853	0,94	2,792	0,88	2,883	0,98	6th injection
00:03:43	2,854	0,95	2,793	0,89	2,883	0,98	6th injection
00:03:44	2,854	0,95	2,795	0,90	2,883	0,98	6th injection
00:03:45	2,854	0,95	2,797	0,92	2,884	0,99	6th injection
00:03:46	2,854	0,95	2,798	0,93	2,884	0,99	6th injection
00:03:47	2,854	0,95	2,799	0,93	2,885	1,00	6th injection
00:03:48	2,854	0,95	2,8	0,94	2,885	1,00	6th injection
00:03:49	2,855	0,96	2,801	0,95	2,885	1,00	6th injection
00:03:50	2,855	0,96	2,802	0,96	2,885	1,00	6th injection
00:03:51	2,855	0,96	2,802	0,96	2,885	1,00	6th injection
00:03:52	2,855	0,96	2,802	0,96	2,885	1,00	6th injection
00:03:53	2,855	0,96	2,803	0,97	2,885	1,00	6th injection
00:03:54	2,855	0,96	2,803	0,97	2,885	1,00	6th injection
00:03:55	2,855	0,96	2,803	0,97	2,885	1,00	6th injection
00:03:56	2,855	0,96	2,804	0,98	2,885	1,00	6th injection
00:03:57	2,855	0,96	2,804	0,98	2,885	1,00	6th injection
00:03:58	2,855	0,96	2,804	0,98	2,885	1,00	6th injection
00:03:59	2,855	0,96	2,804	0,98	2,885	1,00	6th injection
00:04:00	2,855	0,96	2,804	0,98	2,885	1,00	6th injection
00:04:01	2,855	0,96	2,804	0,98	2,885	1,00	6th injection
00:04:02	2,854	0,95	2,804	0,98	2,884	0,99	6th injection
00:04:03	2,854	0,95	2,804	0,98	2,884	0,99	6th injection
00:04:04	2,853	0,94	2,804	0,98	2,884	0,99	6th injection
00:04:05	2,853	0,94	2,804	0,98	2,883	0,98	6th injection
00:04:06	2,853	0,94	2,804	0,98	2,883	0,98	6th injection
00:04:07	2,853	0,94	2,804	0,98	2,883	0,98	6th injection
00:04:08	2,853	0,94	2,803	0,97	2,883	0,98	6th injection
00:04:09	2,853	0,94	2,803	0,97	2,882	0,98	6th injection
00:04:10	2,853	0,94	2,803	0,97	2,882	0,98	6th injection

00:04:11	2,853	0,94	2,803	0,97	2,882	0,98	6th injection
00:04:12	2,853	0,94	2,803	0,97	2,882	0,98	6th injection
00:04:13	2,853	0,94	2,803	0,97	2,882	0,98	6th injection
00:04:14	2,853	0,94	2,803	0,97	2,882	0,98	6th injection
00:04:15	2,853	0,94	2,803	0,97	2,882	0,98	6th injection
00:04:16	2,853	0,94	2,803	0,97	2,882	0,98	6th injection
00:04:17	2,853	0,94	2,803	0,97	2,882	0,98	6th injection
00:04:18	2,853	0,94	2,803	0,97	2,882	0,98	6th injection
00:04:19	2,853	0,94	2,803	0,97	2,881	0,97	6th injection
00:04:20	2,853	0,94	2,803	0,97	2,881	0,97	6th injection
00:04:21	2,853	0,94	2,803	0,97	2,88	0,96	6th injection
00:04:22	2,854	0,95	2,803	0,97	2,88	0,96	6th injection
00:04:23	2,854	0,95	2,804	0,98	2,879	0,95	6th injection
00:04:24	2,855	0,96	2,804	0,98	2,879	0,95	6th injection
00:04:25	2,855	0,96	2,804	0,98	2,878	0,95	6th injection
00:04:26	2,855	0,96	2,804	0,98	2,877	0,94	6th injection
00:04:27	2,856	0,97	2,804	0,98	2,876	0,93	6th injection
00:04:28	2,856	0,97	2,804	0,98	2,876	0,93	6th injection
00:04:29	2,856	0,97	2,804	0,98	2,875	0,92	6th injection
00:04:30	2,857	0,98	2,805	0,98	2,875	0,92	6th injection
00:04:31	2,857	0,98	2,804	0,98	2,874	0,92	6th injection
00:04:32	2,857	0,98	2,804	0,98	2,874	0,92	6th injection
00:04:33	2,857	0,98	2,804	0,98	2,874	0,92	6th injection
00:04:34	2,857	0,98	2,804	0,98	2,874	0,92	6th injection
00:04:35	2,856	0,97	2,804	0,98	2,874	0,92	6th injection
00:04:36	2,856	0,97	2,804	0,98	2,874	0,92	6th injection
00:04:37	2,855	0,96	2,804	0,98	2,874	0,92	6th injection
00:04:38	2,855	0,96	2,804	0,98	2,874	0,92	6th injection
00:04:39	2,855	0,96	2,805	0,98	2,875	0,92	6th injection
00:04:40	2,855	0,96	2,805	0,98	2,875	0,92	6th injection
00:04:41	2,854	0,95	2,805	0,98	2,875	0,92	6th injection
00:04:42	2,854	0,95	2,805	0,98	2,875	0,92	6th injection
00:04:43	2,854	0,95	2,805	0,98	2,875	0,92	6th injection

00:04:44	2,853	0,94	2,805	0,98	2,875	0,92	6th injection
00:04:45	2,853	0,94	2,805	0,98	2,875	0,92	6th injection
00:04:46	2,853	0,94	2,804	0,98	2,876	0,93	6th injection
00:04:47	2,853	0,94	2,804	0,98	2,876	0,93	6th injection
00:04:48	2,853	0,94	2,804	0,98	2,876	0,93	6th injection
00:04:49	2,852	0,93	2,804	0,98	2,876	0,93	6th injection
00:04:50	2,852	0,93	2,803	0,97	2,876	0,93	6th injection
00:04:51	2,853	0,94	2,803	0,97	2,876	0,93	6th injection
00:04:52	2,853	0,94	2,803	0,97	2,876	0,93	6th injection
00:04:53	2,853	0,94	2,802	0,96	2,875	0,92	6th injection
00:04:54	2,853	0,94	2,802	0,96	2,875	0,92	6th injection
00:04:55	2,853	0,94	2,802	0,96	2,875	0,92	6th injection
00:04:56	2,854	0,95	2,802	0,96	2,874	0,92	6th injection
00:04:57	2,854	0,95	2,801	0,95	2,874	0,92	6th injection
00:04:58	2,855	0,96	2,801	0,95	2,873	0,91	6th injection
00:04:59	2,855	0,96	2,801	0,95	2,873	0,91	6th injection
00:05:00	2,855	0,96	2,801	0,95	2,873	0,91	6th injection
00:05:01	2,855	0,96	2,801	0,95	2,873	0,91	6th injection
00:05:02	2,855	0,96	2,801	0,95	2,873	0,91	6th injection
00:05:03	2,854	0,95	2,801	0,95	2,873	0,91	6th injection
00:05:04	2,854	0,95	2,801	0,95	2,873	0,91	6th injection
00:05:05	2,854	0,95	2,801	0,95	2,873	0,91	6th injection
00:05:06	2,853	0,94	2,801	0,95	2,873	0,91	6th injection
00:05:07	2,853	0,94	2,801	0,95	2,874	0,92	6th injection
00:05:08	2,853	0,94	2,801	0,95	2,874	0,92	6th injection
00:05:09	2,852	0,93	2,802	0,96	2,874	0,92	6th injection
00:05:10	2,852	0,93	2,802	0,96	2,874	0,92	6th injection
00:05:11	2,852	0,93	2,802	0,96	2,874	0,92	6th injection
00:05:12	2,852	0,93	2,803	0,97	2,874	0,92	6th injection
00:05:13	2,852	0,93	2,803	0,97	2,873	0,91	6th injection
00:05:14	2,851	0,93	2,804	0,98	2,873	0,91	6th injection
00:05:15	2,852	0,93	2,804	0,98	2,873	0,91	6th injection
00:05:16	2,852	0,93	2,805	0,98	2,873	0,91	6th injection

00:05:17	2,852	0,93	2,805	0,98	2,873	0,91	6th injection
00:05:18	2,853	0,94	2,805	0,98	2,873	0,91	6th injection
00:05:19	2,853	0,94	2,805	0,98	2,873	0,91	6th injection
00:05:20	2,854	0,95	2,805	0,98	2,872	0,90	6th injection
00:05:21	2,854	0,95	2,805	0,98	2,872	0,90	6th injection
00:05:22	2,855	0,96	2,804	0,98	2,872	0,90	6th injection
00:05:23	2,856	0,97	2,804	0,98	2,872	0,90	6th injection
00:05:24	2,857	0,98	2,804	0,98	2,873	0,91	6th injection
00:05:25	2,857	0,98	2,804	0,98	2,873	0,91	6th injection
00:05:26	2,858	0,98	2,804	0,98	2,873	0,91	6th injection
00:05:27	2,858	0,98	2,804	0,98	2,873	0,91	6th injection
00:05:28	2,857	0,98	2,804	0,98	2,873	0,91	6th injection
00:05:29	2,857	0,98	2,804	0,98	2,873	0,91	6th injection
00:05:30	2,857	0,98	2,804	0,98	2,873	0,91	6th injection
00:05:31	2,856	0,97	2,805	0,98	2,873	0,91	6th injection
00:05:32	2,856	0,97	2,805	0,98	2,873	0,91	6th injection
00:05:33	2,855	0,96	2,805	0,98	2,873	0,91	6th injection
00:05:34	2,854	0,95	2,805	0,98	2,872	0,90	6th injection
00:05:35	2,853	0,94	2,805	0,98	2,872	0,90	6th injection
00:05:36	2,853	0,94	2,805	0,98	2,872	0,90	6th injection
00:05:37	2,853	0,94	2,805	0,98	2,872	0,90	6th injection
00:05:38	2,853	0,94	2,805	0,98	2,871	0,89	6th injection
00:05:39	2,853	0,94	2,804	0,98	2,871	0,89	6th injection
00:05:40	2,853	0,94	2,804	0,98	2,871	0,89	6th injection
00:05:41	2,853	0,94	2,804	0,98	2,871	0,89	6th injection
00:05:42	2,853	0,94	2,804	0,98	2,871	0,89	6th injection
00:05:43	2,853	0,94	2,804	0,98	2,871	0,89	6th injection
00:05:44	2,853	0,94	2,805	0,98	2,872	0,90	6th injection
00:05:45	2,853	0,94	2,805	0,98	2,872	0,90	6th injection
00:05:46	2,853	0,94	2,805	0,98	2,872	0,90	6th injection
00:05:47	2,853	0,94	2,805	0,98	2,871	0,89	6th injection
00:05:48	2,853	0,94	2,805	0,98	2,871	0,89	6th injection
00:05:49	2,853	0,94	2,805	0,98	2,871	0,89	6th injection

00:05:50	2,853	0,94	2,805	0,98	2,871	0,89	6th injection
00:05:51	2,853	0,94	2,805	0,98	2,871	0,89	6th injection
00:05:52	2,853	0,94	2,804	0,98	2,871	0,89	6th injection
00:05:53	2,853	0,94	2,804	0,98	2,871	0,89	6th injection
00:05:54	2,854	0,95	2,804	0,98	2,871	0,89	6th injection
00:05:55	2,854	0,95	2,803	0,97	2,871	0,89	6th injection
00:05:56	2,855	0,96	2,803	0,97	2,871	0,89	6th injection
00:05:57	2,855	0,96	2,803	0,97	2,871	0,89	6th injection
00:05:58	2,855	0,96	2,803	0,97	2,871	0,89	6th injection
00:05:59	2,856	0,97	2,803	0,97	2,872	0,90	6th injection
00:06:00	2,856	0,97	2,802	0,96	2,872	0,90	6th injection
00:06:01	2,856	0,97	2,803	0,97	2,873	0,91	6th injection
00:06:02	2,857	0,98	2,803	0,97	2,873	0,91	6th injection
00:06:03	2,857	0,98	2,803	0,97	2,874	0,92	6th injection
00:06:04	2,858	0,98	2,803	0,97	2,874	0,92	6th injection
00:06:05	2,858	0,98	2,804	0,98	2,875	0,92	6th injection
00:06:06	2,857	0,98	2,804	0,98	2,876	0,93	6th injection
00:06:07	2,857	0,98	2,804	0,98	2,876	0,93	6th injection
00:06:08	2,857	0,98	2,804	0,98	2,876	0,93	6th injection
00:06:09	2,857	0,98	2,805	0,98	2,876	0,93	6th injection
00:06:10	2,857	0,98	2,805	0,98	2,875	0,92	6th injection
00:06:11	2,856	0,97	2,805	0,98	2,875	0,92	6th injection
00:06:12	2,856	0,97	2,805	0,98	2,874	0,92	6th injection
00:06:13	2,855	0,96	2,805	0,98	2,874	0,92	6th injection
00:06:14	2,854	0,95	2,804	0,98	2,874	0,92	6th injection
00:06:15	2,853	0,94	2,804	0,98	2,873	0,91	6th injection
00:06:16	2,853	0,94	2,803	0,97	2,873	0,91	6th injection
00:06:17	2,853	0,94	2,803	0,97	2,873	0,91	6th injection
00:06:18	2,853	0,94	2,803	0,97	2,873	0,91	6th injection
00:06:19	2,853	0,94	2,803	0,97	2,873	0,91	6th injection
00:06:20	2,853	0,94	2,803	0,97	2,873	0,91	6th injection
00:06:21	2,853	0,94	2,803	0,97	2,873	0,91	6th injection
00:06:22	2,854	0,95	2,803	0,97	2,873	0,91	6th injection

00:06:23	2,854	0,95	2,803	0,97	2,873	0,91	6th injection
00:06:24	2,855	0,96	2,803	0,97	2,873	0,91	6th injection
00:06:25	2,855	0,96	2,804	0,98	2,873	0,91	6th injection
00:06:26	2,856	0,97	2,804	0,98	2,873	0,91	6th injection
00:06:27	2,856	0,97	2,805	0,98	2,873	0,91	6th injection
00:06:28	2,857	0,98	2,805	0,98	2,873	0,91	6th injection
00:06:29	2,857	0,98	2,805	0,98	2,874	0,92	6th injection
00:06:30	2,857	0,98	2,805	0,98	2,874	0,92	6th injection
00:06:31	2,857	0,98	2,805	0,98	2,874	0,92	6th injection
00:06:32	2,857	0,98	2,805	0,98	2,874	0,92	6th injection
00:06:33	2,857	0,98	2,805	0,98	2,874	0,92	6th injection
00:06:34	2,857	0,98	2,805	0,98	2,874	0,92	6th injection
00:06:35	2,856	0,97	2,805	0,98	2,874	0,92	6th injection
00:06:36	2,856	0,97	2,805	0,98	2,874	0,92	6th injection
00:06:37	2,856	0,97	2,805	0,98	2,874	0,92	6th injection
00:06:38	2,856	0,97	2,804	0,98	2,874	0,92	6th injection
00:06:39	2,855	0,96	2,804	0,98	2,874	0,92	6th injection
00:06:40	2,855	0,96	2,804	0,98	2,874	0,92	6th injection
00:06:41	2,855	0,96	2,804	0,98	2,873	0,91	6th injection
00:06:42	2,855	0,96	2,804	0,98	2,873	0,91	6th injection
00:06:43	2,855	0,96	2,804	0,98	2,873	0,91	6th injection
00:06:44	2,856	0,97	2,804	0,98	2,872	0,90	6th injection
00:06:45	2,856	0,97	2,804	0,98	2,872	0,90	6th injection
00:06:46	2,856	0,97	2,805	0,98	2,872	0,90	6th injection
00:06:47	2,857	0,98	2,805	0,98	2,872	0,90	6th injection
00:06:48	2,857	0,98	2,805	0,98	2,871	0,89	6th injection
00:06:49	2,857	0,98	2,806	0,99	2,871	0,89	6th injection
00:06:50	2,857	0,98	2,806	0,99	2,871	0,89	6th injection
00:06:51	2,857	0,98	2,807	1,00	2,871	0,89	6th injection
00:06:52	2,858	0,98	2,807	1,00	2,871	0,89	6th injection
00:06:53	2,858	0,98	2,807	1,00	2,872	0,90	6th injection
00:06:54	2,858	0,98	2,807	1,00	2,872	0,90	6th injection
00:06:55	2,857	0,98	2,807	1,00	2,872	0,90	6th injection

00:06:56	2,857	0,98	2,807	1,00	2,872	0,90	6th injection
00:06:57	2,857	0,98	2,807	1,00	2,872	0,90	6th injection
00:06:58	2,857	0,98	2,807	1,00	2,873	0,91	6th injection
00:06:59	2,857	0,98	2,807	1,00	2,873	0,91	6th injection
00:07:00	2,857	0,98	2,807	1,00	2,873	0,91	6th injection
00:07:01	2,857	0,98	2,807	1,00	2,873	0,91	6th injection
00:07:02	2,857	0,98	2,807	1,00	2,874	0,92	6th injection
00:07:03	2,857	0,98	2,807	1,00	2,874	0,92	6th injection
00:07:04	2,857	0,98	2,806	0,99	2,874	0,92	6th injection
00:07:05	2,857	0,98	2,806	0,99	2,874	0,92	6th injection
00:07:06	2,857	0,98	2,806	0,99	2,874	0,92	6th injection
00:07:07	2,857	0,98	2,805	0,98	2,874	0,92	6th injection
00:07:08	2,857	0,98	2,805	0,98	2,874	0,92	6th injection
00:07:09	2,857	0,98	2,805	0,98	2,874	0,92	6th injection
00:07:10	2,857	0,98	2,804	0,98	2,874	0,92	6th injection
00:07:11	2,857	0,98	2,804	0,98	2,874	0,92	6th injection
00:07:12	2,857	0,98	2,804	0,98	2,875	0,92	6th injection
00:07:13	2,857	0,98	2,803	0,97	2,875	0,92	6th injection
00:07:14	2,857	0,98	2,803	0,97	2,875	0,92	6th injection
00:07:15	2,857	0,98	2,803	0,97	2,875	0,92	6th injection
00:07:16	2,857	0,98	2,802	0,96	2,875	0,92	6th injection
00:07:17	2,856	0,97	2,802	0,96	2,874	0,92	6th injection
00:07:18	2,856	0,97	2,802	0,96	2,874	0,92	6th injection
00:07:19	2,856	0,97	2,802	0,96	2,874	0,92	6th injection
00:07:20	2,855	0,96	2,802	0,96	2,874	0,92	6th injection
00:07:21	2,855	0,96	2,802	0,96	2,874	0,92	6th injection
00:07:22	2,855	0,96	2,802	0,96	2,874	0,92	6th injection
00:07:23	2,854	0,95	2,802	0,96	2,874	0,92	6th injection
00:07:24	2,854	0,95	2,802	0,96	2,874	0,92	6th injection
00:07:25	2,854	0,95	2,802	0,96	2,874	0,92	6th injection
00:07:26	2,854	0,95	2,802	0,96	2,874	0,92	6th injection
00:07:27	2,854	0,95	2,802	0,96	2,874	0,92	6th injection
00:07:28	2,854	0,95	2,802	0,96	2,874	0,92	6th injection

00:07:29	2,854	0,95	2,802	0,96	2,874	0,92	6th injection
00:07:30	2,854	0,95	2,802	0,96	2,874	0,92	6th injection
00:07:31	2,855	0,96	2,802	0,96	2,874	0,92	6th injection
00:07:32	2,855	0,96	2,802	0,96	2,874	0,92	6th injection
00:07:33	2,856	0,97	2,802	0,96	2,874	0,92	6th injection
00:07:34	2,856	0,97	2,802	0,96	2,873	0,91	6th injection
00:07:35	2,857	0,98	2,802	0,96	2,873	0,91	6th injection
00:07:36	2,857	0,98	2,803	0,97	2,873	0,91	6th injection
00:07:37	2,856	0,97	2,803	0,97	2,872	0,90	6th injection
00:07:38	2,856	0,97	2,803	0,97	2,872	0,90	6th injection
00:07:39	2,856	0,97	2,804	0,98	2,872	0,90	6th injection
00:07:40	2,855	0,96	2,804	0,98	2,872	0,90	6th injection
00:07:41	2,855	0,96	2,804	0,98	2,872	0,90	6th injection
00:07:42	2,855	0,96	2,804	0,98	2,872	0,90	6th injection
00:07:43	2,855	0,96	2,804	0,98	2,872	0,90	6th injection
00:07:44	2,854	0,95	2,804	0,98	2,872	0,90	6th injection
00:07:45	2,855	0,96	2,804	0,98	2,872	0,90	6th injection
00:07:46	2,855	0,96	2,804	0,98	2,873	0,91	6th injection
00:07:47	2,856	0,97	2,803	0,97	2,873	0,91	6th injection
00:07:48	2,857	0,98	2,804	0,98	2,873	0,91	6th injection
00:07:49	2,858	0,98	2,804	0,98	2,873	0,91	6th injection
00:07:50	2,858	0,98	2,804	0,98	2,873	0,91	6th injection
00:07:51	2,858	0,98	2,804	0,98	2,873	0,91	6th injection
00:07:52	2,858	0,98	2,804	0,98	2,873	0,91	6th injection
00:07:53	2,858	0,98	2,804	0,98	2,872	0,90	6th injection
00:07:54	2,858	0,98	2,804	0,98	2,872	0,90	6th injection
00:07:55	2,858	0,98	2,805	0,98	2,872	0,90	6th injection
00:07:56	2,858	0,98	2,805	0,98	2,872	0,90	6th injection
00:07:57	2,858	0,98	2,805	0,98	2,872	0,90	6th injection
00:07:58	2,858	0,98	2,804	0,98	2,871	0,89	6th injection
00:07:59	2,858	0,98	2,804	0,98	2,871	0,89	6th injection
00:08:00	2,858	0,98	2,804	0,98	2,871	0,89	6th injection
00:08:01	2,858	0,98	2,804	0,98	2,871	0,89	6th injection

00:08:02	2,859	0,99	2,804	0,98	2,871	0,89	6th injection
00:08:03	2,859	0,99	2,803	0,97	2,871	0,89	6th injection
00:08:04	2,859	0,99	2,803	0,97	2,871	0,89	6th injection
00:08:05	2,86	1,00	2,803	0,97	2,871	0,89	6th injection
00:08:06	2,86	1,00	2,803	0,97	2,871	0,89	6th injection
00:08:07	2,86	1,00	2,803	0,97	2,871	0,89	6th injection
00:08:08	2,86	1,00	2,803	0,97	2,872	0,90	6th injection
00:08:09	2,859	0,99	2,804	0,98	2,872	0,90	6th injection
00:08:10	2,859	0,99	2,804	0,98	2,872	0,90	6th injection
00:08:11	2,858	0,98	2,804	0,98	2,872	0,90	6th injection
00:08:12	2,858	0,98	2,803	0,97	2,872	0,90	6th injection
00:08:13	2,857	0,98	2,803	0,97	2,873	0,91	6th injection
00:08:14	2,857	0,98	2,803	0,97	2,873	0,91	6th injection
00:08:15	2,856	0,97	2,802	0,96	2,874	0,92	6th injection
00:08:16	2,856	0,97	2,802	0,96	2,874	0,92	6th injection
00:08:17	2,856	0,97	2,802	0,96	2,874	0,92	6th injection
00:08:18	2,856	0,97	2,802	0,96	2,874	0,92	6th injection
00:08:19	2,856	0,97	2,802	0,96	2,874	0,92	6th injection
00:08:20	2,856	0,97	2,801	0,95	2,874	0,92	6th injection
00:08:21	2,856	0,97	2,802	0,96	2,874	0,92	6th injection
00:08:22	2,856	0,97	2,802	0,96	2,874	0,92	6th injection
00:08:23	2,856	0,97	2,802	0,96	2,873	0,91	6th injection
00:08:24	2,856	0,97	2,802	0,96	2,873	0,91	6th injection
00:08:25	2,856	0,97	2,803	0,97	2,873	0,91	6th injection
00:08:26	2,856	0,97	2,803	0,97	2,873	0,91	6th injection
00:08:27	2,856	0,97	2,803	0,97	2,873	0,91	6th injection
00:08:28	2,855	0,96	2,803	0,97	2,873	0,91	6th injection
00:08:29	2,855	0,96	2,802	0,96	2,873	0,91	6th injection
00:08:30	2,855	0,96	2,802	0,96	2,873	0,91	6th injection
00:08:31	2,855	0,96	2,802	0,96	2,873	0,91	6th injection
00:08:32	2,855	0,96	2,802	0,96	2,873	0,91	6th injection
00:08:33	2,855	0,96	2,802	0,96	2,873	0,91	6th injection
00:08:34	2,855	0,96	2,802	0,96	2,873	0,91	6th injection

00:08:35	2,855	0,96	2,802	0,96	2,873	0,91	6th injection
00:08:36	2,855	0,96	2,802	0,96	2,873	0,91	6th injection
00:08:37	2,855	0,96	2,801	0,95	2,873	0,91	6th injection
00:08:38	2,855	0,96	2,801	0,95	2,873	0,91	6th injection
00:08:39	2,856	0,97	2,801	0,95	2,873	0,91	6th injection
00:08:40	2,856	0,97	2,801	0,95	2,872	0,90	6th injection
00:08:41	2,856	0,97	2,801	0,95	2,872	0,90	6th injection
00:08:42	2,856	0,97	2,802	0,96	2,872	0,90	6th injection
00:08:43	2,856	0,97	2,802	0,96	2,872	0,90	6th injection
00:08:44	2,856	0,97	2,802	0,96	2,872	0,90	6th injection
00:08:45	2,856	0,97	2,802	0,96	2,872	0,90	6th injection
00:08:46	2,856	0,97	2,802	0,96	2,872	0,90	6th injection
00:08:47	2,856	0,97	2,802	0,96	2,872	0,90	6th injection
00:08:48	2,857	0,98	2,802	0,96	2,873	0,91	6th injection
00:08:49	2,857	0,98	2,802	0,96	2,873	0,91	6th injection
00:08:50	2,856	0,97	2,803	0,97	2,873	0,91	6th injection
00:08:51	2,857	0,98	2,803	0,97	2,873	0,91	6th injection
00:08:52	2,857	0,98	2,803	0,97	2,873	0,91	6th injection
00:08:53	2,857	0,98	2,803	0,97	2,872	0,90	6th injection
00:08:54	2,857	0,98	2,803	0,97	2,872	0,90	6th injection
00:08:55	2,857	0,98	2,803	0,97	2,871	0,89	6th injection
00:08:56	2,857	0,98	2,803	0,97	2,871	0,89	6th injection
00:08:57	2,856	0,97	2,803	0,97	2,871	0,89	6th injection
00:08:58	2,856	0,97	2,803	0,97	2,871	0,89	6th injection
00:08:59	2,855	0,96	2,803	0,97	2,871	0,89	6th injection
00:09:00	2,855	0,96	2,803	0,97	2,871	0,89	6th injection
00:09:01	2,855	0,96	2,802	0,96	2,871	0,89	6th injection
00:09:02	2,855	0,96	2,802	0,96	2,871	0,89	6th injection
00:09:03	2,854	0,95	2,802	0,96	2,872	0,90	6th injection
00:09:04	2,854	0,95	2,802	0,96	2,872	0,90	6th injection
00:09:05	2,854	0,95	2,802	0,96	2,873	0,91	6th injection
00:09:06	2,854	0,95	2,802	0,96	2,873	0,91	6th injection
00:09:07	2,855	0,96	2,802	0,96	2,873	0,91	6th injection

00:09:08	2,855	0,96	2,802	0,96	2,874	0,92	6th injection
00:09:09	2,856	0,97	2,802	0,96	2,874	0,92	6th injection
00:09:10	2,856	0,97	2,802	0,96	2,874	0,92	6th injection
00:09:11	2,856	0,97	2,802	0,96	2,874	0,92	6th injection
00:09:12	2,857	0,98	2,802	0,96	2,874	0,92	6th injection
00:09:13	2,857	0,98	2,802	0,96	2,874	0,92	6th injection
00:09:14	2,858	0,98	2,802	0,96	2,874	0,92	6th injection
00:09:15	2,858	0,98	2,802	0,96	2,874	0,92	6th injection
00:09:16	2,858	0,98	2,802	0,96	2,874	0,92	6th injection
00:09:17	2,858	0,98	2,802	0,96	2,874	0,92	6th injection
00:09:18	2,858	0,98	2,803	0,97	2,874	0,92	6th injection
00:09:19	2,858	0,98	2,803	0,97	2,874	0,92	6th injection
00:09:20	2,858	0,98	2,803	0,97	2,874	0,92	6th injection
00:09:21	2,858	0,98	2,803	0,97	2,874	0,92	6th injection
00:09:22	2,858	0,98	2,804	0,98	2,874	0,92	6th injection
00:09:23	2,858	0,98	2,803	0,97	2,874	0,92	6th injection
00:09:24	2,858	0,98	2,803	0,97	2,874	0,92	6th injection
00:09:25	2,858	0,98	2,803	0,97	2,874	0,92	6th injection
00:09:26	2,858	0,98	2,803	0,97	2,873	0,91	6th injection
00:09:27	2,858	0,98	2,803	0,97	2,873	0,91	6th injection
00:09:28	2,857	0,98	2,803	0,97	2,872	0,90	6th injection
00:09:29	2,857	0,98	2,803	0,97	2,872	0,90	6th injection
00:09:30	2,857	0,98	2,803	0,97	2,872	0,90	6th injection
00:09:31	2,856	0,97	2,803	0,97	2,872	0,90	6th injection
00:09:32	2,856	0,97	2,803	0,97	2,871	0,89	6th injection
00:09:33	2,856	0,97	2,803	0,97	2,871	0,89	6th injection
00:09:34	2,856	0,97	2,803	0,97	2,871	0,89	6th injection
00:09:35	2,855	0,96	2,802	0,96	2,872	0,90	6th injection
00:09:36	2,855	0,96	2,802	0,96	2,872	0,90	6th injection
00:09:37	2,855	0,96	2,802	0,96	2,872	0,90	6th injection
00:09:38	2,856	0,97	2,801	0,95	2,873	0,91	6th injection
00:09:39	2,856	0,97	2,801	0,95	2,873	0,91	6th injection
00:09:40	2,857	0,98	2,801	0,95	2,874	0,92	6th injection

00:09:41	2,857	0,98	2,801	0,95	2,874	0,92	6th injection
00:09:42	2,857	0,98	2,801	0,95	2,875	0,92	6th injection
00:09:43	2,857	0,98	2,802	0,96	2,875	0,92	6th injection
00:09:44	2,858	0,98	2,802	0,96	2,875	0,92	6th injection
00:09:45	2,858	0,98	2,803	0,97	2,875	0,92	6th injection
00:09:46	2,858	0,98	2,803	0,97	2,876	0,93	6th injection
00:09:47	2,858	0,98	2,803	0,97	2,875	0,92	6th injection
00:09:48	2,858	0,98	2,804	0,98	2,875	0,92	6th injection
00:09:49	2,858	0,98	2,804	0,98	2,875	0,92	6th injection
00:09:50	2,858	0,98	2,804	0,98	2,875	0,92	6th injection
00:09:51	2,858	0,98	2,804	0,98	2,874	0,92	6th injection
00:09:52	2,858	0,98	2,804	0,98	2,874	0,92	6th injection
00:09:53	2,858	0,98	2,804	0,98	2,873	0,91	6th injection
00:09:54	2,857	0,98	2,804	0,98	2,873	0,91	6th injection
00:09:55	2,857	0,98	2,804	0,98	2,873	0,91	6th injection
00:09:56	2,857	0,98	2,804	0,98	2,873	0,91	6th injection
00:09:57	2,857	0,98	2,805	0,98	2,872	0,90	6th injection
00:09:58	2,856	0,97	2,805	0,98	2,872	0,90	6th injection
00:09:59	2,856	0,97	2,805	0,98	2,872	0,90	6th injection
00:10:00	2,856	0,97	2,806	0,99	2,872	0,90	6th injection
00:10:01	2,856	0,97	2,806	0,99	2,872	0,90	6th injection
00:10:02	2,856	0,97	2,807	1,00	2,873	0,91	6th injection
00:10:03	2,856	0,97	2,807	1,00	2,873	0,91	6th injection
00:10:04	2,856	0,97	2,807	1,00	2,873	0,91	6th injection
00:10:05	2,856	0,97	2,806	0,99	2,873	0,91	6th injection
00:10:06	2,856	0,97	2,806	0,99	2,873	0,91	6th injection
00:10:07	2,856	0,97	2,806	0,99	2,872	0,90	6th injection
00:10:08	2,856	0,97	2,806	0,99	2,872	0,90	6th injection
00:10:09	2,856	0,97	2,806	0,99	2,872	0,90	6th injection
00:10:10	2,856	0,97	2,805	0,98	2,872	0,90	6th injection
00:10:11	2,855	0,96	2,805	0,98	2,872	0,90	6th injection
00:10:12	2,855	0,96	2,805	0,98	2,872	0,90	6th injection
00:10:13	2,855	0,96	2,804	0,98	2,873	0,91	6th injection

00:10:14	2,854	0,95	2,804	0,98	2,873	0,91	6th injection
00:10:15	2,854	0,95	2,804	0,98	2,873	0,91	6th injection
00:10:16	2,854	0,95	2,804	0,98	2,874	0,92	6th injection
00:10:17	2,854	0,95	2,804	0,98	2,874	0,92	6th injection
00:10:18	2,854	0,95	2,804	0,98	2,874	0,92	6th injection
00:10:19	2,854	0,95	2,804	0,98	2,874	0,92	6th injection
00:10:20	2,854	0,95	2,805	0,98	2,874	0,92	6th injection
00:10:21	2,854	0,95	2,805	0,98	2,874	0,92	6th injection
00:10:22	2,854	0,95	2,805	0,98	2,874	0,92	6th injection
00:10:23	2,854	0,95	2,805	0,98	2,874	0,92	6th injection
00:10:24	2,854	0,95	2,806	0,99	2,874	0,92	6th injection
00:10:25	2,854	0,95	2,806	0,99	2,874	0,92	6th injection
00:10:26	2,855	0,96	2,806	0,99	2,874	0,92	6th injection
00:10:27	2,855	0,96	2,806	0,99	2,874	0,92	6th injection
00:10:28	2,855	0,96	2,805	0,98	2,874	0,92	6th injection
00:10:29	2,855	0,96	2,805	0,98	2,874	0,92	6th injection
00:10:30	2,856	0,97	2,805	0,98	2,874	0,92	6th injection
00:10:31	2,856	0,97	2,804	0,98	2,873	0,91	6th injection
00:10:32	2,857	0,98	2,804	0,98	2,873	0,91	6th injection
00:10:33	2,857	0,98	2,804	0,98	2,872	0,90	6th injection
00:10:34	2,858	0,98	2,804	0,98	2,872	0,90	6th injection
00:10:35	2,858	0,98	2,805	0,98	2,872	0,90	6th injection
00:10:36	2,858	0,98	2,805	0,98	2,872	0,90	6th injection
00:10:37	2,858	0,98	2,805	0,98	2,871	0,89	6th injection
00:10:38	2,858	0,98	2,805	0,98	2,871	0,89	6th injection
00:10:39	2,857	0,98	2,805	0,98	2,871	0,89	6th injection
00:10:40	2,857	0,98	2,805	0,98	2,871	0,89	6th injection
00:10:41	2,857	0,98	2,805	0,98	2,871	0,89	6th injection
00:10:42	2,857	0,98	2,805	0,98	2,871	0,89	6th injection
00:10:43	2,856	0,97	2,805	0,98	2,871	0,89	6th injection
00:10:44	2,856	0,97	2,804	0,98	2,871	0,89	6th injection
00:10:45	2,856	0,97	2,804	0,98	2,871	0,89	6th injection
00:10:46	2,856	0,97	2,803	0,97	2,871	0,89	6th injection

00:10:47	2,856	0,97	2,803	0,97	2,871	0,89	6th injection
00:10:48	2,856	0,97	2,803	0,97	2,871	0,89	6th injection
00:10:49	2,856	0,97	2,802	0,96	2,871	0,89	6th injection
00:10:50	2,856	0,97	2,802	0,96	2,871	0,89	6th injection
00:10:51	2,856	0,97	2,802	0,96	2,871	0,89	6th injection
00:00:00	2,862	0,00	2,803	0,02	2,837	0,02	7th injection
00:00:01	2,862	0,00	2,803	0,02	2,837	0,02	7th injection
00:00:02	2,862	0,00	2,803	0,02	2,837	0,02	7th injection
00:00:03	2,862	0,00	2,803	0,02	2,837	0,02	7th injection
00:00:04	2,862	0,00	2,804	0,02	2,837	0,02	7th injection
00:00:05	2,862	0,00	2,803	0,02	2,837	0,02	7th injection
00:00:06	2,862	0,00	2,803	0,02	2,837	0,02	7th injection
00:00:07	2,862	0,00	2,803	0,02	2,836	0,01	7th injection
00:00:08	2,862	0,00	2,803	0,02	2,836	0,01	7th injection
00:00:09	2,862	0,00	2,803	0,02	2,836	0,01	7th injection
00:00:10	2,862	0,00	2,803	0,02	2,836	0,01	7th injection
00:00:11	2,863	0,01	2,803	0,02	2,836	0,01	7th injection
00:00:12	2,864	0,02	2,802	0,01	2,836	0,01	7th injection
00:00:13	2,865	0,02	2,802	0,01	2,835	0,00	7th injection
00:00:14	2,866	0,03	2,802	0,01	2,835	0,00	7th injection
00:00:15	2,866	0,03	2,802	0,01	2,835	0,00	7th injection
00:00:16	2,867	0,04	2,801	0,00	2,835	0,00	7th injection
00:00:17	2,868	0,05	2,801	0,00	2,835	0,00	7th injection
00:00:18	2,868	0,05	2,801	0,00	2,835	0,00	7th injection
00:00:19	2,868	0,05	2,801	0,00	2,835	0,00	7th injection
00:00:20	2,868	0,05	2,801	0,00	2,835	0,00	7th injection
00:00:21	2,868	0,05	2,801	0,00	2,835	0,00	7th injection
00:00:22	2,868	0,05	2,801	0,00	2,835	0,00	7th injection
00:00:23	2,868	0,05	2,801	0,00	2,835	0,00	7th injection
00:00:24	2,868	0,05	2,801	0,00	2,835	0,00	7th injection
00:00:25	2,868	0,05	2,802	0,01	2,835	0,00	7th injection
00:00:26	2,867	0,04	2,802	0,01	2,836	0,01	7th injection
00:00:27	2,867	0,04	2,802	0,01	2,836	0,01	7th injection

00:00:28	2,867	0,04	2,802	0,01	2,836	0,01	7th injection
00:00:29	2,868	0,05	2,802	0,01	2,837	0,02	7th injection
00:00:30	2,869	0,06	2,801	0,00	2,837	0,02	7th injection
00:00:31	2,871	0,07	2,801	0,00	2,837	0,02	7th injection
00:00:32	2,873	0,09	2,801	0,00	2,837	0,02	7th injection
00:00:33	2,875	0,10	2,801	0,00	2,838	0,02	7th injection
00:00:34	2,876	0,11	2,801	0,00	2,838	0,02	7th injection
00:00:35	2,878	0,13	2,801	0,00	2,838	0,02	7th injection
00:00:36	2,879	0,14	2,801	0,00	2,838	0,02	7th injection
00:00:37	2,881	0,15	2,802	0,01	2,838	0,02	7th injection
00:00:38	2,882	0,16	2,802	0,01	2,838	0,02	7th injection
00:00:39	2,883	0,17	2,803	0,02	2,838	0,02	7th injection
00:00:40	2,883	0,17	2,803	0,02	2,838	0,02	7th injection
00:00:41	2,883	0,17	2,803	0,02	2,838	0,02	7th injection
00:00:42	2,882	0,16	2,804	0,02	2,838	0,02	7th injection
00:00:43	2,882	0,16	2,805	0,03	2,838	0,02	7th injection
00:00:44	2,882	0,16	2,805	0,03	2,838	0,02	7th injection
00:00:45	2,882	0,16	2,805	0,03	2,838	0,02	7th injection
00:00:46	2,882	0,16	2,806	0,04	2,838	0,02	7th injection
00:00:47	2,882	0,16	2,806	0,04	2,838	0,02	7th injection
00:00:48	2,883	0,17	2,806	0,04	2,838	0,02	7th injection
00:00:49	2,883	0,17	2,807	0,05	2,838	0,02	7th injection
00:00:50	2,883	0,17	2,808	0,06	2,839	0,03	7th injection
00:00:51	2,883	0,17	2,808	0,06	2,839	0,03	7th injection
00:00:52	2,883	0,17	2,808	0,06	2,84	0,04	7th injection
00:00:53	2,884	0,18	2,808	0,06	2,841	0,05	7th injection
00:00:54	2,884	0,18	2,808	0,06	2,842	0,06	7th injection
00:00:55	2,884	0,18	2,809	0,07	2,843	0,07	7th injection
00:00:56	2,884	0,18	2,809	0,07	2,845	0,08	7th injection
00:00:57	2,884	0,18	2,809	0,07	2,847	0,10	7th injection
00:00:58	2,885	0,19	2,81	0,07	2,85	0,12	7th injection
00:00:59	2,886	0,19	2,81	0,07	2,853	0,15	7th injection
00:01:00	2,888	0,21	2,811	0,08	2,857	0,18	7th injection

00:01:01	2,889	0,22	2,812	0,09	2,861	0,21	7th injection
00:01:02	2,891	0,23	2,813	0,10	2,866	0,25	7th injection
00:01:03	2,893	0,25	2,816	0,12	2,872	0,30	7th injection
00:01:04	2,896	0,27	2,816	0,12	2,879	0,36	7th injection
00:01:05	2,898	0,29	2,819	0,15	2,885	0,41	7th injection
00:01:06	2,901	0,31	2,821	0,16	2,89	0,45	7th injection
00:01:07	2,904	0,34	2,822	0,17	2,896	0,50	7th injection
00:01:08	2,907	0,36	2,824	0,19	2,9	0,53	7th injection
00:01:09	2,91	0,39	2,825	0,20	2,903	0,55	7th injection
00:01:10	2,913	0,41	2,827	0,21	2,905	0,57	7th injection
00:01:11	2,916	0,44	2,829	0,23	2,905	0,57	7th injection
00:01:12	2,919	0,46	2,831	0,25	2,905	0,57	7th injection
00:01:13	2,922	0,48	2,833	0,26	2,903	0,55	7th injection
00:01:14	2,926	0,52	2,836	0,29	2,902	0,54	7th injection
00:01:15	2,932	0,56	2,839	0,31	2,9	0,53	7th injection
00:01:16	2,935	0,59	2,842	0,34	2,899	0,52	7th injection
00:01:17	2,938	0,61	2,845	0,36	2,897	0,50	7th injection
00:01:18	2,942	0,65	2,848	0,39	2,895	0,49	7th injection
00:01:19	2,945	0,67	2,851	0,41	2,894	0,48	7th injection
00:01:20	2,947	0,69	2,854	0,43	2,893	0,47	7th injection
00:01:21	2,949	0,70	2,857	0,46	2,892	0,46	7th injection
00:01:22	2,951	0,72	2,86	0,48	2,892	0,46	7th injection
00:01:23	2,953	0,73	2,862	0,50	2,892	0,46	7th injection
00:01:24	2,955	0,75	2,864	0,52	2,892	0,46	7th injection
00:01:25	2,956	0,76	2,865	0,52	2,892	0,46	7th injection
00:01:26	2,958	0,77	2,867	0,54	2,892	0,46	7th injection
00:01:27	2,959	0,78	2,867	0,54	2,893	0,47	7th injection
00:01:28	2,96	0,79	2,868	0,55	2,894	0,48	7th injection
00:01:29	2,961	0,80	2,868	0,55	2,894	0,48	7th injection
00:01:30	2,962	0,81	2,869	0,56	2,895	0,49	7th injection
00:01:31	2,963	0,81	2,869	0,56	2,896	0,50	7th injection
00:01:32	2,964	0,82	2,869	0,56	2,897	0,50	7th injection
00:01:33	2,966	0,84	2,869	0,56	2,898	0,51	7th injection

00:01:34	2,967	0,85	2,869	0,56	2,899	0,52	7th injection
00:01:35	2,968	0,85	2,869	0,56	2,9	0,53	7th injection
00:01:36	2,968	0,85	2,869	0,56	2,903	0,55	7th injection
00:01:37	2,969	0,86	2,869	0,56	2,904	0,56	7th injection
00:01:38	2,969	0,86	2,869	0,56	2,905	0,57	7th injection
00:01:39	2,97	0,87	2,869	0,56	2,906	0,58	7th injection
00:01:40	2,97	0,87	2,87	0,57	2,907	0,59	7th injection
00:01:41	2,97	0,87	2,871	0,57	2,908	0,59	7th injection
00:01:42	2,97	0,87	2,872	0,58	2,909	0,60	7th injection
00:01:43	2,969	0,86	2,874	0,60	2,91	0,61	7th injection
00:01:44	2,969	0,86	2,875	0,61	2,912	0,63	7th injection
00:01:45	2,969	0,86	2,878	0,63	2,913	0,63	7th injection
00:01:46	2,97	0,87	2,88	0,65	2,913	0,63	7th injection
00:01:47	2,97	0,87	2,885	0,69	2,914	0,64	7th injection
00:01:48	2,97	0,87	2,887	0,70	2,915	0,65	7th injection
00:01:49	2,97	0,87	2,889	0,72	2,915	0,65	7th injection
00:01:50	2,97	0,87	2,891	0,74	2,916	0,66	7th injection
00:01:51	2,97	0,87	2,892	0,75	2,916	0,66	7th injection
00:01:52	2,97	0,87	2,894	0,76	2,916	0,66	7th injection
00:01:53	2,97	0,87	2,895	0,77	2,917	0,67	7th injection
00:01:54	2,969	0,86	2,896	0,78	2,917	0,67	7th injection
00:01:55	2,969	0,86	2,896	0,78	2,918	0,67	7th injection
00:01:56	2,968	0,85	2,897	0,79	2,918	0,67	7th injection
00:01:57	2,967	0,85	2,897	0,79	2,919	0,68	7th injection
00:01:58	2,967	0,85	2,897	0,79	2,92	0,69	7th injection
00:01:59	2,967	0,85	2,897	0,79	2,921	0,70	7th injection
00:02:00	2,967	0,85	2,897	0,79	2,922	0,71	7th injection
00:02:01	2,967	0,85	2,897	0,79	2,922	0,71	7th injection
00:02:02	2,968	0,85	2,898	0,80	2,923	0,72	7th injection
00:02:03	2,969	0,86	2,898	0,80	2,924	0,72	7th injection
00:02:04	2,97	0,87	2,898	0,80	2,925	0,73	7th injection
00:02:05	2,971	0,88	2,898	0,80	2,925	0,73	7th injection
00:02:06	2,972	0,89	2,898	0,80	2,926	0,74	7th injection

00:02:07	2,973	0,90	2,898	0,80	2,927	0,75	7th injection
00:02:08	2,973	0,90	2,898	0,80	2,927	0,75	7th injection
00:02:09	2,974	0,90	2,898	0,80	2,928	0,76	7th injection
00:02:10	2,975	0,91	2,898	0,80	2,928	0,76	7th injection
00:02:11	2,976	0,92	2,898	0,80	2,929	0,76	7th injection
00:02:12	2,976	0,92	2,898	0,80	2,93	0,77	7th injection
00:02:13	2,977	0,93	2,897	0,79	2,931	0,78	7th injection
00:02:14	2,977	0,93	2,897	0,79	2,931	0,78	7th injection
00:02:15	2,977	0,93	2,897	0,79	2,932	0,79	7th injection
00:02:16	2,978	0,94	2,896	0,78	2,932	0,79	7th injection
00:02:17	2,978	0,94	2,896	0,78	2,933	0,80	7th injection
00:02:18	2,977	0,93	2,896	0,78	2,933	0,80	7th injection
00:02:19	2,977	0,93	2,897	0,79	2,933	0,80	7th injection
00:02:20	2,977	0,93	2,898	0,80	2,934	0,80	7th injection
00:02:21	2,977	0,93	2,899	0,80	2,934	0,80	7th injection
00:02:22	2,976	0,92	2,9	0,81	2,935	0,81	7th injection
00:02:23	2,976	0,92	2,901	0,82	2,936	0,82	7th injection
00:02:24	2,975	0,91	2,901	0,82	2,937	0,83	7th injection
00:02:25	2,975	0,91	2,902	0,83	2,938	0,84	7th injection
00:02:26	2,973	0,90	2,903	0,84	2,939	0,85	7th injection
00:02:27	2,973	0,90	2,904	0,84	2,941	0,86	7th injection
00:02:28	2,972	0,89	2,905	0,85	2,942	0,87	7th injection
00:02:29	2,972	0,89	2,905	0,85	2,943	0,88	7th injection
00:02:30	2,972	0,89	2,905	0,85	2,944	0,89	7th injection
00:02:31	2,971	0,88	2,905	0,85	2,945	0,89	7th injection
00:02:32	2,971	0,88	2,905	0,85	2,946	0,90	7th injection
00:02:33	2,971	0,88	2,906	0,86	2,947	0,91	7th injection
00:02:34	2,969	0,86	2,906	0,86	2,947	0,91	7th injection
00:02:35	2,968	0,85	2,907	0,87	2,948	0,92	7th injection
00:02:36	2,968	0,85	2,908	0,88	2,948	0,92	7th injection
00:02:37	2,968	0,85	2,908	0,88	2,949	0,93	7th injection
00:02:38	2,968	0,85	2,909	0,89	2,949	0,93	7th injection
00:02:39	2,967	0,85	2,91	0,89	2,949	0,93	7th injection

00:02:40	2,967	0,85	2,91	0,89	2,949	0,93	7th injection
00:02:41	2,968	0,85	2,911	0,90	2,95	0,93	7th injection
00:02:42	2,968	0,85	2,912	0,91	2,95	0,93	7th injection
00:02:43	2,968	0,85	2,912	0,91	2,95	0,93	7th injection
00:02:44	2,97	0,87	2,913	0,92	2,95	0,93	7th injection
00:02:45	2,971	0,88	2,914	0,93	2,95	0,93	7th injection
00:02:46	2,972	0,89	2,914	0,93	2,95	0,93	7th injection
00:02:47	2,973	0,90	2,914	0,93	2,95	0,93	7th injection
00:02:48	2,974	0,90	2,914	0,93	2,949	0,93	7th injection
00:02:49	2,975	0,91	2,914	0,93	2,949	0,93	7th injection
00:02:50	2,975	0,91	2,914	0,93	2,949	0,93	7th injection
00:02:51	2,976	0,92	2,914	0,93	2,949	0,93	7th injection
00:02:52	2,976	0,92	2,914	0,93	2,948	0,92	7th injection
00:02:53	2,977	0,93	2,914	0,93	2,948	0,92	7th injection
00:02:54	2,977	0,93	2,914	0,93	2,948	0,92	7th injection
00:02:55	2,977	0,93	2,914	0,93	2,948	0,92	7th injection
00:02:56	2,978	0,94	2,914	0,93	2,947	0,91	7th injection
00:02:57	2,978	0,94	2,915	0,93	2,948	0,92	7th injection
00:02:58	2,978	0,94	2,915	0,93	2,948	0,92	7th injection
00:02:59	2,978	0,94	2,915	0,93	2,948	0,92	7th injection
00:03:00	2,979	0,94	2,915	0,93	2,948	0,92	7th injection
00:03:01	2,979	0,94	2,915	0,93	2,949	0,93	7th injection
00:03:02	2,979	0,94	2,915	0,93	2,949	0,93	7th injection
00:03:03	2,979	0,94	2,915	0,93	2,95	0,93	7th injection
00:03:04	2,979	0,94	2,915	0,93	2,951	0,94	7th injection
00:03:05	2,98	0,95	2,915	0,93	2,952	0,95	7th injection
00:03:06	2,98	0,95	2,916	0,94	2,953	0,96	7th injection
00:03:07	2,98	0,95	2,916	0,94	2,953	0,96	7th injection
00:03:08	2,98	0,95	2,916	0,94	2,954	0,97	7th injection
00:03:09	2,98	0,95	2,916	0,94	2,954	0,97	7th injection
00:03:10	2,981	0,96	2,916	0,94	2,955	0,98	7th injection
00:03:11	2,981	0,96	2,916	0,94	2,955	0,98	7th injection
00:03:12	2,981	0,96	2,916	0,94	2,955	0,98	7th injection

00:03:13	2,981	0,96	2,917	0,95	2,955	0,98	7th injection
00:03:14	2,982	0,97	2,917	0,95	2,956	0,98	7th injection
00:03:15	2,982	0,97	2,917	0,95	2,955	0,98	7th injection
00:03:16	2,982	0,97	2,916	0,94	2,955	0,98	7th injection
00:03:17	2,982	0,97	2,916	0,94	2,955	0,98	7th injection
00:03:18	2,983	0,98	2,916	0,94	2,956	0,98	7th injection
00:03:19	2,983	0,98	2,916	0,94	2,956	0,98	7th injection
00:03:20	2,983	0,98	2,916	0,94	2,956	0,98	7th injection
00:03:21	2,983	0,98	2,915	0,93	2,956	0,98	7th injection
00:03:22	2,984	0,98	2,915	0,93	2,956	0,98	7th injection
00:03:23	2,984	0,98	2,915	0,93	2,955	0,98	7th injection
00:03:24	2,983	0,98	2,914	0,93	2,955	0,98	7th injection
00:03:25	2,983	0,98	2,914	0,93	2,955	0,98	7th injection
00:03:26	2,983	0,98	2,914	0,93	2,955	0,98	7th injection
00:03:27	2,983	0,98	2,914	0,93	2,955	0,98	7th injection
00:03:28	2,982	0,97	2,914	0,93	2,954	0,97	7th injection
00:03:29	2,982	0,97	2,915	0,93	2,954	0,97	7th injection
00:03:30	2,982	0,97	2,915	0,93	2,954	0,97	7th injection
00:03:31	2,982	0,97	2,915	0,93	2,955	0,98	7th injection
00:03:32	2,982	0,97	2,915	0,93	2,955	0,98	7th injection
00:03:33	2,982	0,97	2,915	0,93	2,955	0,98	7th injection
00:03:34	2,982	0,97	2,916	0,94	2,956	0,98	7th injection
00:03:35	2,982	0,97	2,916	0,94	2,956	0,98	7th injection
00:03:36	2,982	0,97	2,916	0,94	2,956	0,98	7th injection
00:03:37	2,982	0,97	2,916	0,94	2,956	0,98	7th injection
00:03:38	2,982	0,97	2,916	0,94	2,956	0,98	7th injection
00:03:39	2,982	0,97	2,916	0,94	2,956	0,98	7th injection
00:03:40	2,982	0,97	2,916	0,94	2,956	0,98	7th injection
00:03:41	2,981	0,96	2,916	0,94	2,956	0,98	7th injection
00:03:42	2,981	0,96	2,916	0,94	2,956	0,98	7th injection
00:03:43	2,981	0,96	2,917	0,95	2,956	0,98	7th injection
00:03:44	2,98	0,95	2,917	0,95	2,955	0,98	7th injection
00:03:45	2,98	0,95	2,917	0,95	2,955	0,98	7th injection

00:03:46	2,98	0,95	2,918	0,96	2,955	0,98	7th injection
00:03:47	2,98	0,95	2,919	0,97	2,955	0,98	7th injection
00:03:48	2,98	0,95	2,919	0,97	2,955	0,98	7th injection
00:03:49	2,981	0,96	2,919	0,97	2,954	0,97	7th injection
00:03:50	2,981	0,96	2,92	0,98	2,954	0,97	7th injection
00:03:51	2,982	0,97	2,92	0,98	2,954	0,97	7th injection
00:03:52	2,982	0,97	2,92	0,98	2,953	0,96	7th injection
00:03:53	2,983	0,98	2,92	0,98	2,953	0,96	7th injection
00:03:54	2,984	0,98	2,921	0,98	2,952	0,95	7th injection
00:03:55	2,984	0,98	2,921	0,98	2,952	0,95	7th injection
00:03:56	2,984	0,98	2,921	0,98	2,952	0,95	7th injection
00:03:57	2,985	0,99	2,921	0,98	2,952	0,95	7th injection
00:03:58	2,985	0,99	2,921	0,98	2,953	0,96	7th injection
00:03:59	2,985	0,99	2,92	0,98	2,953	0,96	7th injection
00:04:00	2,984	0,98	2,92	0,98	2,953	0,96	7th injection
00:04:01	2,984	0,98	2,92	0,98	2,953	0,96	7th injection
00:04:02	2,983	0,98	2,92	0,98	2,953	0,96	7th injection
00:04:03	2,982	0,97	2,92	0,98	2,954	0,97	7th injection
00:04:04	2,982	0,97	2,92	0,98	2,954	0,97	7th injection
00:04:05	2,981	0,96	2,92	0,98	2,954	0,97	7th injection
00:04:06	2,981	0,96	2,92	0,98	2,954	0,97	7th injection
00:04:07	2,981	0,96	2,919	0,97	2,954	0,97	7th injection
00:04:08	2,98	0,95	2,919	0,97	2,954	0,97	7th injection
00:04:09	2,98	0,95	2,919	0,97	2,954	0,97	7th injection
00:04:10	2,98	0,95	2,919	0,97	2,953	0,96	7th injection
00:04:11	2,981	0,96	2,918	0,96	2,953	0,96	7th injection
00:04:12	2,981	0,96	2,918	0,96	2,953	0,96	7th injection
00:04:13	2,981	0,96	2,919	0,97	2,953	0,96	7th injection
00:04:14	2,982	0,97	2,919	0,97	2,953	0,96	7th injection
00:04:15	2,982	0,97	2,919	0,97	2,953	0,96	7th injection
00:04:16	2,983	0,98	2,919	0,97	2,953	0,96	7th injection
00:04:17	2,983	0,98	2,919	0,97	2,953	0,96	7th injection
00:04:18	2,984	0,98	2,919	0,97	2,954	0,97	7th injection

00:04:19	2,985	0,99	2,918	0,96	2,954	0,97	7th injection
00:04:20	2,985	0,99	2,918	0,96	2,954	0,97	7th injection
00:04:21	2,985	0,99	2,918	0,96	2,954	0,97	7th injection
00:04:22	2,986	1,00	2,918	0,96	2,954	0,97	7th injection
00:04:23	2,986	1,00	2,918	0,96	2,954	0,97	7th injection
00:04:24	2,986	1,00	2,918	0,96	2,954	0,97	7th injection
00:04:25	2,986	1,00	2,917	0,95	2,954	0,97	7th injection
00:04:26	2,986	1,00	2,917	0,95	2,954	0,97	7th injection
00:04:27	2,986	1,00	2,917	0,95	2,954	0,97	7th injection
00:04:28	2,986	1,00	2,917	0,95	2,954	0,97	7th injection
00:04:29	2,985	0,99	2,917	0,95	2,953	0,96	7th injection
00:04:30	2,985	0,99	2,917	0,95	2,953	0,96	7th injection
00:04:31	2,985	0,99	2,917	0,95	2,953	0,96	7th injection
00:04:32	2,985	0,99	2,917	0,95	2,953	0,96	7th injection
00:04:33	2,984	0,98	2,917	0,95	2,953	0,96	7th injection
00:04:34	2,984	0,98	2,918	0,96	2,953	0,96	7th injection
00:04:35	2,983	0,98	2,918	0,96	2,954	0,97	7th injection
00:04:36	2,983	0,98	2,918	0,96	2,954	0,97	7th injection
00:04:37	2,983	0,98	2,918	0,96	2,954	0,97	7th injection
00:04:38	2,982	0,97	2,918	0,96	2,954	0,97	7th injection
00:04:39	2,982	0,97	2,918	0,96	2,954	0,97	7th injection
00:04:40	2,982	0,97	2,918	0,96	2,955	0,98	7th injection
00:04:41	2,982	0,97	2,918	0,96	2,955	0,98	7th injection
00:04:42	2,981	0,96	2,919	0,97	2,955	0,98	7th injection
00:04:43	2,982	0,97	2,919	0,97	2,955	0,98	7th injection
00:04:44	2,982	0,97	2,919	0,97	2,955	0,98	7th injection
00:04:45	2,982	0,97	2,919	0,97	2,955	0,98	7th injection
00:04:46	2,983	0,98	2,919	0,97	2,955	0,98	7th injection
00:04:47	2,983	0,98	2,919	0,97	2,955	0,98	7th injection
00:04:48	2,983	0,98	2,92	0,98	2,955	0,98	7th injection
00:04:49	2,982	0,97	2,92	0,98	2,954	0,97	7th injection
00:04:50	2,982	0,97	2,92	0,98	2,954	0,97	7th injection
00:04:51	2,981	0,96	2,92	0,98	2,954	0,97	7th injection

00:04:52	2,981	0,96	2,92	0,98	2,954	0,97	7th injection
00:04:53	2,981	0,96	2,92	0,98	2,954	0,97	7th injection
00:04:54	2,981	0,96	2,92	0,98	2,955	0,98	7th injection
00:04:55	2,981	0,96	2,92	0,98	2,955	0,98	7th injection
00:04:56	2,981	0,96	2,92	0,98	2,954	0,97	7th injection
00:04:57	2,98	0,95	2,919	0,97	2,954	0,97	7th injection
00:04:58	2,98	0,95	2,919	0,97	2,954	0,97	7th injection
00:04:59	2,98	0,95	2,919	0,97	2,954	0,97	7th injection
00:05:00	2,98	0,95	2,919	0,97	2,954	0,97	7th injection
00:05:01	2,981	0,96	2,919	0,97	2,954	0,97	7th injection
00:05:02	2,981	0,96	2,919	0,97	2,954	0,97	7th injection
00:05:03	2,981	0,96	2,919	0,97	2,954	0,97	7th injection
00:05:04	2,981	0,96	2,92	0,98	2,954	0,97	7th injection
00:05:05	2,981	0,96	2,92	0,98	2,954	0,97	7th injection
00:05:06	2,981	0,96	2,92	0,98	2,954	0,97	7th injection
00:05:07	2,981	0,96	2,92	0,98	2,954	0,97	7th injection
00:05:08	2,982	0,97	2,92	0,98	2,954	0,97	7th injection
00:05:09	2,982	0,97	2,921	0,98	2,954	0,97	7th injection
00:05:10	2,982	0,97	2,921	0,98	2,955	0,98	7th injection
00:05:11	2,982	0,97	2,921	0,98	2,955	0,98	7th injection
00:05:12	2,982	0,97	2,921	0,98	2,955	0,98	7th injection
00:05:13	2,982	0,97	2,921	0,98	2,954	0,97	7th injection
00:05:14	2,982	0,97	2,921	0,98	2,954	0,97	7th injection
00:05:15	2,982	0,97	2,921	0,98	2,954	0,97	7th injection
00:05:16	2,982	0,97	2,921	0,98	2,954	0,97	7th injection
00:05:17	2,982	0,97	2,921	0,98	2,953	0,96	7th injection
00:05:18	2,981	0,96	2,92	0,98	2,953	0,96	7th injection
00:05:19	2,981	0,96	2,92	0,98	2,952	0,95	7th injection
00:05:20	2,981	0,96	2,919	0,97	2,952	0,95	7th injection
00:05:21	2,982	0,97	2,919	0,97	2,952	0,95	7th injection
00:05:22	2,982	0,97	2,919	0,97	2,951	0,94	7th injection
00:05:23	2,982	0,97	2,918	0,96	2,951	0,94	7th injection
00:05:24	2,982	0,97	2,918	0,96	2,951	0,94	7th injection

00:05:25	2,981	0,96	2,918	0,96	2,951	0,94	7th injection
00:05:26	2,981	0,96	2,918	0,96	2,952	0,95	7th injection
00:05:27	2,981	0,96	2,917	0,95	2,952	0,95	7th injection
00:05:28	2,981	0,96	2,917	0,95	2,952	0,95	7th injection
00:05:29	2,98	0,95	2,918	0,96	2,952	0,95	7th injection
00:05:30	2,98	0,95	2,918	0,96	2,952	0,95	7th injection
00:05:31	2,981	0,96	2,918	0,96	2,952	0,95	7th injection
00:05:32	2,981	0,96	2,918	0,96	2,952	0,95	7th injection
00:05:33	2,981	0,96	2,919	0,97	2,952	0,95	7th injection
00:05:34	2,982	0,97	2,919	0,97	2,952	0,95	7th injection
00:05:35	2,982	0,97	2,919	0,97	2,952	0,95	7th injection
00:05:36	2,983	0,98	2,919	0,97	2,952	0,95	7th injection
00:05:37	2,983	0,98	2,919	0,97	2,952	0,95	7th injection
00:05:38	2,984	0,98	2,919	0,97	2,952	0,95	7th injection
00:05:39	2,984	0,98	2,919	0,97	2,952	0,95	7th injection
00:05:40	2,984	0,98	2,919	0,97	2,953	0,96	7th injection
00:05:41	2,984	0,98	2,919	0,97	2,953	0,96	7th injection
00:05:42	2,984	0,98	2,919	0,97	2,953	0,96	7th injection
00:05:43	2,984	0,98	2,918	0,96	2,953	0,96	7th injection
00:05:44	2,984	0,98	2,918	0,96	2,953	0,96	7th injection
00:05:45	2,984	0,98	2,918	0,96	2,954	0,97	7th injection
00:05:46	2,984	0,98	2,918	0,96	2,954	0,97	7th injection
00:05:47	2,984	0,98	2,918	0,96	2,954	0,97	7th injection
00:05:48	2,983	0,98	2,918	0,96	2,954	0,97	7th injection
00:05:49	2,983	0,98	2,918	0,96	2,953	0,96	7th injection
00:05:50	2,983	0,98	2,917	0,95	2,953	0,96	7th injection
00:05:51	2,982	0,97	2,918	0,96	2,953	0,96	7th injection
00:05:52	2,982	0,97	2,918	0,96	2,953	0,96	7th injection
00:05:53	2,982	0,97	2,918	0,96	2,953	0,96	7th injection
00:05:54	2,982	0,97	2,918	0,96	2,953	0,96	7th injection
00:05:55	2,982	0,97	2,918	0,96	2,952	0,95	7th injection
00:05:56	2,981	0,96	2,919	0,97	2,952	0,95	7th injection
00:05:57	2,981	0,96	2,919	0,97	2,952	0,95	7th injection

00:05:58	2,98	0,95	2,919	0,97	2,952	0,95	7th injection
00:05:59	2,98	0,95	2,919	0,97	2,952	0,95	7th injection
00:06:00	2,98	0,95	2,919	0,97	2,952	0,95	7th injection
00:06:01	2,98	0,95	2,919	0,97	2,952	0,95	7th injection
00:06:02	2,98	0,95	2,919	0,97	2,952	0,95	7th injection
00:06:03	2,979	0,94	2,919	0,97	2,952	0,95	7th injection
00:06:04	2,979	0,94	2,919	0,97	2,952	0,95	7th injection
00:06:05	2,979	0,94	2,919	0,97	2,952	0,95	7th injection
00:06:06	2,979	0,94	2,919	0,97	2,952	0,95	7th injection
00:06:07	2,98	0,95	2,919	0,97	2,952	0,95	7th injection
00:06:08	2,98	0,95	2,918	0,96	2,952	0,95	7th injection
00:06:09	2,98	0,95	2,918	0,96	2,952	0,95	7th injection
00:06:10	2,981	0,96	2,918	0,96	2,952	0,95	7th injection
00:06:11	2,981	0,96	2,918	0,96	2,952	0,95	7th injection
00:06:12	2,981	0,96	2,918	0,96	2,952	0,95	7th injection
00:06:13	2,981	0,96	2,918	0,96	2,952	0,95	7th injection
00:06:14	2,982	0,97	2,918	0,96	2,952	0,95	7th injection
00:06:15	2,982	0,97	2,918	0,96	2,953	0,96	7th injection
00:06:16	2,982	0,97	2,919	0,97	2,953	0,96	7th injection
00:06:17	2,982	0,97	2,919	0,97	2,953	0,96	7th injection
00:06:18	2,982	0,97	2,919	0,97	2,953	0,96	7th injection
00:06:19	2,982	0,97	2,92	0,98	2,953	0,96	7th injection
00:06:20	2,982	0,97	2,92	0,98	2,953	0,96	7th injection
00:06:21	2,982	0,97	2,92	0,98	2,953	0,96	7th injection
00:06:22	2,983	0,98	2,92	0,98	2,953	0,96	7th injection
00:06:23	2,983	0,98	2,92	0,98	2,953	0,96	7th injection
00:06:24	2,983	0,98	2,92	0,98	2,953	0,96	7th injection
00:06:25	2,983	0,98	2,92	0,98	2,952	0,95	7th injection
00:06:26	2,983	0,98	2,92	0,98	2,952	0,95	7th injection
00:06:27	2,983	0,98	2,92	0,98	2,952	0,95	7th injection
00:06:28	2,984	0,98	2,92	0,98	2,952	0,95	7th injection
00:06:29	2,984	0,98	2,92	0,98	2,951	0,94	7th injection
00:06:30	2,984	0,98	2,919	0,97	2,951	0,94	7th injection

00:06:31	2,984	0,98	2,919	0,97	2,951	0,94	7th injection
00:06:32	2,983	0,98	2,919	0,97	2,951	0,94	7th injection
00:06:33	2,983	0,98	2,919	0,97	2,951	0,94	7th injection
00:06:34	2,982	0,97	2,919	0,97	2,951	0,94	7th injection
00:06:35	2,982	0,97	2,919	0,97	2,952	0,95	7th injection
00:06:36	2,981	0,96	2,919	0,97	2,952	0,95	7th injection
00:06:37	2,981	0,96	2,919	0,97	2,953	0,96	7th injection
00:06:38	2,98	0,95	2,92	0,98	2,954	0,97	7th injection
00:06:39	2,98	0,95	2,92	0,98	2,954	0,97	7th injection
00:06:40	2,98	0,95	2,92	0,98	2,955	0,98	7th injection
00:06:41	2,98	0,95	2,92	0,98	2,955	0,98	7th injection
00:06:42	2,98	0,95	2,92	0,98	2,955	0,98	7th injection
00:06:43	2,98	0,95	2,92	0,98	2,955	0,98	7th injection
00:06:44	2,98	0,95	2,92	0,98	2,956	0,98	7th injection
00:06:45	2,981	0,96	2,92	0,98	2,956	0,98	7th injection
00:06:46	2,981	0,96	2,92	0,98	2,956	0,98	7th injection
00:06:47	2,981	0,96	2,92	0,98	2,956	0,98	7th injection
00:06:48	2,982	0,97	2,92	0,98	2,956	0,98	7th injection
00:06:49	2,982	0,97	2,92	0,98	2,956	0,98	7th injection
00:06:50	2,982	0,97	2,92	0,98	2,957	0,99	7th injection
00:06:51	2,982	0,97	2,92	0,98	2,957	0,99	7th injection
00:06:52	2,982	0,97	2,921	0,98	2,957	0,99	7th injection
00:06:53	2,983	0,98	2,921	0,98	2,957	0,99	7th injection
00:06:54	2,982	0,97	2,921	0,98	2,957	0,99	7th injection
00:06:55	2,982	0,97	2,921	0,98	2,957	0,99	7th injection
00:06:56	2,982	0,97	2,921	0,98	2,958	1,00	7th injection
00:06:57	2,982	0,97	2,921	0,98	2,958	1,00	7th injection
00:06:58	2,981	0,96	2,921	0,98	2,957	0,99	7th injection
00:06:59	2,981	0,96	2,921	0,98	2,957	0,99	7th injection
00:07:00	2,981	0,96	2,921	0,98	2,957	0,99	7th injection
00:07:01	2,98	0,95	2,921	0,98	2,956	0,98	7th injection
00:07:02	2,98	0,95	2,921	0,98	2,956	0,98	7th injection
00:07:03	2,98	0,95	2,921	0,98	2,956	0,98	7th injection

00:07:04	2,979	0,94	2,921	0,98	2,956	0,98	7th injection
00:07:05	2,979	0,94	2,921	0,98	2,956	0,98	7th injection
00:07:06	2,979	0,94	2,921	0,98	2,956	0,98	7th injection
00:07:07	2,979	0,94	2,921	0,98	2,956	0,98	7th injection
00:07:08	2,979	0,94	2,921	0,98	2,956	0,98	7th injection
00:07:09	2,979	0,94	2,921	0,98	2,956	0,98	7th injection
00:07:10	2,979	0,94	2,921	0,98	2,956	0,98	7th injection
00:07:11	2,98	0,95	2,921	0,98	2,956	0,98	7th injection
00:07:12	2,98	0,95	2,921	0,98	2,957	0,99	7th injection
00:07:13	2,98	0,95	2,921	0,98	2,957	0,99	7th injection
00:07:14	2,98	0,95	2,921	0,98	2,956	0,98	7th injection
00:07:15	2,979	0,94	2,92	0,98	2,956	0,98	7th injection
00:07:16	2,979	0,94	2,92	0,98	2,956	0,98	7th injection
00:07:17	2,979	0,94	2,92	0,98	2,955	0,98	7th injection
00:07:18	2,979	0,94	2,92	0,98	2,955	0,98	7th injection
00:07:19	2,979	0,94	2,919	0,97	2,954	0,97	7th injection
00:07:20	2,979	0,94	2,919	0,97	2,954	0,97	7th injection
00:07:21	2,979	0,94	2,919	0,97	2,954	0,97	7th injection
00:07:22	2,978	0,94	2,918	0,96	2,953	0,96	7th injection
00:07:23	2,978	0,94	2,918	0,96	2,953	0,96	7th injection
00:07:24	2,978	0,94	2,918	0,96	2,953	0,96	7th injection
00:07:25	2,978	0,94	2,918	0,96	2,952	0,95	7th injection
00:07:26	2,978	0,94	2,917	0,95	2,952	0,95	7th injection
00:07:27	2,978	0,94	2,917	0,95	2,952	0,95	7th injection
00:07:28	2,978	0,94	2,916	0,94	2,952	0,95	7th injection
00:07:29	2,977	0,93	2,916	0,94	2,952	0,95	7th injection
00:07:30	2,977	0,93	2,916	0,94	2,952	0,95	7th injection
00:07:31	2,977	0,93	2,916	0,94	2,952	0,95	7th injection
00:07:32	2,976	0,92	2,916	0,94	2,953	0,96	7th injection
00:07:33	2,976	0,92	2,916	0,94	2,952	0,95	7th injection
00:07:34	2,976	0,92	2,916	0,94	2,953	0,96	7th injection
00:07:35	2,976	0,92	2,916	0,94	2,953	0,96	7th injection
00:07:36	2,976	0,92	2,916	0,94	2,953	0,96	7th injection

00:07:37	2,977	0,93	2,917	0,95	2,952	0,95	7th injection
00:07:38	2,977	0,93	2,917	0,95	2,952	0,95	7th injection
00:07:39	2,977	0,93	2,917	0,95	2,952	0,95	7th injection
00:07:40	2,978	0,94	2,918	0,96	2,952	0,95	7th injection
00:07:41	2,978	0,94	2,918	0,96	2,951	0,94	7th injection
00:07:42	2,978	0,94	2,918	0,96	2,951	0,94	7th injection
00:07:43	2,979	0,94	2,919	0,97	2,951	0,94	7th injection
00:07:44	2,979	0,94	2,919	0,97	2,951	0,94	7th injection
00:07:45	2,979	0,94	2,919	0,97	2,951	0,94	7th injection
00:07:46	2,979	0,94	2,919	0,97	2,951	0,94	7th injection
00:07:47	2,978	0,94	2,919	0,97	2,952	0,95	7th injection
00:07:48	2,978	0,94	2,919	0,97	2,952	0,95	7th injection
00:07:49	2,978	0,94	2,918	0,96	2,953	0,96	7th injection
00:07:50	2,978	0,94	2,918	0,96	2,953	0,96	7th injection
00:07:51	2,978	0,94	2,918	0,96	2,953	0,96	7th injection
00:07:52	2,978	0,94	2,917	0,95	2,954	0,97	7th injection
00:07:53	2,978	0,94	2,917	0,95	2,954	0,97	7th injection
00:07:54	2,978	0,94	2,917	0,95	2,954	0,97	7th injection
00:07:55	2,978	0,94	2,917	0,95	2,953	0,96	7th injection
00:07:56	2,978	0,94	2,917	0,95	2,953	0,96	7th injection
00:07:57	2,979	0,94	2,918	0,96	2,953	0,96	7th injection
00:07:58	2,979	0,94	2,918	0,96	2,953	0,96	7th injection
00:07:59	2,979	0,94	2,918	0,96	2,953	0,96	7th injection
00:08:00	2,979	0,94	2,919	0,97	2,953	0,96	7th injection
00:08:01	2,979	0,94	2,919	0,97	2,953	0,96	7th injection
00:08:02	2,979	0,94	2,919	0,97	2,953	0,96	7th injection
00:08:03	2,98	0,95	2,92	0,98	2,953	0,96	7th injection
00:08:04	2,98	0,95	2,92	0,98	2,954	0,97	7th injection
00:08:05	2,98	0,95	2,919	0,97	2,954	0,97	7th injection
00:08:06	2,98	0,95	2,919	0,97	2,954	0,97	7th injection
00:08:07	2,981	0,96	2,919	0,97	2,955	0,98	7th injection
00:08:08	2,981	0,96	2,919	0,97	2,955	0,98	7th injection
00:08:09	2,982	0,97	2,919	0,97	2,955	0,98	7th injection

00:08:10	2,982	0,97	2,919	0,97	2,955	0,98	7th injection
00:08:11	2,982	0,97	2,919	0,97	2,955	0,98	7th injection
00:08:12	2,982	0,97	2,919	0,97	2,955	0,98	7th injection
00:08:13	2,982	0,97	2,919	0,97	2,955	0,98	7th injection
00:08:14	2,982	0,97	2,919	0,97	2,955	0,98	7th injection
00:08:15	2,982	0,97	2,919	0,97	2,955	0,98	7th injection
00:08:16	2,983	0,98	2,919	0,97	2,955	0,98	7th injection
00:08:17	2,983	0,98	2,919	0,97	2,955	0,98	7th injection
00:08:18	2,983	0,98	2,919	0,97	2,955	0,98	7th injection
00:08:19	2,983	0,98	2,919	0,97	2,955	0,98	7th injection
00:08:20	2,983	0,98	2,919	0,97	2,955	0,98	7th injection
00:08:21	2,983	0,98	2,919	0,97	2,955	0,98	7th injection
00:08:22	2,984	0,98	2,919	0,97	2,954	0,97	7th injection
00:08:23	2,983	0,98	2,919	0,97	2,955	0,98	7th injection
00:08:24	2,983	0,98	2,919	0,97	2,955	0,98	7th injection
00:08:25	2,983	0,98	2,92	0,98	2,955	0,98	7th injection
00:08:26	2,982	0,97	2,92	0,98	2,955	0,98	7th injection
00:08:27	2,982	0,97	2,92	0,98	2,955	0,98	7th injection
00:08:28	2,981	0,96	2,92	0,98	2,955	0,98	7th injection
00:08:29	2,981	0,96	2,921	0,98	2,955	0,98	7th injection
00:08:30	2,981	0,96	2,921	0,98	2,955	0,98	7th injection
00:08:31	2,981	0,96	2,921	0,98	2,956	0,98	7th injection
00:08:32	2,981	0,96	2,921	0,98	2,956	0,98	7th injection
00:08:33	2,981	0,96	2,921	0,98	2,956	0,98	7th injection
00:08:34	2,981	0,96	2,921	0,98	2,956	0,98	7th injection
00:08:35	2,982	0,97	2,921	0,98	2,956	0,98	7th injection
00:08:36	2,982	0,97	2,921	0,98	2,956	0,98	7th injection
00:08:37	2,982	0,97	2,921	0,98	2,955	0,98	7th injection
00:08:38	2,982	0,97	2,922	0,99	2,955	0,98	7th injection
00:08:39	2,982	0,97	2,922	0,99	2,955	0,98	7th injection
00:08:40	2,982	0,97	2,922	0,99	2,955	0,98	7th injection
00:08:41	2,982	0,97	2,923	1,00	2,955	0,98	7th injection
00:08:42	2,981	0,96	2,923	1,00	2,955	0,98	7th injection

00:08:43	2,981	0,96	2,923	1,00	2,956	0,98	7th injection
00:08:44	2,981	0,96	2,923	1,00	2,956	0,98	7th injection
00:08:45	2,981	0,96	2,923	1,00	2,956	0,98	7th injection
00:08:46	2,981	0,96	2,922	0,99	2,955	0,98	7th injection
00:08:47	2,981	0,96	2,922	0,99	2,955	0,98	7th injection
00:08:48	2,981	0,96	2,922	0,99	2,955	0,98	7th injection
00:08:49	2,981	0,96	2,921	0,98	2,955	0,98	7th injection
00:08:50	2,982	0,97	2,921	0,98	2,955	0,98	7th injection
00:08:51	2,982	0,97	2,921	0,98	2,954	0,97	7th injection
00:08:52	2,982	0,97	2,921	0,98	2,954	0,97	7th injection
00:08:53	2,982	0,97	2,921	0,98	2,954	0,97	7th injection
00:08:54	2,982	0,97	2,921	0,98	2,953	0,96	7th injection
00:08:55	2,982	0,97	2,921	0,98	2,953	0,96	7th injection
00:08:56	2,982	0,97	2,921	0,98	2,953	0,96	7th injection
00:08:57	2,982	0,97	2,921	0,98	2,953	0,96	7th injection
00:08:58	2,982	0,97	2,921	0,98	2,953	0,96	7th injection
00:08:59	2,983	0,98	2,921	0,98	2,952	0,95	7th injection
00:09:00	2,983	0,98	2,921	0,98	2,952	0,95	7th injection
00:09:01	2,984	0,98	2,921	0,98	2,952	0,95	7th injection
00:09:02	2,984	0,98	2,921	0,98	2,952	0,95	7th injection
00:09:03	2,984	0,98	2,921	0,98	2,952	0,95	7th injection
00:09:04	2,984	0,98	2,921	0,98	2,952	0,95	7th injection
00:09:05	2,984	0,98	2,92	0,98	2,952	0,95	7th injection
00:09:06	2,983	0,98	2,92	0,98	2,952	0,95	7th injection
00:09:07	2,983	0,98	2,92	0,98	2,952	0,95	7th injection
00:09:08	2,983	0,98	2,92	0,98	2,952	0,95	7th injection
00:09:09	2,983	0,98	2,92	0,98	2,952	0,95	7th injection
00:09:10	2,982	0,97	2,92	0,98	2,953	0,96	7th injection
00:09:11	2,982	0,97	2,92	0,98	2,953	0,96	7th injection
00:09:12	2,982	0,97	2,92	0,98	2,954	0,97	7th injection
00:09:13	2,982	0,97	2,921	0,98	2,954	0,97	7th injection
00:09:14	2,981	0,96	2,921	0,98	2,954	0,97	7th injection
00:09:15	2,981	0,96	2,921	0,98	2,954	0,97	7th injection

00:09:16	2,981	0,96	2,921	0,98	2,955	0,98	7th injection
00:09:17	2,981	0,96	2,921	0,98	2,955	0,98	7th injection
00:09:18	2,981	0,96	2,921	0,98	2,955	0,98	7th injection
00:09:19	2,98	0,95	2,921	0,98	2,955	0,98	7th injection
00:09:20	2,98	0,95	2,921	0,98	2,955	0,98	7th injection
00:09:21	2,979	0,94	2,921	0,98	2,955	0,98	7th injection
00:09:22	2,978	0,94	2,921	0,98	2,955	0,98	7th injection
00:09:23	2,977	0,93	2,921	0,98	2,955	0,98	7th injection
00:09:24	2,977	0,93	2,921	0,98	2,955	0,98	7th injection
00:09:25	2,977	0,93	2,921	0,98	2,956	0,98	7th injection
00:09:26	2,977	0,93	2,921	0,98	2,956	0,98	7th injection
00:09:27	2,977	0,93	2,921	0,98	2,956	0,98	7th injection
00:09:28	2,977	0,93	2,921	0,98	2,956	0,98	7th injection
00:09:29	2,978	0,94	2,921	0,98	2,955	0,98	7th injection
00:09:30	2,978	0,94	2,92	0,98	2,955	0,98	7th injection
00:09:31	2,978	0,94	2,92	0,98	2,955	0,98	7th injection
00:09:32	2,979	0,94	2,92	0,98	2,955	0,98	7th injection
00:09:33	2,979	0,94	2,92	0,98	2,955	0,98	7th injection
00:09:34	2,979	0,94	2,92	0,98	2,955	0,98	7th injection
00:09:35	2,979	0,94	2,92	0,98	2,954	0,97	7th injection
00:09:36	2,98	0,95	2,92	0,98	2,954	0,97	7th injection
00:09:37	2,98	0,95	2,919	0,97	2,954	0,97	7th injection
00:09:38	2,98	0,95	2,919	0,97	2,954	0,97	7th injection
00:09:39	2,981	0,96	2,919	0,97	2,953	0,96	7th injection
00:09:40	2,981	0,96	2,919	0,97	2,953	0,96	7th injection
00:09:41	2,981	0,96	2,919	0,97	2,953	0,96	7th injection
00:09:42	2,981	0,96	2,919	0,97	2,953	0,96	7th injection
00:09:43	2,981	0,96	2,919	0,97	2,953	0,96	7th injection
00:09:44	2,981	0,96	2,919	0,97	2,953	0,96	7th injection
00:09:45	2,981	0,96	2,919	0,97	2,953	0,96	7th injection
00:09:46	2,981	0,96	2,919	0,97	2,952	0,95	7th injection
00:09:47	2,981	0,96	2,919	0,97	2,952	0,95	7th injection
00:09:48	2,98	0,95	2,919	0,97	2,953	0,96	7th injection

00:09:49	2,979	0,94	2,918	0,96	2,952	0,95	7th injection
00:09:50	2,979	0,94	2,918	0,96	2,952	0,95	7th injection
00:09:51	2,979	0,94	2,918	0,96	2,953	0,96	7th injection
00:09:52	2,978	0,94	2,918	0,96	2,953	0,96	7th injection
00:09:53	2,978	0,94	2,919	0,97	2,953	0,96	7th injection
00:09:54	2,978	0,94	2,919	0,97	2,952	0,95	7th injection
00:09:55	2,978	0,94	2,919	0,97	2,952	0,95	7th injection
00:09:56	2,978	0,94	2,919	0,97	2,952	0,95	7th injection
00:09:57	2,977	0,93	2,919	0,97	2,952	0,95	7th injection
00:09:58	2,977	0,93	2,919	0,97	2,952	0,95	7th injection
00:09:59	2,976	0,92	2,919	0,97	2,952	0,95	7th injection
00:10:00	2,976	0,92	2,919	0,97	2,952	0,95	7th injection
00:10:01	2,976	0,92	2,92	0,98	2,952	0,95	7th injection
00:10:02	2,976	0,92	2,92	0,98	2,953	0,96	7th injection
00:10:03	2,976	0,92	2,92	0,98	2,953	0,96	7th injection
00:10:04	2,976	0,92	2,921	0,98	2,953	0,96	7th injection
00:10:05	2,976	0,92	2,922	0,99	2,953	0,96	7th injection
00:10:06	2,976	0,92	2,922	0,99	2,953	0,96	7th injection
00:10:07	2,977	0,93	2,923	1,00	2,954	0,97	7th injection
00:10:08	2,978	0,94	2,923	1,00	2,954	0,97	7th injection
00:10:09	2,979	0,94	2,923	1,00	2,954	0,97	7th injection
00:00:00	3,216	0,03	3,156	0,04	3,179	0,05	8th injection
00:00:01	3,215	0,02	3,156	0,04	3,179	0,05	8th injection
00:00:02	3,215	0,02	3,155	0,03	3,179	0,05	8th injection
00:00:03	3,214	0,02	3,155	0,03	3,179	0,05	8th injection
00:00:04	3,214	0,02	3,155	0,03	3,179	0,05	8th injection
00:00:05	3,213	0,01	3,154	0,02	3,179	0,05	8th injection
00:00:06	3,213	0,01	3,154	0,02	3,179	0,05	8th injection
00:00:07	3,213	0,01	3,154	0,02	3,179	0,05	8th injection
00:00:08	3,212	0,00	3,154	0,02	3,178	0,05	8th injection
00:00:09	3,213	0,01	3,154	0,02	3,178	0,05	8th injection
00:00:10	3,213	0,01	3,154	0,02	3,178	0,05	8th injection
00:00:11	3,213	0,01	3,154	0,02	3,178	0,05	8th injection

00:00:12	3,213	0,01	3,154	0,02	3,178	0,05	8th injection
00:00:13	3,213	0,01	3,154	0,02	3,178	0,05	8th injection
00:00:14	3,213	0,01	3,155	0,03	3,178	0,05	8th injection
00:00:15	3,213	0,01	3,155	0,03	3,178	0,05	8th injection
00:00:16	3,214	0,02	3,155	0,03	3,178	0,05	8th injection
00:00:17	3,215	0,02	3,156	0,04	3,178	0,05	8th injection
00:00:18	3,215	0,02	3,156	0,04	3,178	0,05	8th injection
00:00:19	3,215	0,02	3,156	0,04	3,178	0,05	8th injection
00:00:20	3,216	0,03	3,156	0,04	3,178	0,05	8th injection
00:00:21	3,216	0,03	3,155	0,03	3,178	0,05	8th injection
00:00:22	3,216	0,03	3,155	0,03	3,178	0,05	8th injection
00:00:23	3,216	0,03	3,155	0,03	3,178	0,05	8th injection
00:00:24	3,217	0,04	3,154	0,02	3,178	0,05	8th injection
00:00:25	3,216	0,03	3,154	0,02	3,179	0,05	8th injection
00:00:26	3,216	0,03	3,154	0,02	3,179	0,05	8th injection
00:00:27	3,216	0,03	3,153	0,02	3,179	0,05	8th injection
00:00:28	3,215	0,02	3,153	0,02	3,18	0,06	8th injection
00:00:29	3,215	0,02	3,153	0,02	3,18	0,06	8th injection
00:00:30	3,214	0,02	3,153	0,02	3,18	0,06	8th injection
00:00:31	3,214	0,02	3,153	0,02	3,18	0,06	8th injection
00:00:32	3,214	0,02	3,154	0,02	3,18	0,06	8th injection
00:00:33	3,214	0,02	3,154	0,02	3,18	0,06	8th injection
00:00:34	3,214	0,02	3,154	0,02	3,18	0,06	8th injection
00:00:35	3,215	0,02	3,154	0,02	3,18	0,06	8th injection
00:00:36	3,215	0,02	3,155	0,03	3,18	0,06	8th injection
00:00:37	3,216	0,03	3,155	0,03	3,18	0,06	8th injection
00:00:38	3,216	0,03	3,156	0,04	3,18	0,06	8th injection
00:00:39	3,217	0,04	3,156	0,04	3,18	0,06	8th injection
00:00:40	3,218	0,05	3,156	0,04	3,18	0,06	8th injection
00:00:41	3,218	0,05	3,156	0,04	3,181	0,07	8th injection
00:00:42	3,218	0,05	3,156	0,04	3,181	0,07	8th injection
00:00:43	3,218	0,05	3,156	0,04	3,181	0,07	8th injection
00:00:44	3,218	0,05	3,156	0,04	3,181	0,07	8th injection

00:00:45	3,217	0,04	3,156	0,04	3,181	0,07	8th injection
00:00:46	3,217	0,04	3,156	0,04	3,181	0,07	8th injection
00:00:47	3,216	0,03	3,156	0,04	3,181	0,07	8th injection
00:00:48	3,216	0,03	3,155	0,03	3,181	0,07	8th injection
00:00:49	3,215	0,02	3,155	0,03	3,181	0,07	8th injection
00:00:50	3,215	0,02	3,155	0,03	3,181	0,07	8th injection
00:00:51	3,214	0,02	3,155	0,03	3,181	0,07	8th injection
00:00:52	3,214	0,02	3,155	0,03	3,181	0,07	8th injection
00:00:53	3,214	0,02	3,154	0,02	3,181	0,07	8th injection
00:00:54	3,214	0,02	3,154	0,02	3,18	0,06	8th injection
00:00:55	3,214	0,02	3,154	0,02	3,18	0,06	8th injection
00:00:56	3,215	0,02	3,153	0,02	3,18	0,06	8th injection
00:00:57	3,215	0,02	3,153	0,02	3,18	0,06	8th injection
00:00:58	3,215	0,02	3,153	0,02	3,18	0,06	8th injection
00:00:59	3,215	0,02	3,152	0,01	3,18	0,06	8th injection
00:01:00	3,215	0,02	3,152	0,01	3,18	0,06	8th injection
00:01:01	3,216	0,03	3,152	0,01	3,18	0,06	8th injection
00:01:02	3,216	0,03	3,151	0,00	3,18	0,06	8th injection
00:01:03	3,216	0,03	3,151	0,00	3,18	0,06	8th injection
00:01:04	3,216	0,03	3,151	0,00	3,18	0,06	8th injection
00:01:05	3,216	0,03	3,151	0,00	3,18	0,06	8th injection
00:01:06	3,215	0,02	3,152	0,01	3,179	0,05	8th injection
00:01:07	3,215	0,02	3,152	0,01	3,179	0,05	8th injection
00:01:08	3,215	0,02	3,152	0,01	3,179	0,05	8th injection
00:01:09	3,215	0,02	3,152	0,01	3,178	0,05	8th injection
00:01:10	3,214	0,02	3,152	0,01	3,178	0,05	8th injection
00:01:11	3,214	0,02	3,152	0,01	3,178	0,05	8th injection
00:01:12	3,214	0,02	3,152	0,01	3,178	0,05	8th injection
00:01:13	3,215	0,02	3,152	0,01	3,178	0,05	8th injection
00:01:14	3,215	0,02	3,152	0,01	3,178	0,05	8th injection
00:01:15	3,215	0,02	3,152	0,01	3,178	0,05	8th injection
00:01:16	3,215	0,02	3,152	0,01	3,178	0,05	8th injection
00:01:17	3,215	0,02	3,152	0,01	3,178	0,05	8th injection

00:01:18	3,216	0,03	3,153	0,02	3,178	0,05	8th injection
00:01:19	3,216	0,03	3,153	0,02	3,178	0,05	8th injection
00:01:20	3,216	0,03	3,153	0,02	3,179	0,05	8th injection
00:01:21	3,216	0,03	3,153	0,02	3,179	0,05	8th injection
00:01:22	3,215	0,02	3,153	0,02	3,179	0,05	8th injection
00:01:23	3,215	0,02	3,153	0,02	3,179	0,05	8th injection
00:01:24	3,215	0,02	3,153	0,02	3,179	0,05	8th injection
00:01:25	3,215	0,02	3,153	0,02	3,179	0,05	8th injection
00:01:26	3,215	0,02	3,154	0,02	3,179	0,05	8th injection
00:01:27	3,215	0,02	3,154	0,02	3,179	0,05	8th injection
00:01:28	3,216	0,03	3,154	0,02	3,179	0,05	8th injection
00:01:29	3,216	0,03	3,155	0,03	3,179	0,05	8th injection
00:01:30	3,216	0,03	3,155	0,03	3,179	0,05	8th injection
00:01:31	3,216	0,03	3,156	0,04	3,179	0,05	8th injection
00:01:32	3,216	0,03	3,156	0,04	3,179	0,05	8th injection
00:01:33	3,216	0,03	3,156	0,04	3,179	0,05	8th injection
00:01:34	3,216	0,03	3,156	0,04	3,179	0,05	8th injection
00:01:35	3,215	0,02	3,157	0,05	3,18	0,06	8th injection
00:01:36	3,215	0,02	3,157	0,05	3,18	0,06	8th injection
00:01:37	3,214	0,02	3,157	0,05	3,18	0,06	8th injection
00:01:38	3,214	0,02	3,157	0,05	3,181	0,07	8th injection
00:01:39	3,213	0,01	3,156	0,04	3,181	0,07	8th injection
00:01:40	3,213	0,01	3,156	0,04	3,181	0,07	8th injection
00:01:41	3,213	0,01	3,156	0,04	3,181	0,07	8th injection
00:01:42	3,213	0,01	3,156	0,04	3,182	0,08	8th injection
00:01:43	3,212	0,00	3,156	0,04	3,181	0,07	8th injection
00:01:44	3,212	0,00	3,156	0,04	3,181	0,07	8th injection
00:01:45	3,212	0,00	3,155	0,03	3,181	0,07	8th injection
00:01:46	3,212	0,00	3,155	0,03	3,181	0,07	8th injection
00:01:47	3,213	0,01	3,155	0,03	3,181	0,07	8th injection
00:01:48	3,213	0,01	3,155	0,03	3,181	0,07	8th injection
00:01:49	3,213	0,01	3,155	0,03	3,181	0,07	8th injection
00:01:50	3,213	0,01	3,155	0,03	3,18	0,06	8th injection

00:01:51	3,213	0,01	3,155	0,03	3,18	0,06	8th injection
00:01:52	3,214	0,02	3,155	0,03	3,179	0,05	8th injection
00:01:53	3,215	0,02	3,154	0,02	3,179	0,05	8th injection
00:01:54	3,216	0,03	3,154	0,02	3,178	0,05	8th injection
00:01:55	3,218	0,05	3,154	0,02	3,177	0,04	8th injection
00:01:56	3,218	0,05	3,154	0,02	3,175	0,02	8th injection
00:01:57	3,219	0,05	3,154	0,02	3,174	0,02	8th injection
00:01:58	3,221	0,07	3,154	0,02	3,173	0,01	8th injection
00:01:59	3,224	0,09	3,154	0,02	3,173	0,01	8th injection
00:02:00	3,228	0,13	3,154	0,02	3,173	0,01	8th injection
00:02:01	3,231	0,15	3,154	0,02	3,172	0,00	8th injection
00:02:02	3,233	0,16	3,155	0,03	3,172	0,00	8th injection
00:02:03	3,236	0,19	3,155	0,03	3,172	0,00	8th injection
00:02:04	3,238	0,20	3,155	0,03	3,172	0,00	8th injection
00:02:05	3,24	0,22	3,155	0,03	3,173	0,01	8th injection
00:02:06	3,241	0,23	3,155	0,03	3,175	0,02	8th injection
00:02:07	3,242	0,23	3,155	0,03	3,176	0,03	8th injection
00:02:08	3,243	0,24	3,155	0,03	3,178	0,05	8th injection
00:02:09	3,242	0,23	3,155	0,03	3,178	0,05	8th injection
00:02:10	3,24	0,22	3,155	0,03	3,179	0,05	8th injection
00:02:11	3,238	0,20	3,155	0,03	3,18	0,06	8th injection
00:02:12	3,237	0,20	3,156	0,04	3,18	0,06	8th injection
00:02:13	3,236	0,19	3,156	0,04	3,181	0,07	8th injection
00:02:14	3,235	0,18	3,157	0,05	3,181	0,07	8th injection
00:02:15	3,235	0,18	3,158	0,06	3,182	0,08	8th injection
00:02:16	3,234	0,17	3,158	0,06	3,182	0,08	8th injection
00:02:17	3,235	0,18	3,159	0,07	3,181	0,07	8th injection
00:02:18	3,236	0,19	3,16	0,07	3,181	0,07	8th injection
00:02:19	3,237	0,20	3,161	0,08	3,181	0,07	8th injection
00:02:20	3,238	0,20	3,161	0,08	3,181	0,07	8th injection
00:02:21	3,24	0,22	3,162	0,09	3,181	0,07	8th injection
00:02:22	3,241	0,23	3,163	0,10	3,18	0,06	8th injection
00:02:23	3,243	0,24	3,163	0,10	3,18	0,06	8th injection

00:02:24	3,246	0,27	3,164	0,11	3,18	0,06	8th injection
00:02:25	3,248	0,28	3,165	0,11	3,18	0,06	8th injection
00:02:26	3,251	0,30	3,169	0,15	3,181	0,07	8th injection
00:02:27	3,253	0,32	3,171	0,16	3,181	0,07	8th injection
00:02:28	3,255	0,34	3,173	0,18	3,183	0,09	8th injection
00:02:29	3,257	0,35	3,175	0,20	3,184	0,09	8th injection
00:02:30	3,259	0,37	3,178	0,22	3,186	0,11	8th injection
00:02:31	3,262	0,39	3,181	0,24	3,187	0,12	8th injection
00:02:32	3,264	0,41	3,184	0,27	3,19	0,14	8th injection
00:02:33	3,266	0,42	3,186	0,28	3,194	0,17	8th injection
00:02:34	3,269	0,45	3,189	0,31	3,198	0,20	8th injection
00:02:35	3,274	0,48	3,191	0,33	3,204	0,25	8th injection
00:02:36	3,277	0,51	3,193	0,34	3,21	0,29	8th injection
00:02:37	3,28	0,53	3,195	0,36	3,216	0,34	8th injection
00:02:38	3,283	0,55	3,198	0,38	3,223	0,40	8th injection
00:02:39	3,286	0,58	3,2	0,40	3,231	0,46	8th injection
00:02:40	3,288	0,59	3,203	0,42	3,239	0,52	8th injection
00:02:41	3,29	0,61	3,206	0,45	3,248	0,59	8th injection
00:02:42	3,293	0,63	3,208	0,46	3,256	0,65	8th injection
00:02:43	3,295	0,65	3,211	0,49	3,264	0,71	8th injection
00:02:44	3,296	0,66	3,213	0,50	3,27	0,76	8th injection
00:02:45	3,297	0,66	3,215	0,52	3,275	0,80	8th injection
00:02:46	3,298	0,67	3,217	0,54	3,279	0,83	8th injection
00:02:47	3,299	0,68	3,219	0,55	3,281	0,84	8th injection
00:02:48	3,299	0,68	3,22	0,56	3,283	0,86	8th injection
00:02:49	3,3	0,69	3,222	0,58	3,284	0,87	8th injection
00:02:50	3,301	0,70	3,223	0,59	3,284	0,87	8th injection
00:02:51	3,302	0,70	3,224	0,59	3,283	0,86	8th injection
00:02:52	3,302	0,70	3,225	0,60	3,281	0,84	8th injection
00:02:53	3,303	0,71	3,226	0,61	3,279	0,83	8th injection
00:02:54	3,303	0,71	3,227	0,62	3,276	0,81	8th injection
00:02:55	3,304	0,72	3,229	0,63	3,274	0,79	8th injection
00:02:56	3,305	0,73	3,232	0,66	3,273	0,78	8th injection

00:02:57	3,305	0,73	3,234	0,67	3,269	0,75	8th injection
00:02:58	3,305	0,73	3,235	0,68	3,269	0,75	8th injection
00:02:59	3,305	0,73	3,237	0,70	3,264	0,71	8th injection
00:03:00	3,305	0,73	3,239	0,72	3,262	0,70	8th injection
00:03:01	3,305	0,73	3,241	0,73	3,26	0,68	8th injection
00:03:02	3,305	0,73	3,243	0,75	3,258	0,67	8th injection
00:03:03	3,305	0,73	3,245	0,76	3,256	0,65	8th injection
00:03:04	3,305	0,73	3,246	0,77	3,254	0,64	8th injection
00:03:05	3,305	0,73	3,248	0,79	3,253	0,63	8th injection
00:03:06	3,306	0,73	3,25	0,80	3,251	0,61	8th injection
00:03:07	3,306	0,73	3,252	0,82	3,251	0,61	8th injection
00:03:08	3,305	0,73	3,257	0,86	3,25	0,60	8th injection
00:03:09	3,305	0,73	3,257	0,86	3,249	0,60	8th injection
00:03:10	3,305	0,73	3,262	0,90	3,249	0,60	8th injection
00:03:11	3,305	0,73	3,265	0,93	3,249	0,60	8th injection
00:03:12	3,306	0,73	3,267	0,94	3,249	0,60	8th injection
00:03:13	3,306	0,73	3,268	0,95	3,249	0,60	8th injection
00:03:14	3,307	0,74	3,27	0,97	3,25	0,60	8th injection
00:03:15	3,308	0,75	3,27	0,97	3,25	0,60	8th injection
00:03:16	3,309	0,76	3,271	0,98	3,25	0,60	8th injection
00:03:17	3,311	0,77	3,271	0,98	3,25	0,60	8th injection
00:03:18	3,311	0,77	3,27	0,97	3,25	0,60	8th injection
00:03:19	3,314	0,80	3,269	0,96	3,25	0,60	8th injection
00:03:20	3,315	0,80	3,268	0,95	3,25	0,60	8th injection
00:03:21	3,315	0,80	3,267	0,94	3,25	0,60	8th injection
00:03:22	3,316	0,81	3,266	0,93	3,249	0,60	8th injection
00:03:23	3,316	0,81	3,265	0,93	3,249	0,60	8th injection
00:03:24	3,317	0,82	3,263	0,91	3,249	0,60	8th injection
00:03:25	3,317	0,82	3,262	0,90	3,249	0,60	8th injection
00:03:26	3,318	0,83	3,261	0,89	3,249	0,60	8th injection
00:03:27	3,319	0,84	3,261	0,89	3,249	0,60	8th injection
00:03:28	3,32	0,84	3,26	0,89	3,249	0,60	8th injection
00:03:29	3,321	0,85	3,26	0,89	3,25	0,60	8th injection

00:03:30	3,323	0,87	3,26	0,89	3,25	0,60	8th injection
00:03:31	3,324	0,88	3,26	0,89	3,251	0,61	8th injection
00:03:32	3,325	0,88	3,26	0,89	3,253	0,63	8th injection
00:03:33	3,326	0,89	3,26	0,89	3,255	0,64	8th injection
00:03:34	3,327	0,90	3,26	0,89	3,257	0,66	8th injection
00:03:35	3,328	0,91	3,261	0,89	3,259	0,67	8th injection
00:03:36	3,329	0,91	3,262	0,90	3,261	0,69	8th injection
00:03:37	3,329	0,91	3,262	0,90	3,263	0,71	8th injection
00:03:38	3,329	0,91	3,263	0,91	3,266	0,73	8th injection
00:03:39	3,329	0,91	3,263	0,91	3,271	0,77	8th injection
00:03:40	3,33	0,92	3,264	0,92	3,273	0,78	8th injection
00:03:41	3,33	0,92	3,264	0,92	3,275	0,80	8th injection
00:03:42	3,33	0,92	3,264	0,92	3,277	0,81	8th injection
00:03:43	3,33	0,92	3,264	0,92	3,278	0,82	8th injection
00:03:44	3,33	0,92	3,264	0,92	3,28	0,84	8th injection
00:03:45	3,33	0,92	3,264	0,92	3,281	0,84	8th injection
00:03:46	3,33	0,92	3,264	0,92	3,283	0,86	8th injection
00:03:47	3,33	0,92	3,264	0,92	3,285	0,88	8th injection
00:03:48	3,33	0,92	3,264	0,92	3,287	0,89	8th injection
00:03:49	3,329	0,91	3,264	0,92	3,289	0,91	8th injection
00:03:50	3,329	0,91	3,265	0,93	3,29	0,91	8th injection
00:03:51	3,329	0,91	3,265	0,93	3,291	0,92	8th injection
00:03:52	3,329	0,91	3,266	0,93	3,292	0,93	8th injection
00:03:53	3,329	0,91	3,266	0,93	3,293	0,94	8th injection
00:03:54	3,33	0,92	3,267	0,94	3,294	0,95	8th injection
00:03:55	3,33	0,92	3,268	0,95	3,295	0,95	8th injection
00:03:56	3,33	0,92	3,268	0,95	3,295	0,95	8th injection
00:03:57	3,331	0,93	3,268	0,95	3,296	0,96	8th injection
00:03:58	3,331	0,93	3,268	0,95	3,296	0,96	8th injection
00:03:59	3,332	0,94	3,268	0,95	3,297	0,97	8th injection
00:04:00	3,332	0,94	3,267	0,94	3,297	0,97	8th injection
00:04:01	3,332	0,94	3,267	0,94	3,298	0,98	8th injection
00:04:02	3,332	0,94	3,266	0,93	3,299	0,98	8th injection

00:04:03	3,332	0,94	3,266	0,93	3,3	0,99	8th injection
00:04:04	3,331	0,93	3,265	0,93	3,3	0,99	8th injection
00:04:05	3,331	0,93	3,265	0,93	3,301	1,00	8th injection
00:04:06	3,331	0,93	3,264	0,92	3,301	1,00	8th injection
00:04:07	3,331	0,93	3,264	0,92	3,301	1,00	8th injection
00:04:08	3,332	0,94	3,264	0,92	3,301	1,00	8th injection
00:04:09	3,332	0,94	3,264	0,92	3,301	1,00	8th injection
00:04:10	3,332	0,94	3,264	0,92	3,301	1,00	8th injection
00:04:11	3,333	0,95	3,265	0,93	3,301	1,00	8th injection
00:04:12	3,333	0,95	3,265	0,93	3,3	0,99	8th injection
00:04:13	3,333	0,95	3,266	0,93	3,3	0,99	8th injection
00:04:14	3,334	0,95	3,266	0,93	3,3	0,99	8th injection
00:04:15	3,334	0,95	3,267	0,94	3,299	0,98	8th injection
00:04:16	3,334	0,95	3,267	0,94	3,299	0,98	8th injection
00:04:17	3,333	0,95	3,267	0,94	3,299	0,98	8th injection
00:04:18	3,333	0,95	3,267	0,94	3,299	0,98	8th injection
00:04:19	3,332	0,94	3,266	0,93	3,299	0,98	8th injection
00:04:20	3,332	0,94	3,266	0,93	3,299	0,98	8th injection
00:04:21	3,331	0,93	3,266	0,93	3,299	0,98	8th injection
00:04:22	3,331	0,93	3,266	0,93	3,299	0,98	8th injection
00:04:23	3,331	0,93	3,266	0,93	3,299	0,98	8th injection
00:04:24	3,331	0,93	3,266	0,93	3,3	0,99	8th injection
00:04:25	3,33	0,92	3,266	0,93	3,3	0,99	8th injection
00:04:26	3,33	0,92	3,266	0,93	3,3	0,99	8th injection
00:04:27	3,33	0,92	3,267	0,94	3,3	0,99	8th injection
00:04:28	3,33	0,92	3,267	0,94	3,3	0,99	8th injection
00:04:29	3,331	0,93	3,268	0,95	3,3	0,99	8th injection
00:04:30	3,331	0,93	3,268	0,95	3,3	0,99	8th injection
00:04:31	3,331	0,93	3,268	0,95	3,299	0,98	8th injection
00:04:32	3,331	0,93	3,269	0,96	3,299	0,98	8th injection
00:04:33	3,332	0,94	3,269	0,96	3,298	0,98	8th injection
00:04:34	3,332	0,94	3,269	0,96	3,297	0,97	8th injection
00:04:35	3,332	0,94	3,269	0,96	3,296	0,96	8th injection

00:04:36	3,332	0,94	3,269	0,96	3,296	0,96	8th injection
00:04:37	3,333	0,95	3,27	0,97	3,296	0,96	8th injection
00:04:38	3,333	0,95	3,27	0,97	3,295	0,95	8th injection
00:04:39	3,333	0,95	3,27	0,97	3,295	0,95	8th injection
00:04:40	3,333	0,95	3,27	0,97	3,295	0,95	8th injection
00:04:41	3,333	0,95	3,27	0,97	3,295	0,95	8th injection
00:04:42	3,333	0,95	3,27	0,97	3,295	0,95	8th injection
00:04:43	3,333	0,95	3,27	0,97	3,295	0,95	8th injection
00:04:44	3,333	0,95	3,27	0,97	3,294	0,95	8th injection
00:04:45	3,333	0,95	3,271	0,98	3,294	0,95	8th injection
00:04:46	3,332	0,94	3,271	0,98	3,294	0,95	8th injection
00:04:47	3,332	0,94	3,271	0,98	3,294	0,95	8th injection
00:04:48	3,332	0,94	3,272	0,98	3,294	0,95	8th injection
00:04:49	3,331	0,93	3,273	0,99	3,294	0,95	8th injection
00:04:50	3,331	0,93	3,273	0,99	3,294	0,95	8th injection
00:04:51	3,33	0,92	3,273	0,99	3,294	0,95	8th injection
00:04:52	3,33	0,92	3,274	1,00	3,294	0,95	8th injection
00:04:53	3,33	0,92	3,274	1,00	3,294	0,95	8th injection
00:04:54	3,331	0,93	3,274	1,00	3,294	0,95	8th injection
00:04:55	3,331	0,93	3,274	1,00	3,294	0,95	8th injection
00:04:56	3,331	0,93	3,274	1,00	3,294	0,95	8th injection
00:04:57	3,333	0,95	3,274	1,00	3,294	0,95	8th injection
00:04:58	3,333	0,95	3,274	1,00	3,294	0,95	8th injection
00:04:59	3,334	0,95	3,273	0,99	3,294	0,95	8th injection
00:05:00	3,334	0,95	3,273	0,99	3,293	0,94	8th injection
00:05:01	3,334	0,95	3,273	0,99	3,293	0,94	8th injection
00:05:02	3,334	0,95	3,273	0,99	3,293	0,94	8th injection
00:05:03	3,334	0,95	3,272	0,98	3,293	0,94	8th injection
00:05:04	3,334	0,95	3,272	0,98	3,293	0,94	8th injection
00:05:05	3,334	0,95	3,272	0,98	3,293	0,94	8th injection
00:05:06	3,333	0,95	3,272	0,98	3,292	0,93	8th injection
00:05:07	3,333	0,95	3,272	0,98	3,292	0,93	8th injection
00:05:08	3,333	0,95	3,271	0,98	3,292	0,93	8th injection

00:05:09	3,332	0,94	3,271	0,98	3,292	0,93	8th injection
00:05:10	3,332	0,94	3,271	0,98	3,292	0,93	8th injection
00:05:11	3,332	0,94	3,27	0,97	3,292	0,93	8th injection
00:05:12	3,332	0,94	3,27	0,97	3,292	0,93	8th injection
00:05:13	3,332	0,94	3,27	0,97	3,292	0,93	8th injection
00:05:14	3,333	0,95	3,27	0,97	3,293	0,94	8th injection
00:05:15	3,333	0,95	3,27	0,97	3,293	0,94	8th injection
00:05:16	3,333	0,95	3,27	0,97	3,293	0,94	8th injection
00:05:17	3,334	0,95	3,27	0,97	3,294	0,95	8th injection
00:05:18	3,334	0,95	3,27	0,97	3,294	0,95	8th injection
00:05:19	3,335	0,96	3,27	0,97	3,295	0,95	8th injection
00:05:20	3,336	0,97	3,27	0,97	3,295	0,95	8th injection
00:05:21	3,336	0,97	3,271	0,98	3,295	0,95	8th injection
00:05:22	3,337	0,98	3,271	0,98	3,296	0,96	8th injection
00:05:23	3,337	0,98	3,271	0,98	3,296	0,96	8th injection
00:05:24	3,337	0,98	3,272	0,98	3,296	0,96	8th injection
00:05:25	3,337	0,98	3,272	0,98	3,297	0,97	8th injection
00:05:26	3,336	0,97	3,272	0,98	3,297	0,97	8th injection
00:05:27	3,336	0,97	3,271	0,98	3,297	0,97	8th injection
00:05:28	3,336	0,97	3,271	0,98	3,296	0,96	8th injection
00:05:29	3,336	0,97	3,271	0,98	3,296	0,96	8th injection
00:05:30	3,336	0,97	3,27	0,97	3,296	0,96	8th injection
00:05:31	3,336	0,97	3,27	0,97	3,295	0,95	8th injection
00:05:32	3,336	0,97	3,27	0,97	3,295	0,95	8th injection
00:05:33	3,336	0,97	3,27	0,97	3,295	0,95	8th injection
00:05:34	3,336	0,97	3,27	0,97	3,295	0,95	8th injection
00:05:35	3,336	0,97	3,27	0,97	3,295	0,95	8th injection
00:05:36	3,336	0,97	3,271	0,98	3,295	0,95	8th injection
00:05:37	3,336	0,97	3,271	0,98	3,295	0,95	8th injection
00:05:38	3,336	0,97	3,271	0,98	3,295	0,95	8th injection
00:05:39	3,336	0,97	3,271	0,98	3,296	0,96	8th injection
00:05:40	3,336	0,97	3,272	0,98	3,296	0,96	8th injection
00:05:41	3,336	0,97	3,272	0,98	3,296	0,96	8th injection

00:05:42	3,336	0,97	3,272	0,98	3,296	0,96	8th injection
00:05:43	3,335	0,96	3,272	0,98	3,296	0,96	8th injection
00:05:44	3,334	0,95	3,272	0,98	3,296	0,96	8th injection
00:05:45	3,333	0,95	3,272	0,98	3,296	0,96	8th injection
00:05:46	3,332	0,94	3,272	0,98	3,296	0,96	8th injection
00:05:47	3,331	0,93	3,272	0,98	3,296	0,96	8th injection
00:05:48	3,33	0,92	3,272	0,98	3,296	0,96	8th injection
00:05:49	3,329	0,91	3,272	0,98	3,296	0,96	8th injection
00:05:50	3,328	0,91	3,272	0,98	3,296	0,96	8th injection
00:05:51	3,328	0,91	3,271	0,98	3,295	0,95	8th injection
00:05:52	3,328	0,91	3,271	0,98	3,296	0,96	8th injection
00:05:53	3,328	0,91	3,271	0,98	3,295	0,95	8th injection
00:05:54	3,328	0,91	3,271	0,98	3,295	0,95	8th injection
00:05:55	3,328	0,91	3,271	0,98	3,295	0,95	8th injection
00:05:56	3,329	0,91	3,271	0,98	3,295	0,95	8th injection
00:05:57	3,329	0,91	3,271	0,98	3,294	0,95	8th injection
00:05:58	3,33	0,92	3,271	0,98	3,294	0,95	8th injection
00:05:59	3,33	0,92	3,271	0,98	3,294	0,95	8th injection
00:06:00	3,33	0,92	3,271	0,98	3,293	0,94	8th injection
00:06:01	3,33	0,92	3,271	0,98	3,293	0,94	8th injection
00:06:02	3,33	0,92	3,271	0,98	3,293	0,94	8th injection
00:06:03	3,331	0,93	3,271	0,98	3,292	0,93	8th injection
00:06:04	3,331	0,93	3,27	0,97	3,292	0,93	8th injection
00:06:05	3,331	0,93	3,27	0,97	3,292	0,93	8th injection
00:06:06	3,331	0,93	3,27	0,97	3,292	0,93	8th injection
00:06:07	3,331	0,93	3,27	0,97	3,292	0,93	8th injection
00:06:08	3,331	0,93	3,27	0,97	3,292	0,93	8th injection
00:06:09	3,332	0,94	3,27	0,97	3,292	0,93	8th injection
00:06:10	3,332	0,94	3,27	0,97	3,292	0,93	8th injection
00:06:11	3,333	0,95	3,271	0,98	3,293	0,94	8th injection
00:06:12	3,333	0,95	3,271	0,98	3,293	0,94	8th injection
00:06:13	3,334	0,95	3,272	0,98	3,293	0,94	8th injection
00:06:14	3,334	0,95	3,272	0,98	3,293	0,94	8th injection

00:06:15	3,334	0,95	3,272	0,98	3,294	0,95	8th injection
00:06:16	3,334	0,95	3,273	0,99	3,294	0,95	8th injection
00:06:17	3,333	0,95	3,273	0,99	3,294	0,95	8th injection
00:06:18	3,333	0,95	3,273	0,99	3,294	0,95	8th injection
00:06:19	3,333	0,95	3,274	1,00	3,294	0,95	8th injection
00:06:20	3,333	0,95	3,274	1,00	3,295	0,95	8th injection
00:06:21	3,333	0,95	3,274	1,00	3,295	0,95	8th injection
00:06:22	3,333	0,95	3,274	1,00	3,295	0,95	8th injection
00:06:23	3,332	0,94	3,273	0,99	3,295	0,95	8th injection
00:06:24	3,332	0,94	3,273	0,99	3,295	0,95	8th injection
00:06:25	3,332	0,94	3,273	0,99	3,295	0,95	8th injection
00:06:26	3,333	0,95	3,273	0,99	3,295	0,95	8th injection
00:06:27	3,333	0,95	3,273	0,99	3,295	0,95	8th injection
00:06:28	3,334	0,95	3,272	0,98	3,295	0,95	8th injection
00:06:29	3,334	0,95	3,272	0,98	3,295	0,95	8th injection
00:06:30	3,334	0,95	3,272	0,98	3,295	0,95	8th injection
00:06:31	3,334	0,95	3,272	0,98	3,295	0,95	8th injection
00:06:32	3,335	0,96	3,272	0,98	3,295	0,95	8th injection
00:06:33	3,335	0,96	3,272	0,98	3,295	0,95	8th injection
00:06:34	3,335	0,96	3,272	0,98	3,295	0,95	8th injection
00:06:35	3,334	0,95	3,272	0,98	3,295	0,95	8th injection
00:06:36	3,333	0,95	3,272	0,98	3,295	0,95	8th injection
00:06:37	3,332	0,94	3,272	0,98	3,295	0,95	8th injection
00:06:38	3,332	0,94	3,272	0,98	3,295	0,95	8th injection
00:06:39	3,331	0,93	3,272	0,98	3,294	0,95	8th injection
00:06:40	3,33	0,92	3,272	0,98	3,294	0,95	8th injection
00:06:41	3,329	0,91	3,272	0,98	3,294	0,95	8th injection
00:06:42	3,329	0,91	3,272	0,98	3,293	0,94	8th injection
00:06:43	3,329	0,91	3,271	0,98	3,293	0,94	8th injection
00:06:44	3,329	0,91	3,271	0,98	3,293	0,94	8th injection
00:06:45	3,33	0,92	3,271	0,98	3,292	0,93	8th injection
00:06:46	3,33	0,92	3,271	0,98	3,292	0,93	8th injection
00:06:47	3,331	0,93	3,272	0,98	3,292	0,93	8th injection

00:06:48	3,332	0,94	3,272	0,98	3,292	0,93	8th injection
00:06:49	3,334	0,95	3,272	0,98	3,292	0,93	8th injection
00:06:50	3,334	0,95	3,272	0,98	3,292	0,93	8th injection
00:06:51	3,335	0,96	3,272	0,98	3,292	0,93	8th injection
00:06:52	3,335	0,96	3,273	0,99	3,292	0,93	8th injection
00:06:53	3,335	0,96	3,273	0,99	3,292	0,93	8th injection
00:06:54	3,336	0,97	3,273	0,99	3,293	0,94	8th injection
00:06:55	3,336	0,97	3,273	0,99	3,293	0,94	8th injection
00:06:56	3,336	0,97	3,274	1,00	3,292	0,93	8th injection
00:06:57	3,336	0,97	3,273	0,99	3,292	0,93	8th injection
00:06:58	3,336	0,97	3,273	0,99	3,292	0,93	8th injection
00:06:59	3,335	0,96	3,273	0,99	3,293	0,94	8th injection
00:07:00	3,335	0,96	3,273	0,99	3,293	0,94	8th injection
00:07:01	3,334	0,95	3,273	0,99	3,293	0,94	8th injection
00:07:02	3,334	0,95	3,272	0,98	3,293	0,94	8th injection
00:07:03	3,333	0,95	3,272	0,98	3,293	0,94	8th injection
00:07:04	3,333	0,95	3,272	0,98	3,293	0,94	8th injection
00:07:05	3,332	0,94	3,272	0,98	3,293	0,94	8th injection
00:07:06	3,332	0,94	3,272	0,98	3,293	0,94	8th injection
00:07:07	3,331	0,93	3,271	0,98	3,293	0,94	8th injection
00:07:08	3,331	0,93	3,271	0,98	3,293	0,94	8th injection
00:07:09	3,331	0,93	3,271	0,98	3,293	0,94	8th injection
00:07:10	3,331	0,93	3,271	0,98	3,293	0,94	8th injection
00:07:11	3,33	0,92	3,271	0,98	3,292	0,93	8th injection
00:07:12	3,33	0,92	3,271	0,98	3,292	0,93	8th injection
00:07:13	3,33	0,92	3,271	0,98	3,292	0,93	8th injection
00:07:14	3,33	0,92	3,271	0,98	3,291	0,92	8th injection
00:07:15	3,33	0,92	3,271	0,98	3,291	0,92	8th injection
00:07:16	3,33	0,92	3,271	0,98	3,291	0,92	8th injection
00:07:17	3,329	0,91	3,271	0,98	3,291	0,92	8th injection
00:07:18	3,329	0,91	3,271	0,98	3,291	0,92	8th injection
00:07:19	3,329	0,91	3,272	0,98	3,291	0,92	8th injection
00:07:20	3,329	0,91	3,272	0,98	3,291	0,92	8th injection

00:07:21	3,328	0,91	3,272	0,98	3,291	0,92	8th injection
00:07:22	3,328	0,91	3,272	0,98	3,291	0,92	8th injection
00:07:23	3,328	0,91	3,272	0,98	3,292	0,93	8th injection
00:07:24	3,329	0,91	3,271	0,98	3,292	0,93	8th injection
00:07:25	3,329	0,91	3,271	0,98	3,293	0,94	8th injection
00:07:26	3,33	0,92	3,271	0,98	3,293	0,94	8th injection
00:07:27	3,331	0,93	3,271	0,98	3,293	0,94	8th injection
00:07:28	3,331	0,93	3,271	0,98	3,294	0,95	8th injection
00:07:29	3,332	0,94	3,271	0,98	3,294	0,95	8th injection
00:07:30	3,333	0,95	3,271	0,98	3,294	0,95	8th injection
00:07:31	3,334	0,95	3,271	0,98	3,294	0,95	8th injection
00:07:32	3,334	0,95	3,271	0,98	3,294	0,95	8th injection
00:07:33	3,335	0,96	3,27	0,97	3,294	0,95	8th injection
00:07:34	3,336	0,97	3,27	0,97	3,295	0,95	8th injection
00:07:35	3,336	0,97	3,27	0,97	3,295	0,95	8th injection
00:07:36	3,336	0,97	3,27	0,97	3,295	0,95	8th injection
00:07:37	3,335	0,96	3,27	0,97	3,295	0,95	8th injection
00:07:38	3,335	0,96	3,27	0,97	3,295	0,95	8th injection
00:07:39	3,334	0,95	3,27	0,97	3,295	0,95	8th injection
00:07:40	3,334	0,95	3,269	0,96	3,295	0,95	8th injection
00:07:41	3,333	0,95	3,269	0,96	3,296	0,96	8th injection
00:07:42	3,333	0,95	3,269	0,96	3,296	0,96	8th injection
00:07:43	3,332	0,94	3,269	0,96	3,296	0,96	8th injection
00:07:44	3,332	0,94	3,269	0,96	3,296	0,96	8th injection
00:07:45	3,332	0,94	3,269	0,96	3,296	0,96	8th injection
00:07:46	3,332	0,94	3,269	0,96	3,295	0,95	8th injection
00:07:47	3,332	0,94	3,269	0,96	3,295	0,95	8th injection
00:07:48	3,333	0,95	3,269	0,96	3,295	0,95	8th injection
00:07:49	3,333	0,95	3,269	0,96	3,295	0,95	8th injection
00:07:50	3,333	0,95	3,269	0,96	3,295	0,95	8th injection
00:07:51	3,334	0,95	3,269	0,96	3,295	0,95	8th injection
00:07:52	3,334	0,95	3,269	0,96	3,295	0,95	8th injection
00:07:53	3,334	0,95	3,269	0,96	3,295	0,95	8th injection

00:07:54	3,334	0,95	3,269	0,96	3,295	0,95	8th injection
00:07:55	3,334	0,95	3,27	0,97	3,295	0,95	8th injection
00:07:56	3,334	0,95	3,27	0,97	3,296	0,96	8th injection
00:07:57	3,333	0,95	3,27	0,97	3,296	0,96	8th injection
00:07:58	3,333	0,95	3,27	0,97	3,296	0,96	8th injection
00:07:59	3,332	0,94	3,271	0,98	3,297	0,97	8th injection
00:08:00	3,332	0,94	3,271	0,98	3,297	0,97	8th injection
00:08:01	3,331	0,93	3,271	0,98	3,297	0,97	8th injection
00:08:02	3,331	0,93	3,271	0,98	3,297	0,97	8th injection
00:08:03	3,331	0,93	3,271	0,98	3,297	0,97	8th injection
00:08:04	3,331	0,93	3,271	0,98	3,297	0,97	8th injection
00:08:05	3,332	0,94	3,271	0,98	3,297	0,97	8th injection
00:08:06	3,332	0,94	3,271	0,98	3,297	0,97	8th injection
00:08:07	3,333	0,95	3,271	0,98	3,296	0,96	8th injection
00:08:08	3,333	0,95	3,271	0,98	3,296	0,96	8th injection
00:08:09	3,334	0,95	3,271	0,98	3,296	0,96	8th injection
00:08:10	3,334	0,95	3,27	0,97	3,296	0,96	8th injection
00:08:11	3,334	0,95	3,27	0,97	3,296	0,96	8th injection
00:08:12	3,335	0,96	3,27	0,97	3,296	0,96	8th injection
00:08:13	3,335	0,96	3,27	0,97	3,296	0,96	8th injection
00:08:14	3,335	0,96	3,27	0,97	3,295	0,95	8th injection
00:08:15	3,336	0,97	3,27	0,97	3,295	0,95	8th injection
00:08:16	3,336	0,97	3,27	0,97	3,295	0,95	8th injection
00:08:17	3,337	0,98	3,27	0,97	3,295	0,95	8th injection
00:08:18	3,338	0,98	3,271	0,98	3,295	0,95	8th injection
00:08:19	3,338	0,98	3,271	0,98	3,295	0,95	8th injection
00:08:20	3,339	0,99	3,271	0,98	3,294	0,95	8th injection
00:08:21	3,339	0,99	3,272	0,98	3,294	0,95	8th injection
00:08:22	3,34	1,00	3,272	0,98	3,294	0,95	8th injection
00:08:23	3,34	1,00	3,272	0,98	3,294	0,95	8th injection
00:08:24	3,34	1,00	3,272	0,98	3,294	0,95	8th injection
00:08:25	3,34	1,00	3,273	0,99	3,295	0,95	8th injection
00:08:26	3,34	1,00	3,273	0,99	3,295	0,95	8th injection

00:08:27	3,339	0,99	3,273	0,99	3,295	0,95	8th injection
00:08:28	3,338	0,98	3,273	0,99	3,295	0,95	8th injection
00:08:29	3,337	0,98	3,274	1,00	3,295	0,95	8th injection
00:08:30	3,336	0,97	3,274	1,00	3,295	0,95	8th injection
00:08:31	3,335	0,96	3,274	1,00	3,295	0,95	8th injection
00:08:32	3,334	0,95	3,274	1,00	3,295	0,95	8th injection
00:08:33	3,333	0,95	3,274	1,00	3,295	0,95	8th injection
00:08:34	3,332	0,94	3,274	1,00	3,295	0,95	8th injection
00:08:35	3,33	0,92	3,274	1,00	3,294	0,95	8th injection
00:08:36	3,329	0,91	3,274	1,00	3,294	0,95	8th injection
00:08:37	3,329	0,91	3,274	1,00	3,294	0,95	8th injection
00:08:38	3,329	0,91	3,273	0,99	3,294	0,95	8th injection
00:08:39	3,328	0,91	3,273	0,99	3,294	0,95	8th injection
00:08:40	3,329	0,91	3,272	0,98	3,294	0,95	8th injection
00:08:41	3,33	0,92	3,272	0,98	3,293	0,94	8th injection
00:08:42	3,33	0,92	3,272	0,98	3,293	0,94	8th injection
00:08:43	3,331	0,93	3,271	0,98	3,293	0,94	8th injection
00:08:44	3,332	0,94	3,271	0,98	3,293	0,94	8th injection
00:08:45	3,332	0,94	3,27	0,97	3,292	0,93	8th injection
00:08:46	3,333	0,95	3,27	0,97	3,292	0,93	8th injection
00:08:47	3,333	0,95	3,27	0,97	3,291	0,92	8th injection
00:08:48	3,333	0,95	3,27	0,97	3,291	0,92	8th injection
00:08:49	3,332	0,94	3,27	0,97	3,29	0,91	8th injection
00:08:50	3,332	0,94	3,27	0,97	3,29	0,91	8th injection
00:08:51	3,331	0,93	3,27	0,97	3,289	0,91	8th injection
00:08:52	3,33	0,92	3,27	0,97	3,289	0,91	8th injection
00:08:53	3,33	0,92	3,27	0,97	3,289	0,91	8th injection
00:08:54	3,33	0,92	3,27	0,97	3,288	0,90	8th injection
00:08:55	3,33	0,92	3,27	0,97	3,288	0,90	8th injection
00:08:56	3,33	0,92	3,27	0,97	3,288	0,90	8th injection
00:08:57	3,33	0,92	3,27	0,97	3,288	0,90	8th injection
00:08:58	3,33	0,92	3,27	0,97	3,288	0,90	8th injection
00:08:59	3,33	0,92	3,27	0,97	3,288	0,90	8th injection

00:09:00	3,331	0,93	3,27	0,97	3,288	0,90	8th injection
00:09:01	3,331	0,93	3,27	0,97	3,288	0,90	8th injection
00:09:02	3,332	0,94	3,271	0,98	3,289	0,91	8th injection
00:09:03	3,333	0,95	3,271	0,98	3,289	0,91	8th injection
00:09:04	3,333	0,95	3,271	0,98	3,29	0,91	8th injection
00:09:05	3,333	0,95	3,271	0,98	3,291	0,92	8th injection
00:09:06	3,333	0,95	3,271	0,98	3,291	0,92	8th injection
00:09:07	3,333	0,95	3,271	0,98	3,291	0,92	8th injection
00:09:08	3,332	0,94	3,271	0,98	3,292	0,93	8th injection
00:09:09	3,332	0,94	3,271	0,98	3,292	0,93	8th injection
00:09:10	3,332	0,94	3,271	0,98	3,292	0,93	8th injection
00:09:11	3,331	0,93	3,27	0,97	3,293	0,94	8th injection
00:09:12	3,331	0,93	3,27	0,97	3,293	0,94	8th injection
00:09:13	3,33	0,92	3,27	0,97	3,294	0,95	8th injection
00:09:14	3,33	0,92	3,27	0,97	3,294	0,95	8th injection
00:09:15	3,329	0,91	3,27	0,97	3,294	0,95	8th injection
00:09:16	3,329	0,91	3,27	0,97	3,294	0,95	8th injection
00:09:17	3,329	0,91	3,271	0,98	3,295	0,95	8th injection
00:09:18	3,33	0,92	3,271	0,98	3,295	0,95	8th injection
00:09:19	3,33	0,92	3,271	0,98	3,295	0,95	8th injection
00:09:20	3,33	0,92	3,272	0,98	3,295	0,95	8th injection
00:09:21	3,33	0,92	3,272	0,98	3,295	0,95	8th injection
00:09:22	3,33	0,92	3,273	0,99	3,295	0,95	8th injection
00:09:23	3,33	0,92	3,273	0,99	3,295	0,95	8th injection
00:09:24	3,33	0,92	3,273	0,99	3,295	0,95	8th injection
00:09:25	3,329	0,91	3,273	0,99	3,296	0,96	8th injection
00:09:26	3,328	0,91	3,273	0,99	3,296	0,96	8th injection
00:09:27	3,328	0,91	3,273	0,99	3,296	0,96	8th injection
00:09:28	3,328	0,91	3,273	0,99	3,296	0,96	8th injection
00:09:29	3,328	0,91	3,273	0,99	3,296	0,96	8th injection
00:09:30	3,329	0,91	3,272	0,98	3,296	0,96	8th injection
00:09:31	3,329	0,91	3,272	0,98	3,296	0,96	8th injection
00:09:32	3,33	0,92	3,272	0,98	3,296	0,96	8th injection

00:09:33	3,331	0,93	3,272	0,98	3,295	0,95	8th injection
00:09:34	3,332	0,94	3,272	0,98	3,296	0,96	8th injection
00:09:35	3,333	0,95	3,272	0,98	3,296	0,96	8th injection
00:09:36	3,334	0,95	3,272	0,98	3,296	0,96	8th injection
00:09:37	3,334	0,95	3,272	0,98	3,296	0,96	8th injection
00:09:38	3,334	0,95	3,272	0,98	3,296	0,96	8th injection
00:09:39	3,334	0,95	3,272	0,98	3,296	0,96	8th injection
00:09:40	3,334	0,95	3,273	0,99	3,296	0,96	8th injection
00:09:41	3,334	0,95	3,273	0,99	3,296	0,96	8th injection
00:09:42	3,333	0,95	3,273	0,99	3,296	0,96	8th injection
00:09:43	3,332	0,94	3,273	0,99	3,296	0,96	8th injection
00:09:44	3,332	0,94	3,273	0,99	3,297	0,97	8th injection
00:09:45	3,331	0,93	3,273	0,99	3,297	0,97	8th injection
00:09:46	3,331	0,93	3,273	0,99	3,297	0,97	8th injection
00:09:47	3,331	0,93	3,273	0,99	3,297	0,97	8th injection
00:09:48	3,331	0,93	3,273	0,99	3,296	0,96	8th injection
00:09:49	3,331	0,93	3,272	0,98	3,296	0,96	8th injection
00:09:50	3,332	0,94	3,272	0,98	3,296	0,96	8th injection
00:09:51	3,332	0,94	3,272	0,98	3,296	0,96	8th injection
00:09:52	3,333	0,95	3,271	0,98	3,295	0,95	8th injection
00:09:53	3,334	0,95	3,27	0,97	3,295	0,95	8th injection
00:09:54	3,334	0,95	3,27	0,97	3,294	0,95	8th injection
00:09:55	3,334	0,95	3,27	0,97	3,294	0,95	8th injection
00:09:56	3,335	0,96	3,27	0,97	3,294	0,95	8th injection
00:09:57	3,335	0,96	3,27	0,97	3,293	0,94	8th injection
00:09:58	3,334	0,95	3,27	0,97	3,293	0,94	8th injection
00:09:59	3,334	0,95	3,27	0,97	3,293	0,94	8th injection
00:10:00	3,334	0,95	3,269	0,96	3,293	0,94	8th injection
00:10:01	3,334	0,95	3,269	0,96	3,293	0,94	8th injection
00:10:02	3,333	0,95	3,269	0,96	3,293	0,94	8th injection
00:10:03	3,333	0,95	3,269	0,96	3,293	0,94	8th injection
00:10:04	3,333	0,95	3,269	0,96	3,294	0,95	8th injection
00:10:05	3,332	0,94	3,269	0,96	3,294	0,95	8th injection

00:10:06	3,332	0,94	3,269	0,96	3,295	0,95	8th injection
00:10:07	3,331	0,93	3,269	0,96	3,295	0,95	8th injection
00:10:08	3,331	0,93	3,268	0,95	3,296	0,96	8th injection
00:10:09	3,33	0,92	3,268	0,95	3,296	0,96	8th injection
00:10:10	3,331	0,93	3,268	0,95	3,296	0,96	8th injection
00:10:11	3,331	0,93	3,268	0,95	3,296	0,96	8th injection
00:10:12	3,331	0,93	3,269	0,96	3,296	0,96	8th injection
00:10:13	3,332	0,94	3,269	0,96	3,296	0,96	8th injection
00:10:14	3,332	0,94	3,269	0,96	3,296	0,96	8th injection
00:10:15	3,333	0,95	3,269	0,96	3,296	0,96	8th injection
00:10:16	3,334	0,95	3,269	0,96	3,295	0,95	8th injection
00:10:17	3,335	0,96	3,269	0,96	3,295	0,95	8th injection
00:10:18	3,336	0,97	3,268	0,95	3,295	0,95	8th injection
00:10:19	3,336	0,97	3,268	0,95	3,294	0,95	8th injection
00:10:20	3,337	0,98	3,268	0,95	3,295	0,95	8th injection
00:10:21	3,337	0,98	3,268	0,95	3,295	0,95	8th injection
00:10:22	3,337	0,98	3,268	0,95	3,295	0,95	8th injection
00:10:23	3,337	0,98	3,269	0,96	3,295	0,95	8th injection
00:10:24	3,337	0,98	3,269	0,96	3,295	0,95	8th injection
00:10:25	3,337	0,98	3,269	0,96	3,294	0,95	8th injection
00:10:26	3,337	0,98	3,27	0,97	3,294	0,95	8th injection
00:10:27	3,337	0,98	3,27	0,97	3,295	0,95	8th injection
00:10:28	3,336	0,97	3,271	0,98	3,295	0,95	8th injection
00:10:29	3,336	0,97	3,271	0,98	3,295	0,95	8th injection
00:10:30	3,336	0,97	3,272	0,98	3,295	0,95	8th injection
00:10:31	3,336	0,97	3,272	0,98	3,295	0,95	8th injection
00:10:32	3,336	0,97	3,272	0,98	3,296	0,96	8th injection
00:10:33	3,336	0,97	3,272	0,98	3,296	0,96	8th injection
00:10:34	3,335	0,96	3,273	0,99	3,296	0,96	8th injection
00:10:35	3,335	0,96	3,273	0,99	3,297	0,97	8th injection
00:10:36	3,335	0,96	3,273	0,99	3,297	0,97	8th injection
00:10:37	3,335	0,96	3,272	0,98	3,297	0,97	8th injection
00:10:38	3,335	0,96	3,272	0,98	3,296	0,96	8th injection

00:10:39	3,335	0,96	3,272	0,98	3,296	0,96	8th injection
00:10:40	3,335	0,96	3,272	0,98	3,296	0,96	8th injection
00:10:41	3,335	0,96	3,271	0,98	3,296	0,96	8th injection
00:10:42	3,335	0,96	3,271	0,98	3,295	0,95	8th injection
00:10:43	3,336	0,97	3,271	0,98	3,295	0,95	8th injection
00:10:44	3,336	0,97	3,271	0,98	3,295	0,95	8th injection
00:10:45	3,336	0,97	3,271	0,98	3,295	0,95	8th injection
00:10:46	3,336	0,97	3,271	0,98	3,295	0,95	8th injection
00:10:47	3,336	0,97	3,271	0,98	3,295	0,95	8th injection
00:10:48	3,336	0,97	3,271	0,98	3,295	0,95	8th injection
00:10:49	3,336	0,97	3,271	0,98	3,295	0,95	8th injection
00:10:50	3,335	0,96	3,27	0,97	3,295	0,95	8th injection
00:10:51	3,335	0,96	3,27	0,97	3,295	0,95	8th injection
00:10:52	3,335	0,96	3,27	0,97	3,295	0,95	8th injection
00:10:53	3,335	0,96	3,27	0,97	3,295	0,95	8th injection
00:10:54	3,335	0,96	3,27	0,97	3,294	0,95	8th injection
00:10:55	3,335	0,96	3,27	0,97	3,294	0,95	8th injection
00:10:56	3,335	0,96	3,27	0,97	3,294	0,95	8th injection
00:10:57	3,334	0,95	3,27	0,97	3,293	0,94	8th injection
00:10:58	3,334	0,95	3,27	0,97	3,293	0,94	8th injection
00:10:59	3,335	0,96	3,27	0,97	3,293	0,94	8th injection
00:11:00	3,335	0,96	3,27	0,97	3,292	0,93	8th injection
00:11:01	3,335	0,96	3,271	0,98	3,292	0,93	8th injection
00:11:02	3,335	0,96	3,271	0,98	3,292	0,93	8th injection
00:11:03	3,335	0,96	3,272	0,98	3,291	0,92	8th injection
00:11:04	3,335	0,96	3,272	0,98	3,291	0,92	8th injection
00:11:05	3,335	0,96	3,272	0,98	3,291	0,92	8th injection
00:11:06	3,335	0,96	3,272	0,98	3,291	0,92	8th injection
00:11:07	3,335	0,96	3,272	0,98	3,291	0,92	8th injection
00:11:08	3,335	0,96	3,272	0,98	3,291	0,92	8th injection
00:11:09	3,335	0,96	3,272	0,98	3,291	0,92	8th injection
00:11:10	3,334	0,95	3,271	0,98	3,29	0,91	8th injection
00:11:11	3,334	0,95	3,271	0,98	3,291	0,92	8th injection

00:11:12	3,333	0,95	3,271	0,98	3,291	0,92	8th injection
00:11:13	3,333	0,95	3,27	0,97	3,291	0,92	8th injection
00:11:14	3,332	0,94	3,27	0,97	3,291	0,92	8th injection
00:11:15	3,332	0,94	3,269	0,96	3,292	0,93	8th injection
00:11:16	3,331	0,93	3,269	0,96	3,292	0,93	8th injection
00:11:17	3,331	0,93	3,269	0,96	3,292	0,93	8th injection
00:11:18	3,331	0,93	3,268	0,95	3,293	0,94	8th injection
00:11:19	3,331	0,93	3,268	0,95	3,293	0,94	8th injection
00:11:20	3,331	0,93	3,268	0,95	3,293	0,94	8th injection
00:11:21	3,331	0,93	3,268	0,95	3,294	0,95	8th injection
00:11:22	3,331	0,93	3,268	0,95	3,294	0,95	8th injection
00:11:23	3,331	0,93	3,268	0,95	3,294	0,95	8th injection
00:11:24	3,331	0,93	3,268	0,95	3,295	0,95	8th injection
00:11:25	3,332	0,94	3,268	0,95	3,295	0,95	8th injection
00:11:26	3,331	0,93	3,268	0,95	3,295	0,95	8th injection
00:11:27	3,331	0,93	3,269	0,96	3,294	0,95	8th injection
00:11:28	3,33	0,92	3,268	0,95	3,294	0,95	8th injection
00:11:29	3,33	0,92	3,269	0,96	3,294	0,95	8th injection
00:11:30	3,33	0,92	3,269	0,96	3,293	0,94	8th injection
00:11:31	3,331	0,93	3,269	0,96	3,293	0,94	8th injection
00:11:32	3,331	0,93	3,269	0,96	3,293	0,94	8th injection
00:11:33	3,33	0,92	3,269	0,96	3,293	0,94	8th injection
00:11:34	3,33	0,92	3,269	0,96	3,292	0,93	8th injection
00:11:35	3,33	0,92	3,27	0,97	3,292	0,93	8th injection
00:11:36	3,329	0,91	3,27	0,97	3,292	0,93	8th injection
00:11:37	3,329	0,91	3,271	0,98	3,292	0,93	8th injection
00:11:38	3,328	0,91	3,271	0,98	3,292	0,93	8th injection
00:11:39	3,328	0,91	3,271	0,98	3,292	0,93	8th injection
00:11:40	3,327	0,90	3,271	0,98	3,293	0,94	8th injection
00:11:41	3,327	0,90	3,272	0,98	3,293	0,94	8th injection
00:11:42	3,327	0,90	3,272	0,98	3,293	0,94	8th injection
00:11:43	3,326	0,89	3,272	0,98	3,293	0,94	8th injection
00:11:44	3,326	0,89	3,272	0,98	3,293	0,94	8th injection

00:11:45	3,326	0,89	3,272	0,98	3,292	0,93	8th injection
00:11:46	3,326	0,89	3,272	0,98	3,292	0,93	8th injection
00:11:47	3,326	0,89	3,272	0,98	3,292	0,93	8th injection
00:11:48	3,327	0,90	3,271	0,98	3,292	0,93	8th injection
00:11:49	3,327	0,90	3,271	0,98	3,292	0,93	8th injection
00:11:50	3,328	0,91	3,271	0,98	3,292	0,93	8th injection
00:11:51	3,328	0,91	3,271	0,98	3,291	0,92	8th injection
00:11:52	3,328	0,91	3,271	0,98	3,291	0,92	8th injection
00:11:53	3,329	0,91	3,27	0,97	3,291	0,92	8th injection
00:11:54	3,329	0,91	3,27	0,97	3,291	0,92	8th injection
00:11:55	3,331	0,93	3,27	0,97	3,291	0,92	8th injection
00:11:56	3,332	0,94	3,27	0,97	3,292	0,93	8th injection
00:11:57	3,333	0,95	3,269	0,96	3,292	0,93	8th injection
00:11:58	3,334	0,95	3,269	0,96	3,293	0,94	8th injection
00:11:59	3,335	0,96	3,269	0,96	3,293	0,94	8th injection
00:12:00	3,336	0,97	3,268	0,95	3,294	0,95	8th injection
00:12:01	3,337	0,98	3,268	0,95	3,295	0,95	8th injection
00:12:02	3,337	0,98	3,268	0,95	3,295	0,95	8th injection
00:12:03	3,338	0,98	3,268	0,95	3,295	0,95	8th injection
00:12:04	3,338	0,98	3,268	0,95	3,296	0,96	8th injection
00:12:05	3,337	0,98	3,268	0,95	3,296	0,96	8th injection
00:12:06	3,337	0,98	3,268	0,95	3,296	0,96	8th injection
00:12:07	3,336	0,97	3,269	0,96	3,296	0,96	8th injection
00:12:08	3,335	0,96	3,269	0,96	3,296	0,96	8th injection
00:12:09	3,334	0,95	3,27	0,97	3,296	0,96	8th injection
00:12:10	3,334	0,95	3,27	0,97	3,296	0,96	8th injection
00:12:11	3,333	0,95	3,27	0,97	3,296	0,96	8th injection
00:12:12	3,333	0,95	3,271	0,98	3,296	0,96	8th injection
00:12:13	3,333	0,95	3,271	0,98	3,296	0,96	8th injection
00:12:14	3,333	0,95	3,271	0,98	3,296	0,96	8th injection
00:12:15	3,333	0,95	3,271	0,98	3,296	0,96	8th injection
00:12:16	3,333	0,95	3,271	0,98	3,295	0,95	8th injection
00:12:17	3,334	0,95	3,271	0,98	3,295	0,95	8th injection

00:12:18	3,334	0,95	3,271	0,98	3,295	0,95	8th injection
00:12:19	3,334	0,95	3,27	0,97	3,295	0,95	8th injection
00:12:20	3,335	0,96	3,27	0,97	3,294	0,95	8th injection
00:12:21	3,335	0,96	3,269	0,96	3,294	0,95	8th injection
00:12:22	3,335	0,96	3,269	0,96	3,293	0,94	8th injection
00:12:23	3,335	0,96	3,269	0,96	3,293	0,94	8th injection
00:12:24	3,335	0,96	3,269	0,96	3,292	0,93	8th injection
00:12:25	3,334	0,95	3,269	0,96	3,292	0,93	8th injection
00:12:26	3,334	0,95	3,269	0,96	3,292	0,93	8th injection
00:12:27	3,334	0,95	3,268	0,95	3,293	0,94	8th injection
00:12:28	3,333	0,95	3,268	0,95	3,293	0,94	8th injection
00:12:29	3,333	0,95	3,268	0,95	3,293	0,94	8th injection
00:12:30	3,333	0,95	3,268	0,95	3,294	0,95	8th injection
00:12:31	3,332	0,94	3,269	0,96	3,294	0,95	8th injection
00:12:32	3,332	0,94	3,269	0,96	3,294	0,95	8th injection
00:12:33	3,331	0,93	3,269	0,96	3,294	0,95	8th injection
00:12:34	3,332	0,94	3,269	0,96	3,295	0,95	8th injection
00:12:35	3,332	0,94	3,269	0,96	3,295	0,95	8th injection
00:12:36	3,332	0,94	3,269	0,96	3,295	0,95	8th injection
00:12:37	3,332	0,94	3,269	0,96	3,295	0,95	8th injection
00:12:38	3,332	0,94	3,269	0,96	3,294	0,95	8th injection
00:12:39	3,333	0,95	3,269	0,96	3,294	0,95	8th injection
00:12:40	3,333	0,95	3,269	0,96	3,294	0,95	8th injection
00:12:41	3,334	0,95	3,269	0,96	3,294	0,95	8th injection
00:12:42	3,334	0,95	3,269	0,96	3,293	0,94	8th injection
00:12:43	3,334	0,95	3,27	0,97	3,293	0,94	8th injection
00:12:44	3,334	0,95	3,27	0,97	3,293	0,94	8th injection
00:12:45	3,333	0,95	3,27	0,97	3,293	0,94	8th injection
00:12:46	3,333	0,95	3,27	0,97	3,293	0,94	8th injection
00:12:47	3,332	0,94	3,27	0,97	3,294	0,95	8th injection
00:12:48	3,331	0,93	3,271	0,98	3,294	0,95	8th injection
00:12:49	3,331	0,93	3,271	0,98	3,294	0,95	8th injection
00:12:50	3,33	0,92	3,271	0,98	3,295	0,95	8th injection

00:12:51	3,33	0,92	3,271	0,98	3,295	0,95	8th injection
00:12:52	3,33	0,92	3,271	0,98	3,295	0,95	8th injection
00:12:53	3,329	0,91	3,271	0,98	3,295	0,95	8th injection
00:12:54	3,329	0,91	3,271	0,98	3,295	0,95	8th injection
00:12:55	3,329	0,91	3,27	0,97	3,295	0,95	8th injection
00:12:56	3,329	0,91	3,27	0,97	3,296	0,96	8th injection
00:12:57	3,33	0,92	3,27	0,97	3,296	0,96	8th injection
00:12:58	3,33	0,92	3,27	0,97	3,296	0,96	8th injection
00:12:59	3,33	0,92	3,27	0,97	3,296	0,96	8th injection
00:13:00	3,33	0,92	3,27	0,97	3,296	0,96	8th injection
00:13:01	3,331	0,93	3,27	0,97	3,296	0,96	8th injection
00:13:02	3,331	0,93	3,27	0,97	3,296	0,96	8th injection
00:13:03	3,331	0,93	3,27	0,97	3,296	0,96	8th injection
00:13:04	3,331	0,93	3,27	0,97	3,296	0,96	8th injection
00:13:05	3,331	0,93	3,27	0,97	3,296	0,96	8th injection
00:13:06	3,331	0,93	3,27	0,97	3,295	0,95	8th injection
00:13:07	3,331	0,93	3,27	0,97	3,295	0,95	8th injection
00:13:08	3,331	0,93	3,27	0,97	3,295	0,95	8th injection
00:13:09	3,331	0,93	3,269	0,96	3,294	0,95	8th injection
00:13:10	3,332	0,94	3,269	0,96	3,294	0,95	8th injection
00:13:11	3,332	0,94	3,269	0,96	3,294	0,95	8th injection
00:13:12	3,333	0,95	3,269	0,96	3,293	0,94	8th injection
00:13:13	3,333	0,95	3,269	0,96	3,293	0,94	8th injection
00:13:14	3,334	0,95	3,269	0,96	3,293	0,94	8th injection
00:13:15	3,334	0,95	3,269	0,96	3,293	0,94	8th injection
00:13:16	3,335	0,96	3,269	0,96	3,293	0,94	8th injection
00:13:17	3,336	0,97	3,269	0,96	3,293	0,94	8th injection
00:13:18	3,336	0,97	3,269	0,96	3,293	0,94	8th injection
00:13:19	3,336	0,97	3,269	0,96	3,293	0,94	8th injection
00:13:20	3,335	0,96	3,269	0,96	3,293	0,94	8th injection
00:13:21	3,335	0,96	3,27	0,97	3,293	0,94	8th injection
00:13:22	3,335	0,96	3,27	0,97	3,293	0,94	8th injection
00:13:23	3,334	0,95	3,271	0,98	3,293	0,94	8th injection

00:13:24	3,334	0,95	3,271	0,98	3,293	0,94	8th injection
00:13:25	3,333	0,95	3,271	0,98	3,294	0,95	8th injection
00:13:26	3,332	0,94	3,271	0,98	3,294	0,95	8th injection
00:13:27	3,331	0,93	3,271	0,98	3,295	0,95	8th injection
00:13:28	3,33	0,92	3,271	0,98	3,295	0,95	8th injection
00:13:29	3,33	0,92	3,271	0,98	3,296	0,96	8th injection
00:13:30	3,33	0,92	3,27	0,97	3,296	0,96	8th injection
00:13:31	3,33	0,92	3,27	0,97	3,296	0,96	8th injection
00:13:32	3,33	0,92	3,269	0,96	3,297	0,97	8th injection
00:13:33	3,33	0,92	3,269	0,96	3,297	0,97	8th injection
00:13:34	3,33	0,92	3,268	0,95	3,297	0,97	8th injection
00:13:35	3,33	0,92	3,268	0,95	3,297	0,97	8th injection
00:13:36	3,331	0,93	3,268	0,95	3,296	0,96	8th injection
00:13:37	3,331	0,93	3,268	0,95	3,296	0,96	8th injection
00:13:38	3,331	0,93	3,267	0,94	3,295	0,95	8th injection
00:13:39	3,331	0,93	3,267	0,94	3,295	0,95	8th injection
00:13:40	3,331	0,93	3,268	0,95	3,295	0,95	8th injection
00:13:41	3,331	0,93	3,268	0,95	3,295	0,95	8th injection
00:13:42	3,331	0,93	3,268	0,95	3,295	0,95	8th injection
00:13:43	3,331	0,93	3,268	0,95	3,295	0,95	8th injection
00:13:44	3,331	0,93	3,268	0,95	3,295	0,95	8th injection
00:13:45	3,331	0,93	3,268	0,95	3,295	0,95	8th injection
00:13:46	3,331	0,93	3,268	0,95	3,294	0,95	8th injection
00:13:47	3,331	0,93	3,268	0,95	3,294	0,95	8th injection
00:13:48	3,331	0,93	3,268	0,95	3,295	0,95	8th injection
00:13:49	3,331	0,93	3,268	0,95	3,295	0,95	8th injection
00:13:50	3,331	0,93	3,268	0,95	3,295	0,95	8th injection
00:13:51	3,332	0,94	3,268	0,95	3,294	0,95	8th injection
00:13:52	3,332	0,94	3,268	0,95	3,294	0,95	8th injection
00:13:53	3,332	0,94	3,268	0,95	3,294	0,95	8th injection
00:13:54	3,332	0,94	3,268	0,95	3,295	0,95	8th injection
00:13:55	3,333	0,95	3,268	0,95	3,295	0,95	8th injection
00:13:56	3,333	0,95	3,269	0,96	3,296	0,96	8th injection

00:13:57	3,334	0,95	3,269	0,96	3,296	0,96	8th injection
00:13:58	3,334	0,95	3,269	0,96	3,296	0,96	8th injection
00:13:59	3,334	0,95	3,269	0,96	3,295	0,95	8th injection
00:14:00	3,334	0,95	3,27	0,97	3,295	0,95	8th injection
00:14:01	3,334	0,95	3,27	0,97	3,295	0,95	8th injection
00:14:02	3,334	0,95	3,27	0,97	3,295	0,95	8th injection
00:14:03	3,334	0,95	3,27	0,97	3,295	0,95	8th injection
00:14:04	3,333	0,95	3,27	0,97	3,295	0,95	8th injection
00:14:05	3,333	0,95	3,271	0,98	3,295	0,95	8th injection
00:14:06	3,332	0,94	3,271	0,98	3,294	0,95	8th injection
00:14:07	3,332	0,94	3,27	0,97	3,294	0,95	8th injection
00:14:08	3,332	0,94	3,27	0,97	3,295	0,95	8th injection
00:00:00	0,807	0,00	0,816	0,00	0,814	0,01	9th injection
00:00:01	0,807	0,00	0,816	0,00	0,814	0,01	9th injection
00:00:02	0,807	0,00	0,816	0,00	0,814	0,01	9th injection
00:00:03	0,807	0,00	0,816	0,00	0,813	0,00	9th injection
00:00:04	0,807	0,00	0,816	0,00	0,813	0,00	9th injection
00:00:05	0,807	0,00	0,816	0,00	0,813	0,00	9th injection
00:00:06	0,807	0,00	0,816	0,00	0,813	0,00	9th injection
00:00:07	0,807	0,00	0,816	0,00	0,813	0,00	9th injection
00:00:08	0,807	0,00	0,816	0,00	0,813	0,00	9th injection
00:00:09	0,807	0,00	0,816	0,00	0,813	0,00	9th injection
00:00:10	0,807	0,00	0,816	0,00	0,813	0,00	9th injection
00:00:11	0,807	0,00	0,816	0,00	0,813	0,00	9th injection
00:00:12	0,807	0,00	0,816	0,00	0,813	0,00	9th injection
00:00:13	0,807	0,00	0,816	0,00	0,813	0,00	9th injection
00:00:14	0,807	0,00	0,816	0,00	0,813	0,00	9th injection
00:00:15	0,807	0,00	0,816	0,00	0,813	0,00	9th injection
00:00:16	0,807	0,00	0,816	0,00	0,814	0,01	9th injection
00:00:17	0,809	0,02	0,816	0,00	0,814	0,01	9th injection
00:00:18	0,811	0,03	0,816	0,00	0,814	0,01	9th injection
00:00:19	0,813	0,05	0,816	0,00	0,814	0,01	9th injection
00:00:20	0,815	0,07	0,817	0,01	0,814	0,01	9th injection

00:00:21	0,817	0,08	0,817	0,01	0,814	0,01	9th injection
00:00:22	0,819	0,10	0,817	0,01	0,814	0,01	9th injection
00:00:23	0,824	0,14	0,817	0,01	0,814	0,01	9th injection
00:00:24	0,825	0,15	0,817	0,01	0,814	0,01	9th injection
00:00:25	0,827	0,16	0,817	0,01	0,814	0,01	9th injection
00:00:26	0,828	0,17	0,817	0,01	0,814	0,01	9th injection
00:00:27	0,829	0,18	0,817	0,01	0,814	0,01	9th injection
00:00:28	0,829	0,18	0,817	0,01	0,814	0,01	9th injection
00:00:29	0,828	0,17	0,817	0,01	0,814	0,01	9th injection
00:00:30	0,827	0,16	0,817	0,01	0,814	0,01	9th injection
00:00:31	0,827	0,16	0,817	0,01	0,814	0,01	9th injection
00:00:32	0,827	0,16	0,818	0,02	0,814	0,01	9th injection
00:00:33	0,827	0,16	0,818	0,02	0,814	0,01	9th injection
00:00:34	0,828	0,17	0,818	0,02	0,814	0,01	9th injection
00:00:35	0,832	0,20	0,818	0,02	0,815	0,02	9th injection
00:00:36	0,834	0,22	0,818	0,02	0,815	0,02	9th injection
00:00:37	0,837	0,24	0,819	0,03	0,816	0,03	9th injection
00:00:38	0,841	0,28	0,819	0,03	0,817	0,03	9th injection
00:00:39	0,845	0,31	0,82	0,03	0,818	0,04	9th injection
00:00:40	0,849	0,34	0,82	0,03	0,819	0,05	9th injection
00:00:41	0,856	0,40	0,821	0,04	0,82	0,06	9th injection
00:00:42	0,859	0,42	0,822	0,05	0,821	0,07	9th injection
00:00:43	0,862	0,45	0,823	0,06	0,823	0,08	9th injection
00:00:44	0,864	0,46	0,823	0,06	0,825	0,10	9th injection
00:00:45	0,866	0,48	0,824	0,07	0,827	0,12	9th injection
00:00:46	0,867	0,49	0,827	0,09	0,829	0,13	9th injection
00:00:47	0,869	0,50	0,829	0,11	0,832	0,16	9th injection
00:00:48	0,87	0,51	0,83	0,12	0,834	0,18	9th injection
00:00:49	0,87	0,51	0,832	0,13	0,837	0,20	9th injection
00:00:50	0,871	0,52	0,833	0,14	0,845	0,27	9th injection
00:00:51	0,872	0,53	0,836	0,17	0,848	0,29	9th injection
00:00:52	0,873	0,54	0,837	0,18	0,851	0,32	9th injection
00:00:53	0,876	0,56	0,839	0,19	0,855	0,35	9th injection

00:00:54	0,878	0,58	0,84	0,20	0,859	0,38	9th injection
00:00:55	0,879	0,59	0,841	0,21	0,864	0,43	9th injection
00:00:56	0,881	0,60	0,842	0,22	0,872	0,49	9th injection
00:00:57	0,882	0,61	0,843	0,23	0,875	0,52	9th injection
00:00:58	0,883	0,62	0,843	0,23	0,877	0,53	9th injection
00:00:59	0,886	0,64	0,844	0,24	0,88	0,56	9th injection
00:01:00	0,887	0,65	0,844	0,24	0,883	0,58	9th injection
00:01:01	0,888	0,66	0,844	0,24	0,887	0,62	9th injection
00:01:02	0,889	0,67	0,844	0,24	0,889	0,63	9th injection
00:01:03	0,889	0,67	0,845	0,24	0,891	0,65	9th injection
00:01:04	0,89	0,67	0,846	0,25	0,892	0,66	9th injection
00:01:05	0,892	0,69	0,847	0,26	0,893	0,67	9th injection
00:01:06	0,892	0,69	0,848	0,27	0,893	0,67	9th injection
00:01:07	0,893	0,70	0,85	0,29	0,893	0,67	9th injection
00:01:08	0,894	0,71	0,852	0,30	0,892	0,66	9th injection
00:01:09	0,895	0,72	0,856	0,34	0,892	0,66	9th injection
00:01:10	0,896	0,72	0,858	0,35	0,891	0,65	9th injection
00:01:11	0,897	0,73	0,862	0,39	0,89	0,64	9th injection
00:01:12	0,897	0,73	0,865	0,41	0,888	0,63	9th injection
00:01:13	0,897	0,73	0,868	0,44	0,886	0,61	9th injection
00:01:14	0,897	0,73	0,871	0,46	0,886	0,61	9th injection
00:01:15	0,898	0,74	0,877	0,51	0,885	0,60	9th injection
00:01:16	0,898	0,74	0,88	0,54	0,884	0,59	9th injection
00:01:17	0,899	0,75	0,883	0,56	0,883	0,58	9th injection
00:01:18	0,899	0,75	0,885	0,58	0,883	0,58	9th injection
00:01:19	0,899	0,75	0,887	0,60	0,883	0,58	9th injection
00:01:20	0,9	0,76	0,889	0,61	0,883	0,58	9th injection
00:01:21	0,9	0,76	0,893	0,65	0,883	0,58	9th injection
00:01:22	0,901	0,76	0,895	0,66	0,884	0,59	9th injection
00:01:23	0,902	0,77	0,897	0,68	0,884	0,59	9th injection
00:01:24	0,902	0,77	0,899	0,70	0,885	0,60	9th injection
00:01:25	0,903	0,78	0,901	0,71	0,886	0,61	9th injection
00:01:26	0,903	0,78	0,903	0,73	0,886	0,61	9th injection

00:01:27	0,904	0,79	0,905	0,75	0,887	0,62	9th injection
00:01:28	0,904	0,79	0,906	0,76	0,888	0,63	9th injection
00:01:29	0,905	0,80	0,907	0,76	0,888	0,63	9th injection
00:01:30	0,905	0,80	0,908	0,77	0,889	0,63	9th injection
00:01:31	0,906	0,80	0,909	0,78	0,89	0,64	9th injection
00:01:32	0,906	0,80	0,91	0,79	0,891	0,65	9th injection
00:01:33	0,907	0,81	0,91	0,79	0,891	0,65	9th injection
00:01:34	0,908	0,82	0,911	0,80	0,892	0,66	9th injection
00:01:35	0,908	0,82	0,911	0,80	0,892	0,66	9th injection
00:01:36	0,909	0,83	0,911	0,80	0,893	0,67	9th injection
00:01:37	0,909	0,83	0,911	0,80	0,894	0,68	9th injection
00:01:38	0,91	0,84	0,911	0,80	0,894	0,68	9th injection
00:01:39	0,91	0,84	0,911	0,80	0,894	0,68	9th injection
00:01:40	0,911	0,85	0,911	0,80	0,895	0,68	9th injection
00:01:41	0,912	0,85	0,911	0,80	0,895	0,68	9th injection
00:01:42	0,912	0,85	0,911	0,80	0,896	0,69	9th injection
00:01:43	0,912	0,85	0,911	0,80	0,896	0,69	9th injection
00:01:44	0,913	0,86	0,911	0,80	0,897	0,70	9th injection
00:01:45	0,913	0,86	0,911	0,80	0,897	0,70	9th injection
00:01:46	0,914	0,87	0,911	0,80	0,897	0,70	9th injection
00:01:47	0,914	0,87	0,911	0,80	0,898	0,71	9th injection
00:01:48	0,914	0,87	0,911	0,80	0,898	0,71	9th injection
00:01:49	0,914	0,87	0,911	0,80	0,899	0,72	9th injection
00:01:50	0,915	0,88	0,911	0,80	0,9	0,73	9th injection
00:01:51	0,915	0,88	0,912	0,81	0,901	0,73	9th injection
00:01:52	0,916	0,89	0,912	0,81	0,901	0,73	9th injection
00:01:53	0,916	0,89	0,912	0,81	0,902	0,74	9th injection
00:01:54	0,916	0,89	0,912	0,81	0,902	0,74	9th injection
00:01:55	0,916	0,89	0,913	0,82	0,903	0,75	9th injection
00:01:56	0,917	0,89	0,914	0,82	0,904	0,76	9th injection
00:01:57	0,917	0,89	0,914	0,82	0,904	0,76	9th injection
00:01:58	0,917	0,89	0,915	0,83	0,904	0,76	9th injection
00:01:59	0,917	0,89	0,916	0,84	0,905	0,77	9th injection

00:02:00	0,918	0,90	0,917	0,85	0,905	0,77	9th injection
00:02:01	0,918	0,90	0,917	0,85	0,906	0,78	9th injection
00:02:02	0,918	0,90	0,919	0,87	0,906	0,78	9th injection
00:02:03	0,919	0,91	0,919	0,87	0,906	0,78	9th injection
00:02:04	0,919	0,91	0,92	0,87	0,906	0,78	9th injection
00:02:05	0,92	0,92	0,921	0,88	0,907	0,78	9th injection
00:02:06	0,92	0,92	0,922	0,89	0,907	0,78	9th injection
00:02:07	0,92	0,92	0,922	0,89	0,907	0,78	9th injection
00:02:08	0,921	0,93	0,923	0,90	0,907	0,78	9th injection
00:02:09	0,921	0,93	0,924	0,91	0,907	0,78	9th injection
00:02:10	0,921	0,93	0,924	0,91	0,907	0,78	9th injection
00:02:11	0,921	0,93	0,925	0,92	0,907	0,78	9th injection
00:02:12	0,922	0,93	0,925	0,92	0,907	0,78	9th injection
00:02:13	0,922	0,93	0,926	0,92	0,908	0,79	9th injection
00:02:14	0,922	0,93	0,926	0,92	0,908	0,79	9th injection
00:02:15	0,922	0,93	0,926	0,92	0,908	0,79	9th injection
00:02:16	0,922	0,93	0,927	0,93	0,908	0,79	9th injection
00:02:17	0,922	0,93	0,927	0,93	0,908	0,79	9th injection
00:02:18	0,922	0,93	0,927	0,93	0,909	0,80	9th injection
00:02:19	0,922	0,93	0,927	0,93	0,91	0,81	9th injection
00:02:20	0,922	0,93	0,927	0,93	0,911	0,82	9th injection
00:02:21	0,922	0,93	0,927	0,93	0,911	0,82	9th injection
00:02:22	0,922	0,93	0,927	0,93	0,912	0,83	9th injection
00:02:23	0,922	0,93	0,927	0,93	0,913	0,83	9th injection
00:02:24	0,922	0,93	0,927	0,93	0,914	0,84	9th injection
00:02:25	0,923	0,94	0,927	0,93	0,914	0,84	9th injection
00:02:26	0,923	0,94	0,927	0,93	0,915	0,85	9th injection
00:02:27	0,923	0,94	0,927	0,93	0,916	0,86	9th injection
00:02:28	0,923	0,94	0,927	0,93	0,916	0,86	9th injection
00:02:29	0,923	0,94	0,927	0,93	0,917	0,87	9th injection
00:02:30	0,924	0,95	0,927	0,93	0,918	0,88	9th injection
00:02:31	0,924	0,95	0,927	0,93	0,918	0,88	9th injection
00:02:32	0,924	0,95	0,928	0,94	0,919	0,88	9th injection

00:02:33	0,925	0,96	0,928	0,94	0,919	0,88	9th injection
00:02:34	0,925	0,96	0,928	0,94	0,919	0,88	9th injection
00:02:35	0,925	0,96	0,928	0,94	0,92	0,89	9th injection
00:02:36	0,925	0,96	0,928	0,94	0,921	0,90	9th injection
00:02:37	0,925	0,96	0,928	0,94	0,921	0,90	9th injection
00:02:38	0,926	0,97	0,929	0,95	0,921	0,90	9th injection
00:02:39	0,926	0,97	0,929	0,95	0,922	0,91	9th injection
00:02:40	0,926	0,97	0,929	0,95	0,922	0,91	9th injection
00:02:41	0,926	0,97	0,929	0,95	0,922	0,91	9th injection
00:02:42	0,926	0,97	0,93	0,96	0,923	0,92	9th injection
00:02:43	0,927	0,98	0,93	0,96	0,923	0,92	9th injection
00:02:44	0,927	0,98	0,93	0,96	0,923	0,92	9th injection
00:02:45	0,927	0,98	0,931	0,97	0,923	0,92	9th injection
00:02:46	0,927	0,98	0,931	0,97	0,924	0,93	9th injection
00:02:47	0,927	0,98	0,931	0,97	0,924	0,93	9th injection
00:02:48	0,927	0,98	0,932	0,97	0,924	0,93	9th injection
00:02:49	0,927	0,98	0,932	0,97	0,924	0,93	9th injection
00:02:50	0,927	0,98	0,932	0,97	0,924	0,93	9th injection
00:02:51	0,927	0,98	0,933	0,98	0,924	0,93	9th injection
00:02:52	0,927	0,98	0,933	0,98	0,924	0,93	9th injection
00:02:53	0,927	0,98	0,933	0,98	0,925	0,93	9th injection
00:02:54	0,927	0,98	0,933	0,98	0,925	0,93	9th injection
00:02:55	0,926	0,97	0,934	0,99	0,925	0,93	9th injection
00:02:56	0,926	0,97	0,934	0,99	0,925	0,93	9th injection
00:02:57	0,926	0,97	0,934	0,99	0,925	0,93	9th injection
00:02:58	0,926	0,97	0,934	0,99	0,926	0,94	9th injection
00:02:59	0,926	0,97	0,934	0,99	0,926	0,94	9th injection
00:03:00	0,926	0,97	0,934	0,99	0,926	0,94	9th injection
00:03:01	0,926	0,97	0,934	0,99	0,926	0,94	9th injection
00:03:02	0,926	0,97	0,934	0,99	0,927	0,95	9th injection
00:03:03	0,926	0,97	0,934	0,99	0,927	0,95	9th injection
00:03:04	0,926	0,97	0,934	0,99	0,927	0,95	9th injection
00:03:05	0,926	0,97	0,934	0,99	0,927	0,95	9th injection

00:03:06	0,926	0,97	0,934	0,99	0,928	0,96	9th injection
00:03:07	0,926	0,97	0,934	0,99	0,928	0,96	9th injection
00:03:08	0,926	0,97	0,934	0,99	0,928	0,96	9th injection
00:03:09	0,926	0,97	0,934	0,99	0,928	0,96	9th injection
00:03:10	0,926	0,97	0,934	0,99	0,929	0,97	9th injection
00:03:11	0,926	0,97	0,934	0,99	0,929	0,97	9th injection
00:03:12	0,926	0,97	0,934	0,99	0,929	0,97	9th injection
00:03:13	0,926	0,97	0,934	0,99	0,929	0,97	9th injection
00:03:14	0,926	0,97	0,934	0,99	0,929	0,97	9th injection
00:03:15	0,926	0,97	0,934	0,99	0,929	0,97	9th injection
00:03:16	0,926	0,97	0,934	0,99	0,929	0,97	9th injection
00:03:17	0,926	0,97	0,934	0,99	0,929	0,97	9th injection
00:03:18	0,926	0,97	0,934	0,99	0,929	0,97	9th injection
00:03:19	0,926	0,97	0,934	0,99	0,93	0,98	9th injection
00:03:20	0,926	0,97	0,934	0,99	0,93	0,98	9th injection
00:03:21	0,926	0,97	0,934	0,99	0,93	0,98	9th injection
00:03:22	0,926	0,97	0,934	0,99	0,93	0,98	9th injection
00:03:23	0,927	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:24	0,927	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:25	0,927	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:26	0,927	0,98	0,935	1,00	0,93	0,98	9th injection
00:03:27	0,927	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:28	0,927	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:29	0,927	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:30	0,927	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:31	0,927	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:32	0,927	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:33	0,927	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:34	0,927	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:35	0,927	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:36	0,927	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:37	0,928	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:38	0,928	0,98	0,934	0,99	0,93	0,98	9th injection

00:03:39	0,928	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:40	0,928	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:41	0,928	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:42	0,928	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:43	0,928	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:44	0,928	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:45	0,928	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:46	0,928	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:47	0,928	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:48	0,928	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:49	0,928	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:50	0,928	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:51	0,928	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:52	0,927	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:53	0,927	0,98	0,934	0,99	0,93	0,98	9th injection
00:03:54	0,927	0,98	0,934	0,99	0,929	0,97	9th injection
00:03:55	0,927	0,98	0,934	0,99	0,929	0,97	9th injection
00:03:56	0,927	0,98	0,934	0,99	0,929	0,97	9th injection
00:03:57	0,927	0,98	0,934	0,99	0,929	0,97	9th injection
00:03:58	0,927	0,98	0,934	0,99	0,929	0,97	9th injection
00:03:59	0,927	0,98	0,934	0,99	0,929	0,97	9th injection
00:04:00	0,927	0,98	0,934	0,99	0,929	0,97	9th injection
00:04:01	0,927	0,98	0,934	0,99	0,929	0,97	9th injection
00:04:02	0,927	0,98	0,934	0,99	0,929	0,97	9th injection
00:04:03	0,927	0,98	0,934	0,99	0,93	0,98	9th injection
00:04:04	0,927	0,98	0,934	0,99	0,93	0,98	9th injection
00:04:05	0,928	0,98	0,934	0,99	0,93	0,98	9th injection
00:04:06	0,928	0,98	0,934	0,99	0,93	0,98	9th injection
00:04:07	0,928	0,98	0,934	0,99	0,93	0,98	9th injection
00:04:08	0,928	0,98	0,935	1,00	0,93	0,98	9th injection
00:04:09	0,928	0,98	0,935	1,00	0,93	0,98	9th injection
00:04:10	0,928	0,98	0,935	1,00	0,931	0,98	9th injection
00:04:11	0,928	0,98	0,935	1,00	0,931	0,98	9th injection

00:04:12	0,928	0,98	0,935	1,00	0,931	0,98	9th injection
00:04:13	0,928	0,98	0,935	1,00	0,931	0,98	9th injection
00:04:14	0,928	0,98	0,935	1,00	0,931	0,98	9th injection
00:04:15	0,928	0,98	0,935	1,00	0,931	0,98	9th injection
00:04:16	0,928	0,98	0,935	1,00	0,931	0,98	9th injection
00:04:17	0,928	0,98	0,935	1,00	0,931	0,98	9th injection
00:04:18	0,928	0,98	0,935	1,00	0,931	0,98	9th injection
00:04:19	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:04:20	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:04:21	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:04:22	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:04:23	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:04:24	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:04:25	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:04:26	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:04:27	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:04:28	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:04:29	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:04:30	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:04:31	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:04:32	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:04:33	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:04:34	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:04:35	0,926	0,97	0,935	1,00	0,933	1,00	9th injection
00:04:36	0,926	0,97	0,935	1,00	0,933	1,00	9th injection
00:04:37	0,926	0,97	0,935	1,00	0,933	1,00	9th injection
00:04:38	0,926	0,97	0,935	1,00	0,933	1,00	9th injection
00:04:39	0,926	0,97	0,935	1,00	0,933	1,00	9th injection
00:04:40	0,926	0,97	0,935	1,00	0,933	1,00	9th injection
00:04:41	0,926	0,97	0,935	1,00	0,932	0,99	9th injection
00:04:42	0,926	0,97	0,935	1,00	0,932	0,99	9th injection
00:04:43	0,926	0,97	0,935	1,00	0,932	0,99	9th injection
00:04:44	0,927	0,98	0,935	1,00	0,932	0,99	9th injection

00:04:45	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:04:46	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:04:47	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:04:48	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:04:49	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:04:50	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:04:51	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:04:52	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:04:53	0,927	0,98	0,934	0,99	0,932	0,99	9th injection
00:04:54	0,927	0,98	0,934	0,99	0,932	0,99	9th injection
00:04:55	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:04:56	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:04:57	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:04:58	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:04:59	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:05:00	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:05:01	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:05:02	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:05:03	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:05:04	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:05:05	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:05:06	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:05:07	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:05:08	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:05:09	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:05:10	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:05:11	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:05:12	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:05:13	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:05:14	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:05:15	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:05:16	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:05:17	0,926	0,97	0,935	1,00	0,933	1,00	9th injection

00:05:18	0,926	0,97	0,935	1,00	0,933	1,00	9th injection
00:05:19	0,926	0,97	0,935	1,00	0,933	1,00	9th injection
00:05:20	0,926	0,97	0,935	1,00	0,933	1,00	9th injection
00:05:21	0,926	0,97	0,935	1,00	0,933	1,00	9th injection
00:05:22	0,926	0,97	0,935	1,00	0,933	1,00	9th injection
00:05:23	0,926	0,97	0,935	1,00	0,933	1,00	9th injection
00:05:24	0,926	0,97	0,935	1,00	0,933	1,00	9th injection
00:05:25	0,926	0,97	0,935	1,00	0,933	1,00	9th injection
00:05:26	0,926	0,97	0,935	1,00	0,933	1,00	9th injection
00:05:27	0,926	0,97	0,935	1,00	0,933	1,00	9th injection
00:05:28	0,926	0,97	0,935	1,00	0,933	1,00	9th injection
00:05:29	0,926	0,97	0,935	1,00	0,933	1,00	9th injection
00:05:30	0,926	0,97	0,935	1,00	0,932	0,99	9th injection
00:05:31	0,926	0,97	0,935	1,00	0,932	0,99	9th injection
00:05:32	0,926	0,97	0,935	1,00	0,932	0,99	9th injection
00:05:33	0,926	0,97	0,935	1,00	0,932	0,99	9th injection
00:05:34	0,926	0,97	0,935	1,00	0,932	0,99	9th injection
00:05:35	0,926	0,97	0,935	1,00	0,932	0,99	9th injection
00:05:36	0,926	0,97	0,935	1,00	0,932	0,99	9th injection
00:05:37	0,926	0,97	0,935	1,00	0,932	0,99	9th injection
00:05:38	0,926	0,97	0,935	1,00	0,932	0,99	9th injection
00:05:39	0,926	0,97	0,935	1,00	0,932	0,99	9th injection
00:05:40	0,926	0,97	0,935	1,00	0,932	0,99	9th injection
00:05:41	0,926	0,97	0,935	1,00	0,932	0,99	9th injection
00:05:42	0,927	0,98	0,934	0,99	0,932	0,99	9th injection
00:05:43	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:05:44	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:05:45	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:05:46	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:05:47	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:05:48	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:05:49	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:05:50	0,927	0,98	0,935	1,00	0,932	0,99	9th injection

00:05:51	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:05:52	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:05:53	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:05:54	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:05:55	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:05:56	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:05:57	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:05:58	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:05:59	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:06:00	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:06:01	0,927	0,98	0,935	1,00	0,931	0,98	9th injection
00:06:02	0,927	0,98	0,935	1,00	0,931	0,98	9th injection
00:06:03	0,928	0,98	0,935	1,00	0,931	0,98	9th injection
00:06:04	0,928	0,98	0,935	1,00	0,931	0,98	9th injection
00:06:05	0,928	0,98	0,935	1,00	0,931	0,98	9th injection
00:06:06	0,928	0,98	0,935	1,00	0,931	0,98	9th injection
00:06:07	0,927	0,98	0,935	1,00	0,931	0,98	9th injection
00:06:08	0,927	0,98	0,935	1,00	0,931	0,98	9th injection
00:06:09	0,927	0,98	0,935	1,00	0,931	0,98	9th injection
00:06:10	0,927	0,98	0,935	1,00	0,931	0,98	9th injection
00:06:11	0,927	0,98	0,935	1,00	0,931	0,98	9th injection
00:06:12	0,927	0,98	0,935	1,00	0,931	0,98	9th injection
00:06:13	0,927	0,98	0,935	1,00	0,931	0,98	9th injection
00:06:14	0,927	0,98	0,935	1,00	0,931	0,98	9th injection
00:06:15	0,927	0,98	0,935	1,00	0,931	0,98	9th injection
00:06:16	0,927	0,98	0,935	1,00	0,931	0,98	9th injection
00:06:17	0,927	0,98	0,935	1,00	0,931	0,98	9th injection
00:06:18	0,927	0,98	0,935	1,00	0,931	0,98	9th injection
00:06:19	0,927	0,98	0,935	1,00	0,931	0,98	9th injection
00:06:20	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:06:21	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:06:22	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:06:23	0,928	0,98	0,935	1,00	0,932	0,99	9th injection

00:06:24	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:06:25	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:06:26	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:06:27	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:06:28	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:06:29	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:06:30	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:06:31	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:06:32	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:06:33	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:06:34	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:06:35	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:06:36	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:06:37	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:06:38	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:06:39	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:06:40	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:06:41	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:06:42	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:06:43	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:06:44	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:06:45	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:06:46	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:06:47	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:06:48	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:06:49	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:06:50	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:06:51	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:06:52	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:06:53	0,927	0,98	0,935	1,00	0,933	1,00	9th injection
00:06:54	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:06:55	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:06:56	0,927	0,98	0,935	1,00	0,932	0,99	9th injection

00:07:30	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:31	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:32	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:33	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:34	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:35	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:36	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:37	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:38	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:39	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:40	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:41	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:42	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:43	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:44	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:45	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:46	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:47	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:48	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:49	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:50	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:51	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:52	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:53	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:54	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:55	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:56	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:57	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:58	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:07:59	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:08:00	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:08:01	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:08:02	0,928	0,98	0,934	0,99	0,932	0,99	9th injection

00:09:09	0,927	0,98	0,934	0,99	0,932	0,99	9th injection
00:09:10	0,927	0,98	0,934	0,99	0,932	0,99	9th injection
00:09:11	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:09:12	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:09:13	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:09:14	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:09:15	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:09:16	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:09:17	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:09:18	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:09:19	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:09:20	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:09:21	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:09:22	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:09:23	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:09:24	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:09:25	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:09:26	0,928	0,98	0,934	0,99	0,933	1,00	9th injection
00:09:27	0,928	0,98	0,934	0,99	0,933	1,00	9th injection
00:09:28	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:09:29	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:09:30	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:09:31	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:09:32	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:09:33	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:09:34	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:09:35	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:09:36	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:09:37	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:09:38	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:09:39	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:09:40	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:09:41	0,928	0,98	0,935	1,00	0,932	0,99	9th injection

00:09:42	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:09:43	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:09:44	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:09:45	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:09:46	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:09:47	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:09:48	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:09:49	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:09:50	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:09:51	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:09:52	0,927	0,98	0,934	0,99	0,932	0,99	9th injection
00:09:53	0,927	0,98	0,934	0,99	0,932	0,99	9th injection
00:09:54	0,927	0,98	0,934	0,99	0,932	0,99	9th injection
00:09:55	0,927	0,98	0,934	0,99	0,932	0,99	9th injection
00:09:56	0,927	0,98	0,934	0,99	0,932	0,99	9th injection
00:09:57	0,927	0,98	0,934	0,99	0,932	0,99	9th injection
00:09:58	0,927	0,98	0,934	0,99	0,932	0,99	9th injection
00:09:59	0,927	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:00	0,927	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:01	0,927	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:02	0,927	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:03	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:04	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:05	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:06	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:07	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:08	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:09	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:10	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:11	0,928	0,98	0,934	0,99	0,931	0,98	9th injection
00:10:12	0,928	0,98	0,934	0,99	0,931	0,98	9th injection
00:10:13	0,928	0,98	0,934	0,99	0,931	0,98	9th injection
00:10:14	0,928	0,98	0,934	0,99	0,931	0,98	9th injection

00:10:15	0,928	0,98	0,934	0,99	0,931	0,98	9th injection
00:10:16	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:17	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:18	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:19	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:20	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:21	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:10:22	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:23	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:10:24	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:25	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:10:26	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:10:27	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:10:28	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:10:29	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:10:30	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:31	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:32	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:33	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:34	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:35	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:36	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:37	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:38	0,928	0,98	0,934	0,99	0,933	1,00	9th injection
00:10:39	0,928	0,98	0,934	0,99	0,933	1,00	9th injection
00:10:40	0,928	0,98	0,934	0,99	0,933	1,00	9th injection
00:10:41	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:42	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:43	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:44	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:45	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:46	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:47	0,928	0,98	0,934	0,99	0,932	0,99	9th injection

00:10:48	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:49	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:50	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:51	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:52	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:53	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:54	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:55	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:56	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:57	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:58	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:10:59	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:11:00	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:11:01	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:11:02	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:11:03	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:11:04	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:11:05	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:11:06	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:11:07	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:11:08	0,928	0,98	0,934	0,99	0,931	0,98	9th injection
00:11:09	0,928	0,98	0,934	0,99	0,931	0,98	9th injection
00:11:10	0,928	0,98	0,934	0,99	0,931	0,98	9th injection
00:11:11	0,928	0,98	0,934	0,99	0,931	0,98	9th injection
00:11:12	0,928	0,98	0,934	0,99	0,931	0,98	9th injection
00:11:13	0,928	0,98	0,934	0,99	0,931	0,98	9th injection
00:11:14	0,928	0,98	0,935	1,00	0,931	0,98	9th injection
00:11:15	0,928	0,98	0,934	0,99	0,931	0,98	9th injection
00:11:16	0,928	0,98	0,934	0,99	0,931	0,98	9th injection
00:11:17	0,928	0,98	0,934	0,99	0,931	0,98	9th injection
00:11:18	0,928	0,98	0,934	0,99	0,931	0,98	9th injection
00:11:19	0,928	0,98	0,934	0,99	0,931	0,98	9th injection
00:11:20	0,928	0,98	0,934	0,99	0,931	0,98	9th injection

00:11:21	0,928	0,98	0,934	0,99	0,931	0,98	9th injection
00:11:22	0,928	0,98	0,934	0,99	0,931	0,98	9th injection
00:11:23	0,928	0,98	0,934	0,99	0,931	0,98	9th injection
00:11:24	0,929	0,99	0,934	0,99	0,931	0,98	9th injection
00:11:25	0,929	0,99	0,935	1,00	0,931	0,98	9th injection
00:11:26	0,928	0,98	0,935	1,00	0,931	0,98	9th injection
00:11:27	0,928	0,98	0,935	1,00	0,931	0,98	9th injection
00:11:28	0,928	0,98	0,935	1,00	0,931	0,98	9th injection
00:11:29	0,928	0,98	0,935	1,00	0,931	0,98	9th injection
00:11:30	0,928	0,98	0,935	1,00	0,931	0,98	9th injection
00:11:31	0,928	0,98	0,935	1,00	0,931	0,98	9th injection
00:11:32	0,928	0,98	0,935	1,00	0,931	0,98	9th injection
00:11:33	0,928	0,98	0,935	1,00	0,931	0,98	9th injection
00:11:34	0,928	0,98	0,935	1,00	0,931	0,98	9th injection
00:11:35	0,928	0,98	0,935	1,00	0,931	0,98	9th injection
00:11:36	0,928	0,98	0,934	0,99	0,931	0,98	9th injection
00:11:37	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:11:38	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:11:39	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:11:40	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:11:41	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:11:42	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:11:43	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:11:44	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:11:45	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:11:46	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:11:47	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:11:48	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:11:49	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:11:50	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:11:51	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:11:52	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:11:53	0,927	0,98	0,934	0,99	0,932	0,99	9th injection

00:11:54	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:11:55	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:11:56	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:11:57	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:11:58	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:11:59	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:12:00	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:12:01	0,927	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:02	0,927	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:03	0,927	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:04	0,927	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:05	0,927	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:06	0,927	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:07	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:08	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:09	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:10	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:11	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:12	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:12:13	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:12:14	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:12:15	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:12:16	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:12:17	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:12:18	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:12:19	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:12:20	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:12:21	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:12:22	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:12:23	0,928	0,98	0,935	1,00	0,933	1,00	9th injection
00:12:24	0,928	0,98	0,935	1,00	0,933	1,00	9th injection
00:12:25	0,928	0,98	0,935	1,00	0,933	1,00	9th injection
00:12:26	0,928	0,98	0,935	1,00	0,933	1,00	9th injection

00:12:27	0,928	0,98	0,935	1,00	0,933	1,00	9th injection
00:12:28	0,928	0,98	0,935	1,00	0,933	1,00	9th injection
00:12:29	0,928	0,98	0,935	1,00	0,933	1,00	9th injection
00:12:30	0,928	0,98	0,935	1,00	0,933	1,00	9th injection
00:12:31	0,928	0,98	0,935	1,00	0,933	1,00	9th injection
00:12:32	0,928	0,98	0,935	1,00	0,933	1,00	9th injection
00:12:33	0,928	0,98	0,935	1,00	0,933	1,00	9th injection
00:12:34	0,928	0,98	0,935	1,00	0,933	1,00	9th injection
00:12:35	0,928	0,98	0,935	1,00	0,933	1,00	9th injection
00:12:36	0,928	0,98	0,935	1,00	0,933	1,00	9th injection
00:12:37	0,928	0,98	0,935	1,00	0,933	1,00	9th injection
00:12:38	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:39	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:40	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:41	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:42	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:43	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:44	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:45	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:46	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:47	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:48	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:49	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:50	0,929	0,99	0,934	0,99	0,932	0,99	9th injection
00:12:51	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:52	0,929	0,99	0,934	0,99	0,932	0,99	9th injection
00:12:53	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:54	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:55	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:56	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:57	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:58	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:12:59	0,928	0,98	0,934	0,99	0,932	0,99	9th injection

00:13:00	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:13:01	0,929	0,99	0,934	0,99	0,932	0,99	9th injection
00:13:02	0,929	0,99	0,934	0,99	0,932	0,99	9th injection
00:13:03	0,929	0,99	0,934	0,99	0,932	0,99	9th injection
00:13:04	0,929	0,99	0,934	0,99	0,932	0,99	9th injection
00:13:05	0,929	0,99	0,934	0,99	0,932	0,99	9th injection
00:13:06	0,929	0,99	0,934	0,99	0,932	0,99	9th injection
00:13:07	0,929	0,99	0,934	0,99	0,932	0,99	9th injection
00:13:08	0,929	0,99	0,934	0,99	0,932	0,99	9th injection
00:13:09	0,929	0,99	0,934	0,99	0,932	0,99	9th injection
00:13:10	0,929	0,99	0,934	0,99	0,932	0,99	9th injection
00:13:11	0,929	0,99	0,934	0,99	0,932	0,99	9th injection
00:13:12	0,929	0,99	0,934	0,99	0,932	0,99	9th injection
00:13:13	0,93	1,00	0,934	0,99	0,932	0,99	9th injection
00:13:14	0,93	1,00	0,934	0,99	0,932	0,99	9th injection
00:13:15	0,93	1,00	0,934	0,99	0,932	0,99	9th injection
00:13:16	0,93	1,00	0,934	0,99	0,932	0,99	9th injection
00:13:17	0,93	1,00	0,934	0,99	0,932	0,99	9th injection
00:13:18	0,93	1,00	0,934	0,99	0,932	0,99	9th injection
00:13:19	0,93	1,00	0,934	0,99	0,932	0,99	9th injection
00:13:20	0,93	1,00	0,934	0,99	0,932	0,99	9th injection
00:13:21	0,929	0,99	0,934	0,99	0,932	0,99	9th injection
00:13:22	0,929	0,99	0,934	0,99	0,932	0,99	9th injection
00:13:23	0,929	0,99	0,934	0,99	0,932	0,99	9th injection
00:13:24	0,928	0,98	0,934	0,99	0,931	0,98	9th injection
00:13:25	0,928	0,98	0,934	0,99	0,931	0,98	9th injection
00:13:26	0,928	0,98	0,934	0,99	0,931	0,98	9th injection
00:13:27	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:13:28	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:13:29	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:13:30	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:13:31	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:13:32	0,928	0,98	0,934	0,99	0,932	0,99	9th injection

00:13:33	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:13:34	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:13:35	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:13:36	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:13:37	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:13:38	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:13:39	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:13:40	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:13:41	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:13:42	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:13:43	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:13:44	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:13:45	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:13:46	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:13:47	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:13:48	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:13:49	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:13:50	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:13:51	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:13:52	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:13:53	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:13:54	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:13:55	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:13:56	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:13:57	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:13:58	0,927	0,98	0,934	0,99	0,932	0,99	9th injection
00:13:59	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:14:00	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:14:01	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:14:02	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:14:03	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:14:04	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:14:05	0,928	0,98	0,934	0,99	0,932	0,99	9th injection

00:14:06	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:14:07	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:14:08	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:14:09	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:14:10	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:14:11	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:14:12	0,927	0,98	0,934	0,99	0,932	0,99	9th injection
00:14:13	0,927	0,98	0,934	0,99	0,932	0,99	9th injection
00:14:14	0,927	0,98	0,934	0,99	0,932	0,99	9th injection
00:14:15	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:14:16	0,927	0,98	0,934	0,99	0,932	0,99	9th injection
00:14:17	0,927	0,98	0,934	0,99	0,932	0,99	9th injection
00:14:18	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:14:19	0,928	0,98	0,934	0,99	0,932	0,99	9th injection
00:14:20	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:14:21	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:14:22	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:14:23	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:14:24	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:14:25	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:14:26	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:14:27	0,927	0,98	0,935	1,00	0,932	0,99	9th injection
00:14:28	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:14:29	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:14:30	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:14:31	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:14:32	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:14:33	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:14:34	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:14:35	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:14:36	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:14:37	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:14:38	0,928	0,98	0,935	1,00	0,932	0,99	9th injection

00:14:39	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:14:40	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:14:41	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:14:42	0,928	0,98	0,935	1,00	0,932	0,99	9th injection
00:14:43	0,928	0,98	0,935	1,00	0,932	0,99	9th injection

76	11:26	24.55	91549.6	37.2	22.4	1012.4	65.1	31.5	0.1	8648	8648	7.27	157.3	102.4	49.6	157.3	102.4	49.6	18.54	36850	318.68	1.99	0.88	0.84	493.75	321.43	0.32
77	13:04	25.63	91730.0	37.2	23.4	1017.3	61.8	31.8	0.4	8648	8648	7.27	154.0	101.3	52.1	164.0	101.3	52.1	18.54	36850	318.68	1.99	0.82	0.63	514.80	318.92	0.31
78	10:43	21.65	91891.3	37.2	24.2	1015.6	61.9	31.1	0.1	8648	8648	7.27	155.5	96.2	51.5	155.5	96.2	51.5	18.54	36850	318.68	1.99	0.97	0.60	487.80	301.95	0.30
79	12:11	25.47	92078.9	36.9	27.0	1007.1	61.1	33.7	0.2	10856	10856	7.11	159.9	97.7	53.9	159.9	97.7	53.9	14.77	36850	400.04	2.50	1.00	0.61	396.75	244.24	0.24
80	11:36	23.42	92255.6	36.8	23.2	1010.6	59.4	35.4	0.4	10856	10856	7.11	166.5	98.9	58.9	166.5	98.9	58.9	14.77	36850	400.04	2.50	1.04	0.62	416.17	247.21	0.25
81	11:42	24.10	92427.7	36.9	25.2	1005.9	58.4	35.6	0.1	10856	10856	7.11	155.8	91.0	55.5	155.8	91.0	55.5	14.77	36850	400.04	2.50	0.97	0.57	389.39	227.40	0.23
82	9:24	21.70	92586.1	36.9	25.0	1002.2	57.4	36.8	0.1	10856	10856	7.11	158.7	91.1	57.8	158.7	91.1	57.8	14.77	37200	403.84	2.52	0.99	0.57	393.10	225.64	0.23
83	16:15	30.85	92815.7	36.9	27.2	1003.6	58.0	35.7	0.1	10856	10856	7.11	160.9	93.3	57.4	160.9	93.3	57.4	14.77	37200	403.84	2.52	1.00	0.58	398.41	231.08	0.22
84	11:45	19.50	92954.0	36.9	26.5	1001.8	58.9	35.0	0.1	10856	10856	7.11	153.4	90.4	54.5	153.4	90.4	54.5	14.77	37200	403.84	2.52	0.96	0.56	379.87	223.74	0.22
85	10:18	22.55	93107.7	37.0	23.5	1002.9	56.1	36.0	0.1	10856	10856	7.11	149.8	86.4	53.9	149.8	86.4	53.9	14.77	37200	403.84	2.52	0.93	0.55	370.42	218.92	0.22
86	11:55	25.62	93285.6	37.5	23.4	1005.4	60.1	35.1	0.0	10856	10856	6.73	152.3	91.6	53.5	152.3	91.6	53.5	14.77	37200	403.84	2.52	0.95	0.57	377.20	226.70	0.23
87	10:00	22.08	93393.2	37.3	24.2	995.1	60.3	34.7	0.1	10856	10856	6.73	105.5	63.6	36.6	105.5	63.6	36.6	14.77	31350	340.34	2.12	0.66	0.40	309.98	186.92	0.19
88	9:59	23.98	93530.1	37.2	23.6	984.4	63.6	32.4	0.1	10856	10856	6.7	122.5	77.9	39.7	122.5	77.9	39.7	0.00	31350	340.34	2.12	0.76	0.49	359.97	228.94	0.23
89	17:58	31.98	93690.7	38.5	24.4	996.4	77.8	20.7	0.1	10856	10856	7.59	108.8	84.6	22.5	108.8	84.6	22.5	14.77	31350	340.34	2.12	0.68	0.53	319.66	248.69	0.25
90	11:48	17.83	93804.9	38.1	23.4	998.9	72.1	25.8	0.1	10856	10856	7.36	139.6	100.6	36.0	139.6	100.6	36.0	14.77	31350	340.34	2.12	0.87	0.63	410.06	295.65	0.30
91	12:43	24.92	93949.5	37.3	22.9	1007.5	67.9	28.0	0.3	10856	10856	7.36	127.8	86.8	35.8	127.8	86.8	35.8	14.77	31350	340.34	2.12	0.80	0.54	375.45	254.93	0.25
92	10:44	22.02	94064.2	37.2	22.1	1013.9	65.1	31.2	0.1	10204	10204	7.14	115.7	75.4	36.1	115.7	75.4	36.1	15.71	31350	319.90	2.00	0.72	0.47	361.83	235.55	0.24
93	11:46	25.03	94198.7	37.0	22.0	1014.9	65.3	31.6	0.1	10204	10204	7.16	119.5	78.1	37.8	119.5	78.1	37.8	15.71	31350	319.90	2.00	0.75	0.49	373.66	244.00	0.24
94	11:42	23.93	94308.7	37.0	23.1	1011.8	64.7	31.7	0.0	0	0	6.88	101.6	65.7	32.2	101.6	65.7	32.2	0.00	31350	0.00	0.00	0.63	0.41	#DIV/0!	#DIV/0!	#DIV/0!
95	9:08	21.43	94377.8	37.2	22.8	1013.4	72.6	24.7	0.1	0	0	7.17	71.4	51.9	17.6	71.4	51.9	17.6	0.00	28900	0.00	0.00	0.45	0.32	#DIV/0!	#DIV/0!	#DIV/0!
96	11:34	26.43	94425.5	36.9	24.9	1006.1	78.4	19.8	0.0	0	0	7.37	53.5	41.9	10.6	53.5	41.9	10.6	0.00	28900	0.00	0.00	0.33	0.26	#DIV/0!	#DIV/0!	#DIV/0!
97	11:46	24.20	94472.6	36.6	25.5	1007.3	79.4	17.9	0.1	0	0	7.37	27.1	21.6	4.9	27.1	21.6	4.9	0.00	28900	0.00	0.00	0.17	0.13	#DIV/0!	#DIV/0!	#DIV/0!
98	12:01	24.25	94482.9	36.3	25.8	1007.9	78.0	18.1	0.1	0	0	7.37	9.3	7.2	1.7	9.3	7.2	1.7	0.00	28900	0.00	0.00	0.06	0.05	#DIV/0!	#DIV/0!	#DIV/0!
99	12:01	24.00	94486.3	36.7	24.9	1000.9	75.8	19.2	0.1	2768	2768	7.48	3.1	2.3	0.6	3.1	2.3	0.6	57.92	28900	80.00	0.50	0.02	0.01	38.48	29.17	0.03
100	14:30	26.48	94512.7	37.2	24.1	1003.5	71.2	22.0	0.2	2768	2768	7.48	21.8	15.5	4.8	21.8	15.5	4.8	57.92	28900	80.00	0.50	0.14	0.10	272.18	193.79	0.19
101	11:10	20.67	94544.3	37.3	24.5	1002.1	69.8	23.1	0.1	2768	2768	7.38	33.3	23.2	7.7	33.3	23.2	7.7	57.92	28900	80.00	0.50	0.21	0.15	416.35	290.61	0.29
102	17:04	29.90	94590.2	37.4	24.3	1012.6	67.9	23.8	0.1	2768	2768	7.38	33.8	23.0	8.0	33.8	23.0	8.0	57.92	28900	80.00	0.50	0.21	0.14	422.67	286.99	0.29
103	10:49	17.75	94613.7	38.0	22.5	1009.4	67.7	24.4	0.0	2768	2768	7.59	29.2	19.8	7.1	29.2	19.8	7.1	57.92	25950	71.83	0.45	0.18	0.12	407.14	275.64	0.28
104	11:07	24.30	94649.4	38.0	23.1	1011.4	66.7	24.7	0.1	2768	2768	7.59	32.5	21.6	8.0	32.5	21.6	8.0	57.92	25950	71.83	0.45	0.20	0.14	451.77	301.33	0.30
105	10:33	23.43	94683.7	38.2	22.5	1016.5	65.8	24.9	0.1	2768	2768	7.59	32.6	21.4	8.1	32.6	21.4	8.1	57.92	25950	71.83	0.45	0.20	0.13	453.30	298.27	0.30
106	11:51	25.30	94720.7	38.4	22.6	1013.7	65.3	25.3	0.1	2768	2768	7.33	32.4	21.2	8.2	32.4	21.2	8.2	57.92	25950	71.83	0.45	0.20	0.13	451.50	294.83	0.29
107	11:47	23.93	94756.7	38.8	22.7	1014.7	66.5	25.4	0.1	3084	3084	7.35	35.4	22.2	8.5	35.4	22.2	8.5	51.98	25950	80.03	0.50	0.21	0.14	417.07	277.35	0.28
108	11:50	24.05	94791.3	37.4	25.1	1008.1	67.0	25.3	0.1	3084	3084	7.35	31.5	21.1	8.0	31.5	21.1	8.0	51.98	25200	77.72	0.48	0.20	0.13	404.82	271.23	0.27
109	11:36	23.77	94829.5	36.7	26.6	1002.4	67.0	25.3	0.1	3084	3084	7.49	34.8	23.3	8.8	34.8	23.3	8.8	51.98	25200	77.72	0.48	0.22	0.15	447.46	299.80	0.30
110	11:51	24.25	94869.5	36.5	25.7	1007.4	67.5	25.4	0.1	3084	3084	7.49	36.0	24.3	9.1	36.0	24.3	9.1	51.98	25200	77.72	0.48	0.22	0.15	462.89	312.45	0.31
111	12:42	24.85	94918.5	37.0	27.7	1005.7	67.1	25.1	0.2	3084	3084	7.49	42.6	28.6	10.7	42.6	28.6	10.7	51.98	25200	77.72	0.48	0.27	0.18	548.74	368.21	0.37
112	11:29	22.78	94952.2	36.8	26.2	1006.3	67.5	25.5	0.0	3084	3084	7.52	32.2	21.7	8.2	32.2	21.7	8.2	51.98	25200	77.72	0.48	0.20	0.14	413.94	279.41	0.28
113	12:35	25.10	95001.7	37.3	25.5	1001.4	67.0	25.4	0.3	3172	3172	7.52	42.8	28.7	10.9	42.8	28.7	10.9	50.54	25200	79.93	0.50	0.27	0.18	535.23	358.60	0.36
114	10:23	21.80	95034.3	36.9	24.5	994.0	66.6	25.3	0.1	4000	4000	7.88	32.3	21.5	8.3	32.3	21.5	8.3	40.00	20000	80.00	0.50	0.20	0.13	403.88	268.98	0.27
115	11:44	25.35	95086.1	37.2	23.5	992.8	66.2	25.9	0.0	4000	4000	7.88	44.2	29.3	11.5	44.2	29.3	11.5	40.08	20000	80.00	0.50	0.28	0.18	553.06	366.13	0.37
116	11:44	24.00	95131.5	37.3	23.1	1000.0	66.1	25.0	0.0	4000	4000	7.88	41.3	27.3	10.5	41.3	27.3	10.5	40.08	19500	78.00	0.49	0.26	0.17	529.65	350.10	0.35
117	12:10	24.43	95152.9	38.4	23.3	1002.8	64.7	24.7	0.1	4000	4000	7.88	19.2	12.4	4.7	19.2	12.4	4.7	40.08	19500	78.00	0.49	0.12	0.08	245.75	159.00	0.16
118	10:18	22.13	95187.4	38.1	23.6	1007.9	64.0	24.8	0.0	4000	4000	7.88	34.3	24.9	8.5	34.3	24.9	8.5	40.08	19500	78.00	0.49	0.21	0.14	439.14	281.05	0.28
119	11:23	25.08	95236.8	37.6	25.8	1003.6	65.1	24.8	0.0	4000	4000	7.88	42.8	27.8	10.6	42.8	27.8	10.6	40.08	19500	78.00	0.49	0.27	0.17	548.41	357.01	0.36
120	15:33	28.17	95287.8	37.4	28.3	1008.2	65.4	24.3	0.0	4000	4000	7.88	39.2	25.6	9.5	39.2	25.6	9.5	40.08	19500	78.00	0.49	0.24	0.16	502.30	328.51	0.33
121	10:55	19.37	95316.0	37.1	25.9	1008.3	66.1	29.5	0.0	2820	2820	7.3	31.8	21.0	9.4	31.8	21.0	9.4	56.85	19750	55.70	0.35	0.20	0.13	570.32	376.98	0.36
122	11:58	25.05	95353.4																								

Doctoral thesis by Ms. Isabel Cristina Pulgarin Monsalve
 Fundamentals of process design and control of Anaerobic Sequencing Batch Gas-Lift Reactor regarding the mixing process
 Brandenburgische Technische Universität Cottbus-Senftenberg, 2021

Annex 6.2:

Database
 Reactor comparison ST ASBR

Test Day	Time	ΔTime [h]	Gasometer value [l]	T _R [°C]	Thall [°C]	pHall [mbar]	C _{CH4} [Vol-%]	C _{CO2} [Vol-%]	C _{O2} [Vol-%]	Input [ml/d]	Output [ml/d]	pH _{Output}	Product						Parameter								
													Q _{BioGas} [Nl/d]	Q _{CH4} [Nl/d]	Q _{CO2} [Nl/d]	Total _{BioGas} [Nl]	Total _{CH4} [Nl]	Total _{CO2} [Nl]	HRT [d]	GOD [mg/l]	m _{CO2} [g/d]	OLR [kg _{CO2} /m ³ ·d]	P _{BioGas} [Nm ³ /m ³ ·d]	P _{CH4} [Nm ³ /m ³ ·d]	Y _{BioGas} [Nl _{kg_{CO2}}]	Y _{CH4} [Nl _{kg_{CO2}}]	Y _{CH4} [Nm ³ /kg _{CO2}]
0	12:05		180142.3	39.0	24.0	1018.1	80.5	16.9	0.3	9388	9388	7.71	7.4	6.0	1.3	7.4	6.0	1.3	11.65	18850	176.96	1.62	0.05	0.04	42.02	33.82	0.10
1	12:05	24.00	180150.3	39.0	24.0	1018.1	80.5	16.9	0.3	9388	9388	7.71	7.4	6.0	1.3	7.4	6.0	1.3	11.65	18850	176.96	1.62	0.05	0.04	42.02	33.82	0.10
2	13:15	25.17	180174.4	39.0	22.7	1016.9	79.6	17.8	0.3	9388	9388	7.71	21.3	17.0	3.8	21.3	17.0	3.8	11.65	18800	174.62	1.60	0.13	0.11	121.96	97.08	0.03
3	14:02	21.78	180197.8	39.0	22.5	1014.2	79.5	17.8	0.4	9388	9388	7.71	23.8	19.0	4.2	23.8	19.0	4.2	11.65	18800	174.62	1.60	0.15	0.12	136.54	108.55	0.11
4	12:30	25.47	180237.1	39.0	21.8	1013.2	79.1	17.4	0.4	9388	9388	7.71	34.3	27.1	6.0	34.3	27.1	6.0	11.65	19200	180.25	1.65	0.21	0.17	190.28	150.51	0.15
5	10:47	22.28	180239.9	39.0	21.5	1010.0	80.8	17.5	0.6	9388	9388	7.71	36.6	29.6	6.4	36.6	29.6	6.4	11.65	19200	180.25	1.65	0.23	0.18	203.19	164.18	0.16
6	10:59	24.20	180282.2	39.0	21.7	1016.3	80.0	17.3	0.4	9388	9388	7.71	7.6	6.1	1.3	7.6	6.1	1.3	11.65	16500	154.90	1.42	0.05	0.04	49.38	39.50	0.04
7	10:56	23.95	180284.5	39.0	22.3	1018.4	78.3	17.4	0.4	9388	9388	7.71	2.1	1.7	0.4	2.1	1.7	0.4	11.65	16500	154.90	1.42	0.01	0.01	13.83	10.83	0.01
8	10:45	23.82	180286.2	39.0	23.0	1007.2	78.0	18.2	0.4	9740	9740	7.71	1.6	1.2	0.3	1.6	1.2	0.3	11.22	16500	160.71	1.47	0.01	0.01	9.77	7.62	0.01
9	12:28	25.72	180318.6	39.0	22.3	1014.2	79.7	17.3	0.2	9740	9740	7.81	28.0	22.3	4.8	28.0	22.3	4.8	11.22	16500	160.71	1.47	0.17	0.14	174.11	138.77	0.14
10	9:02	20.57	180346.2	39.0	21.6	1008.1	80.7	16.7	0.4	9740	9740	7.81	29.7	24.0	5.0	29.7	24.0	5.0	11.22	16450	160.22	1.47	0.19	0.15	185.34	149.57	0.15
11	10:07	25.08	180373.8	39.0	21.5	1001.9	82.2	16.3	0.4	4560	4560	7.81	24.2	19.9	3.9	24.2	19.9	3.9	23.98	16450	150.02	1.37	0.20	0.16	208.25	171.17	0.17
12	10:22	24.25	180391.0	39.0	21.4	1007.5	81.8	15.9	0.4	4560	4560	7.81	15.7	12.8	2.5	15.7	12.8	2.5	23.98	16450	150.02	1.37	0.16	0.13	175.98	144.13	0.14
13	11:34	25.20	180421.3	39.0	22.3	1002.7	81.9	15.8	0.4	9120	9120	7.79	26.4	21.6	4.2	26.4	21.6	4.2	11.99	16450	150.02	1.37	0.20	0.17	213.88	177.52	0.18
14	10:49	23.25	180455.0	39.0	20.9	1006.1	83.0	15.6	0.4	9120	9120	7.79	32.1	26.6	5.0	32.1	26.6	5.0	11.99	16450	150.02	1.37	0.20	0.17	213.88	177.52	0.18
15	11:25	24.60	180489.8	39.0	21.3	1007.3	83.0	11.5	1.0	9120	9120	7.79	31.3	10.3	3.6	31.3	10.3	3.6	11.99	16450	150.02	1.37	0.20	0.06	208.70	68.87	0.07
16	10:26	23.02	180504.3	39.0	20.8	1012.8	83.0	11.5	1.0	9120	9120	7.96	13.2	4.3	1.5	13.2	4.3	1.5	11.99	16450	140.90	1.29	0.08	0.03	93.48	30.85	0.03
17	10:46	24.33	180523.6	39.0	20.8	1024.0	76.1	14.6	0.5	6472	6472	7.96	18.7	14.2	2.7	18.7	14.2	2.7	16.89	16450	99.99	0.91	0.12	0.09	187.11	142.39	0.14
18	10:55	24.15	180547.7	39.0	20.5	1027.5	82.0	14.4	0.6	6472	6472	7.96	22.6	18.5	3.3	22.6	18.5	3.3	16.89	16450	99.99	0.91	0.14	0.12	225.93	185.27	0.19
19	11:26	24.52	180573.0	39.0	21.2	1018.8	83.6	14.2	0.6	6472	6472	7.96	23.1	19.3	3.3	23.1	19.3	3.3	16.89	16450	99.99	0.91	0.14	0.12	231.11	193.21	0.19
20	17:05	29:55	180573.6	39.0	22.0	1008.9	82.1	14.4	0.3	6472	6472	7.95	0.4	0.4	0.1	0.4	0.4	0.1	16.89	16450	99.99	0.91	0.00	0.00	4.48	3.67	0.00
21	9:54	16:32	180573.0	39.0	20.4	1011.8	81.7	14.6	0.3	6472	6472	7.95	5.8	4.8	0.9	5.8	4.8	0.9	16.89	16450	99.99	0.91	0.04	0.03	58.33	47.67	0.05
22	10:30	24:60	180582.0	39.0	19.9	1010.8	82.0	14.8	0.3	6472	6472	7.95	3.6	3.0	0.5	3.6	3.0	0.5	16.89	16450	99.99	0.91	0.02	0.02	36.29	29.76	0.03
23	10:37	24:12	180586.2	39.0	21.0	995.1	82.1	15.2	0.3	6472	6472	8.06	3.8	3.1	0.6	3.8	3.1	0.6	16.89	16450	99.99	0.91	0.02	0.02	43.82	35.97	0.04
24	9:46	23:15	180589.7	39.0	20.7	1004.3	81.5	15.1	0.3	6472	6472	8.06	3.3	2.7	0.5	3.3	2.7	0.5	16.89	16450	99.99	0.91	0.02	0.02	38.55	31.42	0.03
25	9:59	24:22	180593.1	39.0	20.9	1006.8	82.1	15.1	0.2	6472	6472	8.06	3.1	2.6	0.5	3.1	2.6	0.5	16.89	16450	99.99	0.91	0.02	0.02	35.86	29.44	0.03
26	11:25	25:43	180601.0	39.0	21.1	1005.9	83.1	15.1	0.3	6472	6472	7.77	6.9	5.7	1.0	6.9	5.7	1.0	16.89	16450	99.99	0.91	0.04	0.04	79.22	65.83	0.07
27	6:56	19:52	180601.7	39.0	20.8	1007.9	81.6	15.2	0.3	6472	6472	7.77	0.8	0.6	0.1	0.8	0.6	0.1	16.89	16450	99.99	0.91	0.00	0.00	9.17	7.49	0.01
28	10:27	27:52	180604.8	39.0	20.7	1014.6	83.1	15.8	0.6	6472	6472	7.77	2.5	2.1	0.4	2.5	2.1	0.4	16.89	16450	99.99	0.91	0.02	0.01	29.02	24.12	0.02
29	11:06	24:05	180609.2	39.0	22.1	1007.5	81.4	16.0	0.3	6472	6472	7.77	3.9	3.2	0.6	3.9	3.2	0.6	16.89	16450	99.99	0.91	0.02	0.02	45.44	36.99	0.04
30	10:38	23:53	180613.5	39.0	22.3	1008.9	82.9	16.1	0.3	6472	6472	7.94	4.0	3.3	0.6	4.0	3.3	0.6	16.89	16450	99.99	0.91	0.03	0.03	46.55	38.59	0.04
31	10:09	23:52	180614.2	39.0	22.1	1015.4	81.5	16.1	0.2	6472	6472	7.94	0.7	0.5	0.1	0.7	0.5	0.1	16.89	16450	99.99	0.91	0.00	0.00	7.64	6.22	0.01
32	10:00	23:85	180614.2	39.0	22.1	1010.0	80.0	16.5	0.2	6472	6472	7.94	0.0	0.0	0.0	0.0	0.0	0.0	16.89	16450	99.99	0.91	0.00	0.00	0.00	0.00	0.00
33	9:59	23:98	56393.4	39.0	21.7	1010.9	82.1	16.4	0.2	6472	6472	7.69	0.0	0.0	0.0	0.0	0.0	0.0	16.89	11700	75.72	0.69	0.00	0.00	0.00	0.00	0.00
34	11:42	25:72	56400.3	39.0	22.3	1009.0	82.2	16.0	0.1	6472	6472	7.74	5.9	4.9	0.9	5.9	4.9	0.9	16.89	11700	75.72	0.69	0.04	0.03	78.29	64.36	0.06
35	11:14	23:53	56403.2	39.0	20.5	1005.5	80.1	16.1	0.5	6472	6472	7.74	2.7	2.2	0.4	2.7	2.2	0.4	16.89	11700	75.72	0.69	0.02	0.01	36.05	28.88	0.03
36	10:40	23:43	56408.2	39.0	21.1	1006.1	80.7	16.1	0.3	6800	6800	7.74	4.7	3.8	0.8	4.7	3.8	0.8	16.08	11050	75.14	0.69	0.03	0.02	62.82	50.69	0.05
37	11:26	24:77	56408.2	39.0	20.8	1011.7	83.9	15.2	3.2	9956	9956	7.91	0.0	0.0	0.0	0.0	0.0	0.0	10.98	11050	110.01	1.01	0.00	0.00	0.00	0.00	0.00
38	9:40	23:40	56408.2	39.0	20.7	1003.7	83.2	15.5	0.3	9956	9956	7.91	2.6	1.8	0.4	2.6	1.8	0.4	10.98	11050	110.01	1.01	0.00	0.00	23.49	14.85	0.01
39	10:53	25:22	56420.1	39.0	21.8	1009.1	81.1	16.5	0.2	9520	9520	7.91	8.1	6.4	1.3	8.1	6.4	1.3	11.48	10150	109.96	0.88	0.05	0.04	81.16	65.48	0.08
40	9:55	23:03	56428.7	39.0	22.8	996.3	79.1	15.8	0.2	9520	9520	7.79	8.1	6.4	1.3	8.1	6.4	1.3	11.48	10150	96.63	0.88	0.05	0.04	84.16	66.57	0.07
41	11:08	25:22	56435.5	39.0	23.5	1003.7	79.5	15.6	0.2	9520	9520	7.79	5.9	4.7	0.9	5.9	4.7	0.9	11.48	10150	96.63	0.88	0.04	0.03	61.09	48.57	0.05
42	11:59	24:85	56442.0	39.0	23.8	1011.9	77.3	15.0	0.7	9520	9520	7.79	5.8	4.5	0.9	5.8	4.5	0.9	11.48	10150	96.63	0.88	0.04	0.03	59.68	46.13	0.05
43	10:55	22:93	56446.6	39.0	23.1	1020.0	81.0	15.3	0.2	13380	13380	7.79	7.4	6.0	1.1	7.4	6.0	1.1	11.47	10400	139.15	1.27	0.05	0.04	53.05	42.97	0.04
44	10:54	23:98	56458.2																								

76	11:28	24.55	58042.3	39.0	22.4	1012.4	65.7	30.2	0.4	6448	6448	7.39	76.2	50.1	23.0	76.2	50.1	23.0	16.96	36850	237.61	2.17	0.48	0.31	320.66	210.67	0.21
77	13:07	25.65	58145.8	39.0	23.4	1017.3	61.9	31.9	0.5	6448	6448	7.39	89.5	55.4	28.6	89.5	55.4	28.6	16.96	36850	237.61	2.17	0.56	0.35	376.91	233.31	0.23
78	10:45	21.63	58238.2	39.0	24.2	1015.6	64.4	31.1	0.4	6448	6448	7.39	94.4	60.8	29.4	94.4	60.8	29.4	16.96	36850	237.61	2.17	0.59	0.38	397.23	255.81	0.26
79	12:11	25.43	58328.7	39.0	27.0	1007.1	63.5	31.9	0.3	7464	7464	7.34	77.2	49.1	24.6	77.2	49.1	24.6	14.65	36850	275.05	2.52	0.48	0.31	280.84	178.34	0.18
80	11:36	23.42	58430.2	39.0	23.2	1010.6	65.7	30.5	0.5	7464	7464	7.34	95.6	62.8	29.2	95.6	62.8	29.2	14.65	36850	275.05	2.52	0.60	0.39	347.70	228.44	0.23
81	11:44	24.13	58526.6	39.0	25.2	1005.9	66.8	30.1	0.2	7464	7464	7.34	87.1	58.2	26.2	87.1	58.2	26.2	14.65	36850	275.05	2.52	0.54	0.36	316.79	211.62	0.21
82	9:26	21.70	58611.6	39.0	25.0	1002.2	64.0	31.1	0.4	7464	7464	7.34	85.2	54.5	26.5	85.2	54.5	26.5	14.65	37200	277.66	2.54	0.53	0.34	306.80	196.35	0.20
83	16:19	30.88	58741.5	39.0	27.2	1003.6	63.3	31.3	0.3	7464	7464	7.34	90.9	57.6	28.5	90.9	57.6	28.5	14.65	37200	277.66	2.54	0.57	0.36	327.49	207.30	0.21
84	11:45	19.43	58812.1	39.0	26.5	1001.8	64.5	30.9	0.3	7464	7464	7.34	78.5	50.7	24.3	78.5	50.7	24.3	14.65	37200	277.66	2.54	0.49	0.32	283.01	182.54	0.18
85	10:25	22.67	58919.9	39.0	23.5	1002.9	66.4	31.2	0.3	7464	7464	7.34	104.4	69.3	32.6	104.4	69.3	32.6	14.65	37200	277.66	2.54	0.65	0.43	375.32	249.81	0.25
86	11:55	25.50	59019.7	39.0	23.4	1005.4	66.4	29.5	0.4	7464	7464	7.27	85.8	57.0	25.3	85.8	57.0	25.3	14.65	37200	277.66	2.54	0.54	0.36	309.18	205.30	0.21
87	10:00	22.08	59117.0	39.0	24.2	995.1	65.8	30.4	0.2	7464	7464	7.27	95.4	62.8	29.0	95.4	62.8	29.0	14.65	31350	234.00	2.14	0.60	0.39	407.69	268.26	0.27
88	10:01	24.02	59202.3	39.0	23.6	984.4	65.7	29.8	0.4	7464	7464	7.30	76.2	50.1	22.7	76.2	50.1	22.7	14.65	31350	234.00	2.14	0.48	0.31	325.76	214.03	0.21
89	18:00	31.98	59218.9	39.0	24.4	996.4	69.6	27.2	0.3	7464	7464	7.65	11.2	7.8	3.1	11.2	7.8	3.1	14.65	31350	234.00	2.14	0.07	0.05	48.06	33.45	0.03
90	11:48	17.80	59270.5	39.0	23.4	998.9	66.6	28.8	0.4	7464	7464	7.63	63.2	42.1	18.2	63.2	42.1	18.2	14.65	31350	234.00	2.14	0.39	0.26	269.99	179.81	0.18
91	12:45	24.95	59363.6	39.0	22.9	1007.5	65.6	28.0	0.2	7464	7464	7.63	82.2	53.9	24.8	82.2	53.9	24.8	14.65	31350	234.00	2.14	0.51	0.34	351.11	230.33	0.23
92	10:46	22.02	59404.4	39.0	22.1	1013.9	67.4	28.8	0.3	7464	7464	7.52	77.5	52.2	22.3	77.5	52.2	22.3	14.65	31350	234.00	2.14	0.48	0.33	331.21	223.23	0.22
93	11:48	25.03	59526.6	39.0	22.0	1014.9	68.6	28.1	0.4	7464	7464	7.55	76.5	52.6	21.5	76.6	52.6	21.5	14.65	31350	234.00	2.14	0.48	0.33	327.38	224.58	0.22
94	11:44	23.93	59693.6	39.0	23.1	1011.8	68.3	28.2	0.4	7464	7464	7.33	71.1	48.6	20.0	71.1	48.6	20.0	14.65	31350	234.00	2.14	0.44	0.30	303.82	207.51	0.21
95	9:08	21.40	59667.2	39.0	22.8	1013.4	65.6	28.5	0.5	7464	7464	7.39	65.8	43.2	18.8	65.8	43.2	18.8	14.65	28900	215.71	1.97	0.41	0.27	305.25	200.23	0.20
96	11:36	26.47	59748.8	39.0	24.9	1006.1	63.3	26.0	1.5	7464	7464	7.35	67.3	42.6	17.5	67.3	42.6	17.5	14.65	28900	215.71	1.97	0.42	0.27	312.15	197.59	0.20
97	11:48	24.20	59808.4	39.0	25.5	1007.3	68.9	26.7	0.2	7464	7464	7.35	53.7	37.0	14.3	53.7	37.0	14.3	14.65	28900	215.71	1.97	0.34	0.23	249.15	171.66	0.17
98	12:03	24.25	59882.5	39.0	25.8	1007.9	69.8	26.5	0.3	7464	7464	7.35	66.7	46.5	17.7	66.7	46.5	17.7	14.65	28900	215.71	1.97	0.42	0.29	309.00	215.68	0.22
99	12:02	23.98	59956.0	39.0	24.9	1000.9	70.0	26.7	0.3	9516	9516	7.28	66.6	46.6	17.8	66.6	46.6	17.8	11.49	28900	275.01	2.52	0.42	0.29	242.12	169.48	0.17
100	14:30	26.47	60060.4	39.0	24.1	1003.5	65.0	26.0	0.3	9516	9516	7.28	86.2	56.0	25.5	86.2	56.0	25.5	11.49	28900	275.01	2.52	0.54	0.35	313.29	203.64	0.20
101	11:12	20.70	60148.5	39.0	24.5	1002.1	69.6	26.9	0.3	9516	9516	7.28	92.7	64.5	24.9	92.7	64.5	24.9	11.49	28900	275.01	2.52	0.58	0.40	337.10	234.62	0.23
102	17:06	29.90	60264.2	39.0	24.3	1012.6	70.1	26.1	0.2	9516	9516	7.28	85.2	59.7	22.2	85.2	59.7	22.2	11.49	28900	275.01	2.52	0.53	0.37	309.91	217.24	0.22
103	10:51	17.75	60328.9	39.0	22.5	1009.4	70.2	26.8	0.2	9516	9516	7.68	68.5	36.5	21.6	68.5	36.5	21.6	11.49	25950	246.94	2.26	0.50	0.35	326.06	229.89	0.23
104	11:09	24.30	60409.0	39.0	23.1	1011.4	70.0	26.5	0.3	9516	9516	7.68	72.8	51.0	19.3	72.8	51.0	19.3	11.49	25950	246.94	2.26	0.45	0.32	294.85	206.39	0.21
105	10:35	23.43	60487.7	39.0	22.5	1016.5	69.5	26.6	0.2	9516	9516	7.68	74.7	51.9	19.9	74.7	51.9	19.9	11.49	25950	246.94	2.26	0.47	0.32	302.53	210.26	0.21
106	11:53	25.30	60686.0	39.0	22.6	1013.7	70.0	26.6	0.2	9516	9516	7.51	86.2	60.3	22.9	86.2	60.3	22.9	11.49	25950	246.94	2.26	0.54	0.38	348.92	244.24	0.24
107	11:50	23.95	60633.2	39.0	22.7	1014.7	70.2	26.1	0.2	12639	12639	7.46	43.7	30.7	11.4	43.7	30.7	11.4	8.65	26950	327.98	3.00	0.27	0.19	133.34	93.60	0.09
108	11:52	24.03	60716.3	39.0	25.1	1008.1	68.2	27.8	0.2	12639	12639	7.46	75.6	51.6	21.0	75.6	51.6	21.0	8.65	25200	318.50	2.91	0.47	0.32	237.41	161.91	0.16
109	11:38	23.77	60791.9	39.0	26.6	1002.4	69.3	27.0	0.2	13015	13015	7.51	68.8	47.7	18.6	68.8	47.7	18.6	8.40	25200	327.98	3.00	0.43	0.30	209.84	145.42	0.15
110	11:53	24.25	60870.7	39.0	25.7	1007.4	70.0	26.0	0.2	13015	13015	7.51	70.9	49.6	18.4	70.9	49.6	18.4	8.40	25200	327.98	3.00	0.44	0.31	216.08	151.26	0.16
111	12:45	24.87	60956.0	39.0	27.7	1005.7	71.4	25.3	0.1	13015	13015	7.51	74.2	53.0	18.8	74.2	53.0	18.8	8.40	25200	327.98	3.00	0.46	0.33	226.20	161.51	0.15
112	11:31	22.77	61035.7	39.0	26.2	1006.3	70.5	25.9	0.1	13015	13015	7.53	78.1	53.7	19.7	78.1	53.7	19.7	8.40	25200	327.98	3.00	0.47	0.33	232.14	163.66	0.16
113	12:37	25.10	61123.8	39.0	25.5	1001.4	68.7	24.7	0.6	13015	13015	7.53	76.1	52.3	18.8	76.1	52.3	18.8	8.40	25200	327.98	3.00	0.47	0.33	232.17	159.50	0.16
114	10:25	21.80	61183.9	39.0	24.5	994.0	71.1	26.0	0.2	19252	19252	7.30	59.6	42.4	15.5	59.6	42.4	15.5	5.68	20000	385.04	3.52	0.37	0.26	154.70	109.99	0.11
115	11:46	25.35	61281.5	39.0	23.5	992.8	67.7	28.3	0.1	18784	18784	7.30	83.4	56.4	23.6	83.4	56.4	23.6	5.82	20000	375.68	3.44	0.52	0.35	221.90	150.23	0.15
116	11:46	24.00	61381.8	39.0	23.1	1000.0	68.9	27.9	0.0	18784	18784	7.30	91.3	62.9	25.1	91.3	62.9	25.1	5.82	19500	366.29	3.35	0.57	0.39	249.18	171.88	0.17
117	12:14	24.47	61436.0	39.0	23.3	1002.8	78.0	26.0	0.0	18784	18784	7.30	48.5	37.8	9.7	48.5	37.8	9.7	5.82	19500	366.29	3.35	0.30	0.24	132.36	103.24	0.10
118	10:20	22.10	61504.1	39.0	23.6	1007.9	70.5	26.4	0.1	18784	18784	7.30	67.7	47.7	17.9	67.7	47.7	17.9	5.82	19500	366.29	3.35	0.42	0.30	184.87	130.33	0.13
119	11:25	25.08	61587.4	39.0	25.8	1003.6	69.7	26.7	0.0	18784	18784	7.30	72.1	50.3	19.3	72.1	50.3	19.3	5.82	19500	366.29	3.35	0.45	0.31	196.92	137.25	0.14
120	15:35	28.17	61675.7	39.0	26.5	1008.2	70.4	25.8	0.1	18920	18920	7.30	67.8	47.7	17.5	67.8	47.7	17.5	6.46	19500	329.94	3.02	0.42	0.30	205.46	144.64	0.14
121	10:57	19.37	61728.8	39.0	25.9	1008.3	70.4	25.3	0.1	18920	18920	7.18	59.8	42.1	15.1	59.8	42.1	15.1	6.46	19750	334.17	3.06					

Doctoral thesis by Ms. Isabel Cristina Pulgarin Monsalve

**Fundamentals of process design and control of Anaerobic Sequencing Batch Gas-Lift Reactor regarding the mixing process
Brandenburgische Technische Universität Cottbus-Senftenberg, 2021**

Annex 7:

Database

Dynamic viscosity

Week	Mixing time (min)	Mixing strategy ST ASBR	Mixing strategy KG ASBR Vacum pump capacity
1	40	20 rpm	1.9 m3/h
2	20	30 rpm	1.9 m3/h
3	40	20 rpm	1.9 m3/h
4	20	30 rpm	1.9 m3/h
5	40	20 rpm	1.9 m3/h
6	40	30 rpm	1.9 m3/h
7	40	20 rpm	1.9 m3/h
8	20	30 rpm	1.9 m3/h
9	40	20 rpm	1.9 m3/h
10	20	30 rpm	1.9 m3/h
11	40	20 rpm	1.9 m3/h
12	20	30 rpm	1.9 m3/h
13	40	20 rpm	1.9 m3/h
14	20	30 rpm	1.9 m3/h

Doctoral thesis by Ms. Isabel Cristina Pulgarin Monsalve
Fundamentals of process design and control of Anaerobic Sequencing Batch Gas-Lift Reactor regarding the mixing process
Brandenburgische Technische Universität Cottbus-Senftenberg, 2021

Annex 8.1:

Database
OTS and TS - KG ASBR Reactor

Week	Reactor	Label	D - M - T - OUT -HY	Sample Name	Tare weight (g)		Average		Mass in (g)		Average		Dry mass + tare (g)		Average		Dry weight (g)	TS (%)	Ash mass + tare (g)		Average		Ash weight (g)	OTS dry (%)	OTS fresh (%)
1	KG	KG-38-B	B		122,367	103,774	113,071	23,333	23,760	23,547	122,673	104,073	113,373	0,302	1,285	122,504	103,921	113,213	0,142	53,06	0,68				
2	KG	KG-39-B	B		145,780	142,922	144,351	35,365	37,427	36,396	146,182	143,353	144,768	0,416	1,144	145,980	143,117	144,549	0,197	52,58	0,60				
3	KG	KG-040-B	B		112,756	141,365	127,061	20,794	22,085	21,440	113,599	142,304	127,952	0,891	4,156	113,207	141,866	127,537	0,476	46,58	1,94				
4	KG	KG-041-B	B		141,337	113,597	127,467	32,502	17,094	24,798	142,605	114,208	128,407	0,940	3,789	142,007	113,907	127,957	0,490	47,84	1,81				
5	KG	KG-042-B	B		180,007	168,955	174,481	15,954	25,004	20,479	180,770	170,195	175,483	1,002	4,890	180,410	169,614	175,012	0,531	46,98	2,30				
6	KG	KG-043-B	B		141,485	113,736	127,611	35,701	24,617	30,159	142,894	114,838	128,866	1,255	4,163	142,192	114,304	128,248	0,637	49,22	2,05				
7	KG	KG-44-B	B		113,011	146,206	129,609	22,068	19,184	20,626	113,533	146,702	130,118	0,509	2,468	113,274	146,454	129,864	0,256	49,80	1,23				
8	KG	KG-45-B	B		109,534	156,061	132,798	17,976	19,431	18,704	110,238	156,868	133,553	0,755	4,039	109,889	156,473	133,181	0,383	49,24	1,99				
9	KG	KG-46-B	B		110,001	115,138	112,570	20,032	23,889	21,961	110,671	115,830	113,251	0,681	3,101	110,308	115,426	112,867	0,297	56,31	1,75				
10	KG	KG-047-B	B		128,549	146,896	137,723	23,456	25,673	24,565	129,529	147,997	138,763	1,041	4,236	129,021	147,442	138,232	0,509	51,08	2,16				
11	KG	KG-048-B	B		135,138	109,745	122,442	35,730	24,580	30,155	136,617	110,958	123,788	1,346	4,464	135,859	110,343	123,101	0,659	51,00	2,28				
12	KG	KG-049-B	B		135,138	109,745	122,442	35,730	24,580	30,155	136,617	110,958	123,788	1,346	4,464	135,859	110,343	123,101	0,659	51,00	2,28				
13	KG	KG-050-B	B		114,065	113,697	113,881	24,169	22,148	23,159	116,042	115,504	115,773	1,892	8,170	115,089	114,646	114,868	0,987	47,86	3,91				
14	KG	KG-051-B	B		146,923	142,312	144,618	25,328	24,704	25,016	149,109	144,437	146,773	2,156	8,616	148,111	143,482	145,796	1,178	45,33	3,91				
15	KG	KG-052-B	B		141,483	103,844	122,664	24,280	28,351	26,316	142,972	105,611	124,292	1,628	6,186	142,265	104,764	123,515	0,851	47,73	2,95				
16	KG	KG-053-B	B		141,257	107,969	124,613	18,699	24,431	21,565	142,212	109,245	125,729	1,116	5,173	141,64	108,63	125,135	0,522	53,20	2,75				
17	KG	KG-054-B	B		112,312	147,244	129,778	16,737	22,173	19,455	113,214	148,501	130,858	1,080	5,549	112,755	147,903	130,329	0,551	48,96	2,72				
1	KG	KG-38-M	M		109,927	109,704	109,816	30,173	35,345	32,759	110,247	110,108	110,178	0,362	1,105	110,082	109,912	109,997	0,182	48,86	0,55				
2	KG	KG-39-M	M		109,927	109,704	109,816	30,173	35,345	32,759	110,247	110,108	110,178	0,362	1,105	110,082	109,912	109,997	0,182	49,86	0,55				
3	KG	KG-040-M	M		141,513	142,449	141,981	26,699	31,569	29,134	141,785	142,773	142,279	0,298	1,023	141,654	142,633	142,144	0,163	45,47	0,47				
4	KG	KG-041-M	M		155,022	138,195	146,609	28,461	25,374	26,918	155,311	138,465	146,888	0,280	1,038	155,182	138,327	146,755	0,146	47,76	0,50				
5	KG	KG-042-M	M		146,196	112,575	129,386	24,173	30,601	27,387	146,468	112,903	129,686	0,300	1,095	146,346	112,768	129,557	0,172	42,83	0,47				
6	KG	KG-043-M	M		138,892	107,689	123,291	31,692	28,796	30,244	139,232	107,985	123,609	0,318	1,051	139,051	107,847	123,449	0,158	50,16	0,53				
7	KG	KG-44-M	M		170,002	177,332	173,667	23,333	23,534	23,434	170,249	177,591	173,920	0,253	1,080	170,145	177,490	173,818	0,150	40,51	0,44				
8	KG	KG-45-M	M		107,947	141,495	124,721	27,652	32,308	29,980	108,236	141,843	125,040	0,319	1,062	108,111	141,666	124,889	0,167	47,41	0,50				
9	KG	KG-46-M	M		155,746	172,455	164,101	22,597	28,046	25,322	155,992	172,765	164,379	0,278	1,098	155,863	172,603	164,233	0,132	52,34	0,57				
10	KG	KG-047-M	M		112,236	140,468	126,352	30,629	38,317	34,473	112,589	140,906	126,748	0,395	1,147	112,387	140,673	126,530	0,178	54,99	0,63				
11	KG	KG-048-M	M		169,994	176,118	173,056	33,151	23,568	28,360	170,339	176,363	173,351	0,295	1,040	170,208	176,267	173,238	0,182	38,47	0,40				
12	KG	KG-049-M	M		169,994	176,118	173,056	33,151	23,568	28,360	170,339	176,363	173,351	0,295	1,040	170,208	176,267	173,238	0,182	38,47	0,40				
13	KG	KG-050-M	M		108,253	145,537	126,895	25,786	24,333	25,060	108,552	145,832	127,192	0,297	1,185	108,381	145,664	127,023	0,127	57,07	0,68				
14	KG	KG-051-M	M		116,484	107,716	112,100	32,210	39,126	35,668	116,786	108,077	112,432	0,332	0,929	116,627	107,926	112,277	0,177	46,76	0,43				
15	KG	KG-052-M	M		136,362	112,659	124,511	35,957	24,946	30,452	137,649	112,853	125,251	0,740	2,432	136,538	112,744	124,641	0,130	82,38	2,00				
16	KG	KG-053-M	M		142,456	113,76	128,108	26,753	23,603	25,178	142,662	113,938	128,300	0,192	0,763	142,569	113,839	128,204	0,096	50,00	0,38				
17	KG	KG-054-M	M		113,082	140,516	126,799	33,216	35,095	34,156	113,34	140,783	127,062	0,263	0,769	113,223	140,664	126,944	0,145	44,95	0,35				
1	KG	KG-38-T	T		112,211	109,664	110,938	35,569	31,449	33,509	112,614	110,010	111,312	0,375	1,118	112,398	109,822	111,110	0,172	53,94	0,60				
2	KG	KG-39-T	T		137,442	113,285	125,364	26,576	29,931	28,254	137,728	113,596	125,662	0,299	1,057	137,573	113,431	125,502	0,139	53,60	0,57				
3	KG	KG-040-T	T		137,745	113,632	125,689	30,131	29,169	29,650	138,059	113,924	125,992	0,303	1,022	137,921	113,803	125,862	0,173	42,74	0,44				
4	KG	KG-041-T	T		122,358	149,476	135,917	21,154	22,94	22,047	122,583	149,716	136,150	0,232	1,055	122,461	149,592	136,027	0,109	52,90	0,56				
5	KG	KG-042-T	T		121,335	109,987	115,661	41,229	26,880	34,055	121,801	110,283	116,042	0,381	1,119	121,578	110,130	115,854	0,193	49,34	0,55				
6	KG	KG-043-T	T		109,955	114,084	112,020	36,859	32,397	34,628	110,358	114,440	112,399	0,380	1,096	110,146	114,244	112,195	0,176	53,75	0,59				
7	KG	KG-44-T	T		166,666	166,907	166,787	21,628	27,890	24,759	166,906	167,215	167,061	0,274	1,107	166,803	167,080	166,942	0,155	43,43	0,48				
8	KG	KG-45-T	T		113,600	142,062	127,831	18,506	27,165	22,836	113,805	142,365	128,085	0,254	1,112	113,695	142,221	127,958	0,127	50,00	0,56				
9	KG	KG-46-T	T		166,907	180,014	173,461	21,288	25,842	23,565	167,138	180,303	173,721	0,260	1,103	167,010	180,145	173,578	0,117	55,00	0,61				
10	KG	KG-047-T	T		142,898	142,084	142,491	26,055	25,434	25,745	143,198	142,392	142,795	0,304	1,181	143,036	142,225	142,631	0,139	54,11	0,64				
11	KG	KG-048-T	T		111,883	101,268	106,576	24,414	23,459	23,937	112,171	101,523	106,847	0,272	1,134	112,053	101,434	106,744	0,168	38,12	0,43				
12	KG	KG-049-T	T		142,326	145,823	144,075	28,618	21,980	25,299	142,628	146,064	144,346	0,272	1,073	142,469	145,931	144,200	0,125	53,78	0,58				
13	KG	KG-050-T	T		109,540	137,688	123,614	36,044	41,758	38,901	109,976	138,163	124,070	0,456	1,171	109,751	137,939	123,845	0,231	49,29	0,58				
14	KG	KG-051-T	T		101,290	110,528	105,909	25,404	27,909	26,657	101,524	110,793	106,159	0,249	0,936	101,432	110,681	106,057	0,147	40,88	0,38				
15	KG	KG-052-T	T		113,06	143,347	128,204	32,452	37,119	34,786	113,324	143,633	128,479	0,275	0,791	113,181	143,5	128,341	0,137	50,18	0,40				

16	KG	KG-053-T	T	156,036	112,696	134,366	29,527	27,641	28,584	156,267	112,919	134,593	0,227	0,794	156,16	112,794	134,477	0,111	51,10	0,41
17	KG	KG-054-T	T	103,83	109,542	106,686	26,749	23,902	25,326	104,023	109,715	106,869	0,183	0,723	103,938	109,647	106,793	0,106	41,80	0,30
1	KG	KG-38-B-MIX	B-MIX	101,280	145,515	123,398	32,797	40,298	36,548	101,624	145,940	123,782	0,385	1,052	101,491	145,768	123,630	0,232	39,66	0,42
2	KG	KG-39-B-MIX	B-MIX	143,305	110,523	126,914	29,495	27,181	28,338	143,65	110,864	127,257	0,343	1,210	143,460	110,668	127,064	0,150	56,27	0,68
3	KG	KG-040-B-MIX	B-MIX	112,202	147,165	129,684	28,966	31,140	30,053	112,515	147,509	130,012	0,329	1,093	112,359	147,347	129,853	0,170	48,40	0,53
4	KG	KG-041-B-MIX	B-MIX	141,271	135,063	138,167	27,727	28,427	28,077	141,577	135,37	138,474	0,307	1,092	141,46	135,208	138,334	0,167	45,51	0,50
5	KG	KG-042-B-MIX	B-MIX	173,060	170,894	171,977	35,149	26,394	30,772	173,493	171,224	172,359	0,381	1,240	173,329	171,088	172,209	0,232	39,32	0,49
6	KG	KG-043-B-MIX	B-MIX	156,077	109,551	132,814	26,491	24,387	25,439	156,617	110,060	133,339	0,525	2,062	156,338	109,792	133,065	0,251	52,14	1,08
7	KG	KG-44-B-MIX	B-MIX	113,278	110,017	111,648	33,984	22,822	28,403	113,669	110,295	111,982	0,334	1,178	113,503	110,169	111,836	0,188	43,65	0,51
8	KG	KG-45-B-MIX	B-MIX	141,464	109,992	125,728	20,376	19,841	20,109	141,945	110,475	126,210	0,482	2,397	141,698	110,220	125,959	0,231	52,07	1,25
9	KG	KG-46-B-MIX	B-MIX	111,853	135,103	123,478	24,896	23,775	24,336	112,134	135,362	123,748	0,270	1,109	111,980	135,223	123,602	0,124	54,26	0,60
10	KG	KG-047-B-MIX	B-MIX	114,163	122,395	118,279	27,571	25,237	26,404	114,732	122,927	118,830	0,551	2,085	114,462	122,701	118,582	0,303	45,05	0,94
11	KG	KG-048-B-MIX	B-MIX	109,973	113,010	111,492	31,081	23,257	27,169	110,308	113,278	111,793	0,302	1,110	110,166	113,150	111,658	0,166	44,78	0,50
12	KG	KG-049-B-MIX	B-MIX	147,174	141,503	144,339	30,253	35,376	32,815	147,489	141,874	144,682	0,343	1,045	147,322	141,681	144,502	0,163	52,48	0,55
13	KG	KG-050-B-MIX	B-MIX	149,529	116,436	132,983	24,444	30,980	27,712	149,904	116,902	133,403	0,420	1,517	149,696	116,634	133,165	0,182	56,60	0,86
14	KG	KG-051-B-MIX	B-MIX	138,479	143,361	140,920	19,068	19,545	19,307	138,866	143,76	141,313	0,393	2,036	138,68	143,558	141,119	0,199	49,36	1,00
15	KG	KG-052-B-MIX	B-MIX	156,038	137,469	146,754	27,217	26,648	26,933	156,431	137,861	147,146	0,393	1,457	156,253	137,679	146,966	0,213	45,86	0,67
16	KG	KG-053-B-MIX	B-MIX	109,734	136,354	123,044	21,043	19,570	20,307	110,143	136,72	123,432	0,387	1,908	109,936	136,532	123,234	0,190	50,97	0,97
17	KG	KG-054-B-MIX	B-MIX	142,488	138,165	140,327	23,399	23,443	23,421	143,094	138,791	140,943	0,616	2,630	142,8	138,497	140,649	0,322	47,73	1,26
1	KG	KG-38-M-MIX	M-MIX	109,521	142,916	126,219	34,681	28,481	31,581	109,871	143,218	126,545	0,326	1,032	109,728	143,079	126,404	0,185	43,25	0,45
2	KG	KG-39-M-MIX	M-MIX	113,762	122,386	118,074	31,503	30,115	30,809	114,119	122,732	118,426	0,352	1,141	113,944	122,57	118,257	0,183	47,94	0,55
3	KG	KG-040-M-MIX	M-MIX	111,811	140,416	126,114	41,176	30,906	36,041	112,236	140,734	126,485	0,372	1,031	112,023	140,573	126,298	0,185	50,34	0,52
4	KG	KG-041-M-MIX	M-MIX	142,893	116,439	129,666	34,098	34,768	34,433	143,234	116,818	130,026	0,360	1,046	143,059	116,622	129,841	0,174	51,53	0,54
5	KG	KG-042-M-MIX	M-MIX	169,986	166,892	168,439	34,053	25,971	30,012	170,359	167,182	168,771	0,332	1,105	170,232	167,081	168,657	0,218	34,39	0,38
6	KG	KG-043-M-MIX	M-MIX	111,843	138,225	125,034	34,236	27,110	30,673	112,225	138,520	125,373	0,339	1,104	112,025	138,375	125,200	0,166	50,96	0,56
7	KG	KG-44-M-MIX	M-MIX	149,514	108,275	128,895	32,651	30,521	31,586	149,872	108,599	129,236	0,341	1,080	149,702	108,433	129,068	0,173	49,27	0,53
8	KG	KG-45-M-MIX	M-MIX	123,452	113,933	118,693	31,675	24,538	28,107	123,797	114,208	119,003	0,310	1,103	123,612	114,070	118,841	0,148	52,10	0,57
9	KG	KG-46-M-MIX	M-MIX	170,905	166,671	168,788	24,377	24,155	24,266	171,166	166,938	169,052	0,264	1,088	171,023	166,795	168,909	0,121	54,17	0,59
10	KG	KG-47-M-MIX	M-MIX	141,397	146,191	143,794	24,190	22,886	23,538	141,725	146,489	144,107	0,313	1,330	141,542	146,325	143,934	0,139	55,43	0,74
11	KG	KG-048-M-MIX	M-MIX	173,085	174,285	173,685	30,460	34,843	32,652	173,407	174,661	174,034	0,349	1,069	173,281	174,505	173,893	0,208	40,40	0,43
12	KG	KG-049-M-MIX	M-MIX	173,085	174,285	173,685	30,460	34,843	32,652	173,407	174,661	174,034	0,349	1,069	173,281	174,505	173,893	0,208	40,40	0,43
13	KG	KG-050-M-MIX	M-MIX	140,888	144,414	142,651	29,336	27,329	28,333	141,245	144,729	142,987	0,336	1,186	141,042	144,573	142,808	0,156	53,42	0,63
14	KG	KG-051-M-MIX	M-MIX	107,990	108,293	108,142	26,193	34,371	30,282	108,243	108,633	108,438	0,296	0,979	108,155	108,506	108,331	0,189	36,26	0,35
15	KG	KG-052-M-MIX	M-MIX	112,229	145,884	129,057	25,283	36,032	30,658	112,415	146,179	129,297	0,240	0,784	112,338	146,099	129,219	0,162	32,64	0,26
16	KG	KG-053-M-MIX	M-MIX	138,476	135,125	136,801	27,476	28,827	28,152	138,693	135,348	137,021	0,220	0,781	138,594	135,223	136,909	0,108	50,91	0,40
17	KG	KG-054-M-MIX	M-MIX	110,591	143,392	126,992	32,280	24,868	28,574	110,832	143,582	127,207	0,215	0,754	110,738	143,485	127,112	0,120	44,32	0,33
1	KG	KG-38-T-Mix	T-MIX	110,526	142,313	126,420	30,556	26,855	28,706	110,848	142,608	126,728	0,309	1,075	110,698	142,478	126,588	0,168	45,38	0,49
2	KG	KG-39-T-Mix	T-MIX	112,952	137,752	125,352	28,813	36,473	32,643	113,254	138,166	125,710	0,358	1,097	113,110	137,965	125,538	0,185	48,18	0,53
3	KG	KG-040-T-MIX	T-MIX	146,844	109,708	128,276	31,168	33,714	32,441	147,168	110,050	128,609	0,333	1,026	147,034	109,880	128,457	0,181	45,65	0,47
4	KG	KG-041-T-MIX	T-MIX	149,54	141,466	145,503	27,345	26,84	27,093	149,829	141,772	145,801	0,298	1,098	149,689	141,610	145,500	0,147	50,76	0,56
5	KG	KG-042-T-MIX	T-MIX	110,569	112,988	111,779	36,211	35,121	35,666	110,973	113,368	112,171	0,392	1,099	110,787	113,201	111,994	0,215	45,03	0,59
6	KG	KG-043-T-MIX	T-MIX	138,449	136,323	137,386	23,494	20,779	22,137	138,714	136,554	137,634	0,248	1,120	138,583	136,422	137,503	0,116	53,02	0,59
7	KG	KG-44-T-MIX	T-MIX	168,933	173,062	170,998	21,640	25,387	23,514	169,155	173,341	171,248	0,250	1,065	169,058	173,210	171,134	0,137	45,51	0,48
8	KG	KG-45-T-MIX	T-MIX	140,660	149,543	145,102	22,238	32,243	27,241	141,105	149,878	145,492	0,390	1,432	140,980	149,736	145,358	0,257	34,23	0,49
9	KG	KG-46-T-MIX	T-MIX	109,695	128,504	119,100	27,667	25,667	26,667	109,982	128,767	119,375	0,275	1,031	109,815	128,632	119,224	0,124	54,91	0,57
10	KG	KG-047-T-MIX	T-MIX	149,592	107,686	128,639	22,346	27,520	24,933	149,858	107,995	128,927	0,287	1,153	149,710	107,851	128,781	0,142	50,78	0,59
11	KG	KG-048-T-MIX	T-MIX	149,524	112,717	131,121	33,610	34,988	34,299	149,911	113,103	131,507	0,387	1,127	149,742	112,944	131,343	0,222	42,43	0,48
12	KG	KG-049-T-MIX	T-MIX	137,441	143,324	140,383	25,855	22,846	24,351	137,800	143,582	140,691	0,309	1,267	137,632	143,433	140,533	0,150	51,38	0,65
13	KG	KG-050-T-MIX	T-MIX	112,603	136,325	124,464	28,457	23,249	25,853	112,994	136,632	124,813	0,349	1,350	112,750	136,449	124,600	0,136	61,17	0,83
14	KG	KG-051-T-MIX	T-MIX	135,124	109,731	122,428	26,144	33,483	29,814	135,381	110,068	122,725	0,297	0,996	135,276	109,942	122,609	0,182	38,89	0,39
15	KG	KG-052-T-MIX	T-MIX	107,729	109,575	108,652	26,516	37,614	32,065	107,935	109,864	108,900	0,248	0,772	107,838	109,718	108,778	0,126	49,09	0,38
16	KG	KG-053-T-MIX	T-MIX	140,493	103,775	122,134	31,565	22,459	27,012	140,748	103,948	122,348	0,214	0,792	140,647	103,873	122,260	0,126	41,12	0,33
17	KG	KG-054-T-MIX	T-MIX	137,772	112,735	125,254	31,961	34,019	32,990	138,008	112,995	125,502	0,248	0,752	137,837	112,864	125,351	0,097	60,89	0,46

Doctoral thesis by Ms. Isabel Cristina Pulgarin Monsalve
Fundamentals of process design and control of Anaerobic Sequencing Batch Gas-Lift Reactor regarding the mixing process
Brandenburgische Technische Universität Cottbus-Senftenberg, 2021

Annex 8.2:

Database
OTS and TS - ST ASBR Reactor

Week	Reactor	Label	D - M - T - OUT -HY	Sample Name	Tare weight (g)		Average		Mass in (g)		Average		Dry mass + tare (g)		Average		Dry weight (g)	TS (%)	Ash mass + tare (g)		Average		Ash weight (g)	OTS dry (%)	OTS fresh (%)
1	ST	ST-038-B	B		149,483	108,216	128,850	25,373	37,245	31,309	150,146	109,195	129,671	0,821	2,622	149,905	108,809	129,357	0,507	38,19	1,00				
2	ST	ST-039-B	B		109,524	103,774	106,649	34,508	34,644	34,576	109,961	104,227	107,094	0,445	1,287	109,760	104,012	106,886	0,237	46,74	0,60				
3	ST	ST-040-B	B		129,153	142,050	135,602	27,473	30,655	29,064	129,499	142,421	135,960	0,358	1,233	129,331	142,269	135,800	0,199	44,63	0,55				
4	ST	ST-041-B	B		145,506	142,299	143,903	18,869	26,376	22,623	145,929	142,961	144,445	0,542	2,398	145,734	142,695	144,215	0,312	42,49	1,02				
5	ST	ST-042-B	B		112,634	113,293	112,964	29,668	24,581	27,125	113,588	114,087	113,838	0,874	3,222	113,173	113,747	113,460	0,496	43,19	1,39				
6	ST	ST-043-B	B		142,287	142,454	142,371	26,833	29,745	28,289	143,055	143,317	143,186	0,816	2,883	142,712	142,952	142,832	0,462	43,41	1,25				
7	ST	ST-044-B	B		110,585	112,604	111,595	31,302	29,101	30,202	111,608	113,701	112,655	1,060	3,510	111,236	113,342	112,289	0,695	34,48	1,21				
8	ST	ST-045-B	B		142,899	142,296	142,598	18,137	23,622	20,880	143,619	143,279	143,449	0,852	4,078	143,332	142,893	143,113	0,515	39,52	1,61				
9	ST	ST-046-B	B		176,143	175,526	175,835	17,614	15,597	16,606	176,855	176,233	176,544	0,709	4,273	176,579	175,963	176,271	0,437	38,48	1,64				
10	ST	ST-047-B	B		116,417	147,192	131,805	15,687	17,795	16,741	116,982	148,032	132,507	0,702	4,196	116,794	147,748	132,271	0,466	33,59	1,41				
11	ST	ST-048-B	B		155,751	157,902	156,827	22,982	20,930	21,956	156,564	158,706	157,635	0,808	3,682	156,320	158,646	157,483	0,656	18,80	0,69				
12	ST	ST-049-B	B		113,866	141,514	127,690	15,975	18,754	17,365	114,456	142,312	128,384	0,694	3,997	114,214	141,999	128,107	0,416	39,99	1,60				
13	ST	ST-050-B	B		110,529	101,292	105,911	17,860	25,808	21,834	111,024	102,016	106,520	0,610	2,792	110,823	101,719	106,271	0,360	40,85	1,14				
14	ST	ST-051-B	B		129,105	141,504	135,305	21,511	27,499	24,505	129,967	142,621	136,294	0,990	4,038	129,598	142,148	135,873	0,569	42,55	1,72				
15	ST	ST-052-B	B		141,397	114,024	127,711	15,781	20,286	18,034	142,05	114,955	128,503	0,792	4,392	141,78	114,582	128,181	0,470	40,59	1,78				
16	ST	ST-053-B	B		138,2	109,974	124,087	11,159	27,451	19,305	138,656	111,143	124,900	0,813	4,209	138,447	110,622	124,535	0,448	44,92	1,89				
17	ST	ST-054-B	B		146,223	101,327	123,775	27,771	28,289	28,030	146,904	102,043	124,474	0,698	2,492	146,604	101,725	124,165	0,389	44,24	1,10				
1	ST	ST-038-M	M		136,289	141,266	138,773	31,347	34,624	32,986	136,710	141,747	139,229	0,456	1,382	136,524	141,538	139,031	0,259	43,31	0,60				
2	ST	ST-039-M	M		121,356	112,668	117,012	33,099	37,565	35,332	121,765	113,137	117,451	0,439	1,242	121,567	112,913	117,240	0,228	48,06	0,60				
3	ST	ST-040-M	M		149,545	135,077	142,311	19,75	43,284	31,517	149,782	135,572	142,677	0,366	1,161	149,669	135,319	142,494	0,183	50,00	0,58				
4	ST	ST-041-M	M		111,829	140,423	126,126	25,322	25,857	25,590	112,164	140,761	126,463	0,337	1,315	111,985	140,589	126,287	0,161	52,15	0,69				
5	ST	ST-042-M	M		144,402	109,705	127,054	25,519	27,009	26,264	144,731	110,067	127,399	0,346	1,315	144,589	109,898	127,244	0,190	45,01	0,59				
6	ST	ST-043-M	M		146,867	142,035	144,451	25,211	23,540	24,376	147,180	142,321	144,751	0,299	1,229	147,029	142,182	144,606	0,155	48,41	0,59				
7	ST	ST-044-M	M		170,904	175,538	173,221	24,562	22,695	23,629	171,270	175,898	173,584	0,363	1,536	171,101	175,727	173,414	0,193	46,83	0,72				
8	ST	ST-045-M	M		138,932	112,192	125,562	23,369	23,144	23,257	139,223	112,471	125,847	0,285	1,225	139,066	112,333	125,700	0,138	51,75	0,63				
9	ST	ST-046-M	M		168,961	170,002	169,482	28,323	24,950	26,637	169,424	170,405	169,915	0,433	1,626	169,205	170,214	169,710	0,228	47,34	0,77				
10	ST	ST-047-M	M		112,872	143,321	128,097	22,236	29,508	25,872	113,174	143,689	128,432	0,335	1,295	113,019	143,532	128,276	0,179	46,57	0,60				
11	ST	ST-0-48M	M		110,532	112,604	111,568	26,266	24,635	25,451	110,883	112,935	111,909	0,341	1,340	110,741	112,798	111,770	0,201	40,91	0,55				
12	ST	ST-049-M	M		115,008	138,931	126,970	22,694	22,809	22,752	115,317	139,261	127,289	0,319	1,404	115,164	139,090	127,127	0,157	50,70	0,71				
13	ST	ST-050-M	M		111,837	123,471	117,654	27,552	29,119	28,336	112,198	123,880	118,039	0,385	1,359	112,009	123,661	117,835	0,181	52,99	0,72				
14	ST	ST-051-M	M		112,261	113,642	112,952	30,782	32,117	31,450	112,6	113,972	113,286	0,335	1,064	112,487	113,867	113,177	0,225	32,59	0,35				
15	ST	ST-052-M	M		110,566	113,646	112,106	27,758	27,641	27,700	110,821	113,909	112,365	0,259	0,935	110,704	113,788	112,246	0,140	45,95	0,43				
16	ST	ST-053-M	M		137,765	141,439	139,602	24,187	21,883	23,035	137,995	141,645	139,819	0,217	0,942	137,863	141,544	139,704	0,102	53,23	0,50				
17	ST	ST-054-M	M		112,884	156,091	134,488	24,202	34,943	29,573	113,138	156,467	134,803	0,315	1,065	113,011	156,294	134,653	0,165	47,62	0,51				
1	ST	ST-038-T	T		113,640	113,287	113,464	38,946	34,596	36,771	114,044	113,657	113,851	0,387	1,052	113,874	113,512	113,693	0,229	40,70	0,43				
2	ST	ST-039-T	T		109,985	138,851	124,418	34,322	37,586	35,954	110,384	139,277	124,831	0,412	1,147	110,195	139,097	124,646	0,228	44,73	0,51				
3	ST	ST-040-T	T		144,409	128,516	136,463	31,313	29,908	30,611	144,738	128,867	136,803	0,340	1,111	144,586	128,710	136,648	0,186	45,44	0,50				
4	ST	ST-041-T	T		156,054	113,628	134,841	24,458	25,172	24,815	156,322	113,908	135,115	0,274	1,104	156,193	113,775	134,984	0,143	47,81	0,53				
5	ST	ST-042-T	T		172,466	174,224	173,345	28,966	22,196	25,581	172,807	174,467	173,637	0,292	1,141	172,690	174,370	173,530	0,185	36,64	0,42				
6	ST	ST-043-T	T		141,489	140,852	141,171	25,476	30,144	27,810	141,839	141,240	141,540	0,369	1,327	141,660	141,363	141,066	0,192	47,83	0,63				
7	ST	ST-044-T	T		176,132	174,251	175,192	25,987	24,627	25,307	176,426	174,532	175,479	0,287	1,136	176,289	174,397	175,343	0,151	47,30	0,54				
8	ST	ST-045-T	T		146,877	141,372	144,125	21,888	28,459	25,174	147,147	141,702	144,425	0,300	1,192	147,010	141,552	144,281	0,156	47,83	0,57				
9	ST	ST-046-T	T		137,730	145,506	141,618	24,262	25,707	24,985	138,008	145,786	141,897	0,279	1,117	137,863	145,637	141,750	0,132	52,69	0,59				
10	ST	ST-047-T	T		129,141	142,298	135,720	22,825	23,947	23,386	129,409	142,575	135,992	0,273	1,165	129,259	142,427	135,843	0,124	54,68	0,64				
11	ST	ST-048-T	T		107,967	121,331	114,649	28,928	35,236	32,082	108,268	121,668	114,968	0,319	0,994	108,155	121,533	114,844	0,195	38,87	0,39				
12	ST	ST-049-T	T		107,967	121,331	114,649	28,928	35,236	32,082	108,268	121,668	114,968	0,319	0,994	108,155	121,533	114,844	0,195	38,87	0,39				
13	ST	ST-050-T	T		103,809	121,326	112,568	20,142	28,370	24,256	104,041	121,652	112,847	0,279	1,150	103,929	121,499	112,714	0,147	47,49	0,55				
14	ST	ST-051-T	T		140,456	141,402	140,929	28,117	29,825	28,971	140,742	141,703	141,223	0,294	1,013	140,652	141,635	141,144	0,215	26,92	0,27				
15	ST	ST-052-T	T		137,734	138,462	138,098	32,403	29,058	30,731	138,14	138,737	138,439	0,340	1,108	137,905	138,62	138,263	0,164	51,69	0,57				
16	ST	ST-053-T	T		108,265	122,395	115,330	9,263	13,860	11,562	108,341	122,514	115,428	0,097	0,843	108,299	122,448	115,374	0,044	55,38	0,47				
17	ST	ST-054-T	T		109,95	109,95	109,950	15,409	15,409	15,409	110,06	110,06	110,060	0,110	0,714	110,003	110,003	110,003	0,053	51,82	0,37				
1	ST	ST-038-B-Mix	B-MIX		109,930	146,841	128,386	28,228	38,217	33,223	110,580	147,754	129,167	0,781	2,352	110,308	147,371	128,840	0,454	41,91					

5	ST	ST-042-B-MIX	B-MIX	137,470	155,725	146,598	26,361	22,716	24,539	138,119	156,273	147,196	0,599	2,439	137,847	156,050	146,949	0,351	41,35	1,01
6	ST	ST-043-B-MIX	B-MIX	107,941	122,397	115,169	23,136	23,763	23,450	108,468	123,050	115,759	0,590	2,516	108,238	122,754	115,496	0,327	44,58	1,12
7	ST	ST-044-B-MIX	B-MIX	141,299	143,328	142,314	24,571	22,942	23,757	141,883	143,946	142,915	0,601	2,530	141,641	143,723	142,682	0,369	38,69	0,98
8	ST	ST-045-B-MIX	B-MIX	107,699	142,439	125,069	22,025	15,834	18,930	108,365	142,932	125,649	0,579	3,061	108,091	142,733	125,412	0,343	40,81	1,25
9	ST	ST-046-B-MIX	B-MIX	138,223	113,706	125,965	17,454	21,270	19,362	138,838	114,471	126,655	0,690	3,564	138,618	114,207	126,413	0,448	35,07	1,25
10	ST	ST-047-B-MIX	B-MIX	123,538	136,295	129,917	29,786	30,852	30,319	123,963	136,685	130,324	0,408	1,344	123,731	136,496	130,114	0,197	51,66	0,69
11	ST	ST-048-B-MIX	B-MIX	112,610	113,597	113,104	29,349	22,067	25,708	113,176	114,088	113,632	0,529	2,056	112,959	113,910	113,435	0,331	37,37	0,77
12	ST	ST-049-B-MIX	B-MIX	141,401	140,475	140,938	40,458	25,933	33,196	142,045	141,057	141,551	0,613	1,847	141,760	140,804	141,282	0,344	43,88	0,81
13	ST	ST-050-B-MIX	B-MIX	142,097	142,938	142,518	20,005	28,488	24,247	142,601	143,648	143,125	0,607	2,503	142,370	143,353	142,862	0,344	43,33	1,08
14	ST	ST-051-B-MIX	B-MIX	137,456	156,025	146,741	25,621	22,691	24,156	137,956	156,465	147,211	0,470	1,946	137,728	156,274	147,001	0,261	44,57	0,87
15	ST	ST-052-B-MIX	B-MIX	107,988	108,295	108,142	18,368	25,758	22,063	108,592	109,13	108,861	0,719	3,261	108,345	108,802	108,574	0,432	39,96	1,30
16	ST	ST-053-B-MIX	B-MIX	109,584	146,241	127,913	23,113	17,471	20,292	110,108	146,648	128,378	0,465	2,294	109,861	146,459	128,160	0,247	46,83	1,07
17	ST	ST-054-B-MIX	B-MIX	107,953	137,471	122,712	29,311	20,727	25,019	108,519	137,898	123,209	0,496	1,984	108,279	137,7	122,990	0,277	44,11	0,88
1	ST	ST-038-M-MIX	M-MIX	112,522	145,797	129,160	29,904	31,499	30,702	112,876	146,206	129,541	0,381	1,243	112,709	146,023	129,366	0,206	45,87	0,57
2	ST	ST-039-M-MIX	M-MIX	112,551	146,824	129,688	33,063	33,585	33,324	112,929	147,224	130,077	0,389	1,167	112,766	147,050	129,908	0,221	43,32	0,51
3	ST	ST-040-M-MIX	M-MIX	141,454	140,863	141,159	25,312	27,286	26,299	141,731	141,173	141,452	0,293	1,116	141,588	141,022	141,305	0,147	50,09	0,56
4	ST	ST-041-M-MIX	M-MIX	112,218	142,023	127,121	23,861	25,068	24,465	112,554	142,369	127,462	0,341	1,394	112,384	142,210	127,297	0,177	48,24	0,67
5	ST	ST-042-M-MIX	M-MIX	113,801	103,799	108,800	28,182	24,948	26,565	114,198	104,144	109,171	0,371	1,397	114,020	103,990	109,005	0,205	44,74	0,62
6	ST	ST-043-M-MIX	M-MIX	141,340	113,582	127,461	31,681	29,934	30,808	141,748	113,968	127,858	0,397	1,289	141,559	113,786	127,673	0,212	46,73	0,60
7	ST	ST-044-M-MIX	M-MIX	121,355	112,587	116,971	24,926	22,260	23,593	121,851	113,022	117,437	0,465	1,973	121,645	112,837	117,241	0,270	42,00	0,83
8	ST	ST-045-M-MIX	M-MIX	145,778	140,441	143,110	25,857	28,329	27,093	146,099	140,803	143,451	0,341	1,260	145,960	140,638	143,299	0,190	44,51	0,56
9	ST	ST-046-M-MIX	M-MIX	177,339	170,324	173,832	28,032	26,566	27,299	177,717	170,694	174,206	0,374	1,370	177,529	170,507	174,018	0,186	50,13	0,69
10	ST	ST-047-M-MIX	M-MIX	123,538	136,295	129,917	29,786	30,852	30,319	123,963	136,685	130,324	0,408	1,344	123,731	136,496	130,114	0,197	51,66	0,69
11	ST	ST-048-M-MIX	M-MIX	144,384	145,549	144,967	23,755	28,820	26,288	144,653	145,894	145,274	0,307	1,168	144,557	145,759	145,158	0,191	37,62	0,44
12	ST	ST-049-M-MIX	M-MIX	138,458	112,250	125,354	30,221	30,698	30,460	138,812	112,623	125,718	0,364	1,193	138,633	112,435	125,534	0,180	50,48	0,60
13	ST	ST-050-M-MIX	M-MIX	107,698	113,630	110,664	30,937	28,965	29,951	108,069	113,979	111,024	0,360	1,202	107,895	113,801	110,848	0,184	48,89	0,59
14	ST	ST-051-M-MIX	M-MIX	145,870	149,554	147,712	28,222	20,716	24,469	146,184	149,768	147,976	0,264	1,079	146,033	149,676	147,855	0,142	46,02	0,50
15	ST	ST-052-M-MIX	M-MIX	147,218	115,029	131,124	33,794	36,287	35,041	147,566	115,398	131,482	0,359	1,023	147,425	115,217	131,321	0,198	44,91	0,46
16	ST	ST-053-M-MIX	M-MIX	110,565	112,868	111,717	28,167	28,301	28,234	110,842	113,152	111,997	0,281	0,993	110,699	113,019	111,859	0,143	49,20	0,49
17	ST	ST-054-M-MIX	M-MIX	114,043	114,043	114,043	23,704	23,704	23,704	114,255	114,255	114,255	0,212	0,894	114,139	114,139	114,139	0,096	54,72	0,49
1	ST	ST-038-T-MIX	T-MIX	113,785	147,151	130,468	31,211	36,523	33,867	114,132	147,559	130,846	0,377	1,115	113,969	147,373	130,671	0,203	46,23	0,52
2	ST	ST-039-T-MIX	T-MIX	113,901	138,418	126,160	34,661	43,947	39,304	114,322	138,919	126,621	0,461	1,173	114,105	138,700	126,403	0,243	47,29	0,55
3	ST	ST-040-T-MIX	T-MIX	107,957	113,597	110,777	24,115	31,375	27,745	108,255	114,007	111,131	0,354	1,276	108,114	113,818	110,966	0,189	46,61	0,59
4	ST	ST-041-T-MIX	T-MIX	123,399	142,436	132,918	30,722	27,654	29,188	123,739	142,742	133,241	0,323	1,107	123,564	142,598	133,081	0,163	49,38	0,55
5	ST	ST-042-T-MIX	T-MIX	166,655	157,883	162,269	22,271	27,301	24,786	166,898	158,180	162,539	0,270	1,089	166,809	158,063	162,436	0,167	38,15	0,42
6	ST	ST-42A-T-MIX	T-MIX	135,104	140,438	137,771	29,116	33,597	31,357	135,502	140,881	138,192	0,421	1,341	135,294	140,668	137,981	0,210	50,06	0,67
7	ST	ST-44-T-MIX	T-MIX	101,322	113,798	107,560	33,773	36,933	35,353	101,731	114,245	107,988	0,428	1,211	101,525	114,082	107,804	0,243	43,11	0,52
8	ST	ST-T-45-MIX	T-MIX	129,103	147,166	138,135	22,344	27,398	24,871	129,363	147,487	138,425	0,291	1,168	129,234	147,341	138,288	0,153	47,33	0,55
9	ST	ST-46-T-MIX	T-MIX	103,838	143,313	123,576	29,097	20,588	24,843	104,192	143,557	123,875	0,299	1,204	104,005	143,425	123,715	0,140	53,34	0,64
10	ST	ST-T-047-MIX	T-MIX	145,809	138,957	142,383	16,750	29,212	22,981	146,022	139,344	142,683	0,300	1,305	145,895	139,122	142,509	0,126	58,17	0,76
11	ST	ST-048-T-MIX	T-MIX	108,216	113,320	110,768	32,362	31,466	31,914	108,573	113,687	111,130	0,362	1,134	108,425	113,553	110,989	0,221	38,95	0,44
12	ST	ST-049-T-MIX	T-MIX	138,458	112,250	125,354	30,221	30,698	30,460	138,812	112,623	125,718	0,364	1,193	138,633	112,435	125,534	0,180	50,48	0,60
13	ST	ST-050-T-MIX	T-MIX	112,575	112,748	112,662	23,071	32,502	27,787	112,836	113,114	112,975	0,313	1,128	112,708	112,929	112,819	0,157	49,92	0,56
14	ST	ST-051-T-MIX	T-MIX	121,346	112,77	117,058	29,053	26,820	27,937	121,64	113,037	117,339	0,281	1,004	121,499	112,909	117,204	0,146	47,95	0,48
15	ST	ST-052-T-MIX	T-MIX	140,457	146,216	143,337	33,986	25,596	29,791	140,783	146,471	143,627	0,291	0,975	140,625	146,337	143,481	0,144	50,26	0,49
16	ST	ST-053-T-MIX	T-MIX	113,087	143,395	128,241	25,090	22,035	23,563	113,363	143,625	128,494	0,253	1,074	113,225	143,523	128,374	0,133	47,43	0,51
17	ST	ST-054-T-MIX	T-MIX	135,186	135,186	135,186	24,943	24,943	24,943	135,407	135,407	135,407	0,221	0,886	135,273	135,273	135,273	0,087	60,63	0,54